

ORGANIC

SPEX CertiPrep®

Inorganic and Organic Certified Reference Materials



Kimya Endüstri Sanayi Tic. A.Ş.

e-mail: sci@sci.com.tr • Web: www.sci.com.tr

Welcome

SPEX CertiPrep has been serving the scientific community since 1954. We have grown into the industry's most passionate and reliable manufacturer of Certified Reference Materials (CRMs) and Calibration Standards for the Analytical Spectroscopy and Chromatography communities.

We are pleased to share with you the latest and greatest SPEX CertiPrep Certified Reference Materials catalog. This flip-book style catalog includes our Organic Certified Reference Materials on one side and Inorganic Certified Reference Materials on the other.

Our primary focus is to provide Organic and Inorganic CRMs of the highest quality and superior customer support. The Organic Standards are manufactured for GC, GC/MS, HPLC, LC/MS, and other analytical instrumentation. The Inorganic Standards are manufactured for AA, ICP, ICP-MS, IC, XRF, and other analytical instrumentation.

SPEX CertiPrep Group is accredited by A2LA to ISO/IEC 17025:2005 and ISO 17034:2016 and by DQS to ISO 9001:2015. Our accreditation is the most comprehensive in the industry and encompasses all of our manufactured products.

Our Organic product line offers quick turnaround based on your individual needs. We specialize in manufacturing Custom Standards as well.


We are proud to offer many new and diverse Organic products in this catalog, including:

- LC/MS Single & Multi-Element Standards
- LC/MS Daily Checks
- Volatile and Semivolatile Standards
- Pesticide Mixes and Kit
- European Pesticide Mix
- Analytical Standards for Medicinal & Recreational Cannabis Testing
- Phthalates in Polyethylene and Polyvinyl Standards
- Multi-Element Standards for the latest EPA Methods
- USP <467> Standards

Our heritage is our passion for science and dedication to the analytical community. We produce only the highest quality standards and offer the best and most reliable customer support in the industry.

We appreciate your business and look forward to working with you in the years to come.

Sincerely,



Yvonne Cangelosi
President

© 2018 SPEX CertiPrep. All Rights Reserved.
♻️ Printed in the U.S.A.

OUR MISSION

With over 60 years of experience manufacturing Organic Certified Reference Materials (CRMs), SPEXOrganics® continues to lead the market with the highest quality products and an offering that spreads out over to many market segments worldwide. We consistently strive to design and manufacture new products to meet or exceed the requirements set by the newest instrumentation and regulatory concerns. Our team of highly trained chemists work to provide 100% customer satisfaction.



Organic Certified Reference Materials

TABLE OF CONTENTS

Ordering Information & Technical Support	3
Custom Standards Program	4
Quality	5
Certificate of Analysis	6
SPEX Companies Overview	7

Section 1.**Single-Component Organic Standards**

Introduction	9
Single-Element Standards	9

Section 2.**Volatiles: Single & Multi-Component Standards for GC & GC/MS**

US EPA Methods	169
Volatile Standards	170

Section 3.**Semivolatiles: Single & Multi-Component Standards for GC, GC/MS, LC & LC/MS**

US EPA Methods	189
Semivolatile Standards	190

Section 4.**LC & LC/MS: Single & Multi-Component Standards**

Introduction	219
LC & LC/MS Standards	220

Section 5.**Pesticides, PCBs and Herbicides**

Introduction	227
US EPA Methods	228
Pesticides, PCBs and Herbicides	229
Pesticide Mixes Introduction	247
Pesticide Mixes	248
European Pesticide Mix	251

Section 6.**CannStandards®: Analytical Standards for Medicinal & Recreational Cannabis Testing & DEA Controlled Substances**

Introduction	253
Pesticide Residues	253
Terpenes	255
Residual Solvents	255
Can-TERP Mixes	256
Canadian Pesticide Mixes	257
DEA Controlled Substances	259
Heavy Metals	259

Section 7.**Consumer Safety**

Analytical Standards for Wine	261
Pharmaceutical Residual Solvent Standards	263
USP <467> Residual Solvent Standards	264
Phthalates in Polyethylene QC Standards	265
Phthalates in PVC QC Standards	266
Acetaldehyde	267
Plastic Additives	267

Section 8.**Petroleum, Petrochemical & Biodiesel Standards**

Introduction	269
Petroleum and Petrochemical	270
NJDEP Extractable Petroleum Standards	275
Biodiesel Standards	277
ASTM Standards	278

Section 9.**International Standards**

Introduction	281
International Standards	282

Index.**Organics**

Organics Part Number Index	285
--------------------------------------	-----

Ordering Information & Technical Support

Phone: 1.800.LAB.SPEX (1.800.522.7739) • 732.549.7144
Fax: 732.603.9647
E-mail: CRMSales@spex.com
Online Orders and Live Chat: www.spexcertiprep.com
Ask A Chemist: AskAChemist@spex.com
Mailing Address: SPEX CertiPrep • 203 Norcross Avenue • Metuchen, NJ 08840

TERMS & CONDITIONS

GENERAL CONDITIONS

Payment terms are Net 30 days to rated organizations or payment can be made by credit card. Orders are shipped FCA Metuchen, New Jersey, and are shipped in accordance with IATA or DOT regulations. All freight charges are prepaid and added to the invoice unless otherwise specified on your order.

RETURN AND/OR EXCHANGE

Contact our Sales Department for a Return Authorization Number and instructions before shipping. Unauthorized returns will be refused. Transportation is the responsibility of the customer; all materials must be packed, marked, labeled, and shipped in accordance with regulations governing transportation of hazardous materials, if applicable. Credit for returned merchandise will be issued only if goods are unopened, resalable and received within 30 days of the original invoice date. Returned items are subject to a 25% restocking fee.

LIMITED LIABILITY

Purchaser's sole and exclusive remedy for damages and seller's sole and exclusive liability for damages for any cause whatsoever, including alleged negligence, is limited to the refund of the purchase price of the product or replacement of the product at seller's election. In no event shall seller be liable for direct, indirect, incidental, or consequential damages, including lost profits.

EXPORT ORDERS

SPEX CertiPrep maintains authorized distributors in many countries around the world. Please visit the following web page at spexcertiprep.com/distributors for a complete list of international distributors.

PRECAUTIONS

SPEX CertiPrep products are not for any cosmetic, drug or household applications. Our acceptance of a purchase order is with the assumption that products will be used only by qualified individuals who are trained in appropriate procedures. Customer must ensure safe storage, handling and application of all products ordered from this catalog. We assume requisitioner's to be competent, safety-conscious professionals.



Custom Standards Program

SPEX CertiPrep offers Custom Certified Reference Materials because we realize that no two laboratories face exactly the same samples, or precisely the same requirements. We specialize in evaluating what compounds work well together and the solvents needed to keep the standard stable. Simply choose the organic products you need by filling out the online order form at spexcertiprep.com/customorganics.

Standards available for LC, LC/MS, GC, or GC/MS.

CAPABILITIES:

- Concentration of standards: 0.01 µg/mL to 1%
- Sizes available: 1 mL ampules to 1 L bottles
- Over 4,000 organic products available
- All solvents available: Acetonitrile to Xylene
- Extensive experience in biological matrices including urine and blood

BENEFITS:

- Complete 1-year supply of standards with SAME LOT #
- Bar coding for easy tracking of standards within the lab
- Filling process tracked for guaranteed homogeneity
- Lot-to-lot consistency for seamless use through the years
- Mistake-proof instructions included for easy transition between different users

CUSTOM PACKAGING

SPEX CertiPrep can provide a variety of custom packaging options, depending on your applications. This can be done using materials provided by you or from our own inventory.

Quality

Certified Reference Materials of the Highest Quality - How Can We Prove It?

To ensure the validity of results from today's high-performance instrumentation, SPEX CertiPrep has developed an extensive line of the highest quality certified reference materials. How can we prove it? The International Organization for Standardization (ISO) has established a set of guidelines designed to define common business practices, increase responsibility and ensure clarity and full disclosure in the industry. As shown below, there are three ISO quality management systems that are most relevant for reference material manufacturers - ISO 9001, ISO/IEC 17025 and ISO 17034.

Each level has its own set of internationally recognized criteria against which companies are formally measured. Each level is more difficult to achieve and fewer companies are able to meet the required criteria. SPEX CertiPrep is proud to be accredited for all three. By taking the extra step of choosing to demonstrate our competence and comply with these standards, we are continuously proving that our tests and calibration results are technically competent and our products truly are of the highest quality.

Levels of Accreditation - About Each Standard and What it Means to You

Level 1: ISO 9001:2015 - Customer Satisfaction (all types of organizations)

Certified by UL-DQS as an ISO 9001:2015 facility for our Quality Management System

Open to all types of organizations • Written procedures • Documented complaints

Level 2: ISO/IEC 17025:2005 - Technically Sound Products (testing and/or calibration labs)

Accredited by A2LA as an ISO/IEC 17025:2005 Certified Chemical Testing Laboratory

Specifically for organizations carrying out testing and/or calibration • Competent at quality related tests • Consistent manufacturing

Level 3: ISO 17034:2016 - Traceable & Accurate Reference Materials (reference material producers)

Accredited by A2LA as an ISO 17034:2016 Certified Inorganic and Organic Reference Material Producer

Specifically for reference material producers • Validate methods to prove accuracy • Report uncertainty and sources of error

Certificate of Analysis

Every accredited manufacturer of Certified Reference Materials supplies a Certificate of Analysis (COA) with their products. ISO Guide 31 and ISO 17034 outline the information required for a Certificate of Analysis. In order to comply with the ISO standards, an accredited CRM manufacturer must supply more than a dozen informational and analytical values such as certifying bodies, material descriptions, intended use, instructions for use, homogeneity, stability, certified values and their uncertainties, and traceability. Not all certificates are alike. SPEX CertiPrep has been supplying some of the most comprehensive Certificates of Analysis in the CRM industry for years. Our certificates are easy to read and have all of the information an analyst would need to use our standards. We have highlighted what you should look for in a Certificate of Analysis and why our certificate is one of the best.



Reference Materials Producer
Cert. #2495.01

SPEXcertiPrep®
Certificate of Reference Material



Chemical Testing
Cert. #2495.02

Catalog Number: S-2455
Description: Methyl-tert-butyl ether
Matrix: Methanol (Purge & Trap Grade)

Lot No. TS170921015
Ship Date: 9-22-2017
Expiration Date: 9-21-2020

This SPEXOrganics® Certified Reference Material, CRM, is intended primarily for use as a calibration standard or quality control standard for organic chromatography instrumentation such as GC, GC/MS, LC, and LC/MS. It can be employed in US EPA, ASTM and other methods relevant to the certified properties listed below.

Certified Compounds:	CAS #	Labeled	Purity	Certified	Uncertainty
Methyl-tert-butyl ether	1634-04-4	1,000 µg/mL	99.8%	1,001 µg/mL	± 36 µg/mL

Final Solution Verification: Final solution integrity verified by Gas Chromatography/Mass Spectrometry. The mass spectrum of each compound was confirmed against the NIST mass spectral database.

† Certified concentration based on gravimetric weights and corrected for the purity of the compound(s) used to prepare the standard. Analytical balance calibration is verified daily with C1 weight set #23-190006 which is registered with Atlantic Scale and traceable to NIST and NIST Division of Weights and Measures.

This CRM is guaranteed stable and accurate to within the uncertainty listed for the certified value. This includes uncertainty components due to preparation, homogeneity, short-term and long-term stability. During the stated period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution. For further information, contact the Sales Support Department at CRMSales@spex.com.

Date of Certification: 9-22-2017

Certifying Officer: Shannon Mac

SPEX CertiPrep is accredited by A2LA for Organic and Inorganic Certified Reference Materials as complying with the requirements of ISO/IEC 17025 and ISO 17034, with the most comprehensive scope in the industry.

Includes factors associated with manufacturing process, as well as homogeneity and stability.

Compound purity taken into account when determining certified concentration.

Purity of starting material, verified in our laboratory.

Instrument verification on all standards.

Traceable to NIST.

Signed by SPEX CertiPrep's Organic Operations Manager.

Stamped with month and year of certification.

SPEX Companies Overview



SPEX Europe is the European division of SPEX CertiPrep, LLC representing SPEX CertiPrep, SPEX SamplePrep and Katanax. It is responsible for the sales, marketing and distribution of SPEX CertiPrep's Inorganic and Organic Certified Reference Materials and SPEX SamplePrep Sample Preparation Equipment products throughout the UK, Ireland and Europe. We are also proud to be the exclusive supplier of ERA PT Schemes in the UK. We strive to be your single source supplier of certified reference materials.

Our dedicated sales team is prepared to assist you with all of your CRM needs and this is supported by a large, specialized network of local distributors representing most European countries. We maintain a considerable stock in our UK based headquarters, which ensures a timely delivery throughout this region of the world. SPEX Europe makes all of the arrangements to import the products into the EU, and they are packaged and labeled according to international regulations. Our trusted network of carriers are experienced in the handling of both non-hazardous and hazardous materials and we are capable of shipping to all European countries.

SPEX Europe also supplies the full range of SPEX SamplePrep Sample Preparation Equipment products. This includes Laboratory Mills, Presses, XRF accessories and the Katanax® Automated Fusion Machines. Our experienced sales staff and network of local distributors are available to provide product demonstrations and test, grind and/or fuse samples. We are able to offer a complete sample preparation solution suited to your application.

To request product catalogs, please contact SPEX Europe or visit our website at www.spexeurope.com.

SPEX Europe

2 Dalston Gardens
Stanmore, HA7 1BQ
United Kingdom

Tel: +44 (0) 208 204 6656
Fax: +44 (0) 208 204 6654
E-mail: SPEXEurope@spex.com
Web: www.spexeurope.com



Sample preparation is an important part of the quality control process. SPEX SamplePrep's expertise and products can help analysts achieve accurate and consistent results by assuring reliable, reproducible samples.

Our sample preparation equipment products include cryogenic mills, cell lysers, pellet presses, ball mills, and automated fusion fluxers. We also provide XRF liquid cells, XRF window films and a selection of sample binders and grinding aids to simplify the sample preparation process. These products are used throughout the world in industrial, academic, research, and government laboratories. The uses cover many different fields of spectroscopy (XRF, ICP, ICP-MS, AA, IR) and their applications range from genetic research, forensics, geology, medicine, materials research, and agriculture.

We provide a Handbook of Sample Preparation and Handling that is known as a primary source of helpful advice for the preparation of samples. The topics covered in this handbook include grinding, pelletizing, fusion fluxing, and controlling contamination. Visit www.spexsampleprep.com to learn more about our products, download the handbook or watch product demonstration videos.

SPEX SamplePrep

65 Liberty Street
Metuchen, NJ 08840

Tel: 855.GET.SPEX • 732.623.0465
Fax: 732.906.2492
E-mail: sampleprep@spex.com
Web: www.spexsampleprep.com

Single-Component Organic Standards

Single-Component Organic Standards


Single-Component Organic Standards

The following single-component standards are available as stock items from SPEX CertiPrep. They are supplied in methanol, or in another solvent when appropriate. Additional solvents include methylene chloride, acetone, benzene, hexane, acetonitrile, THF, and water. Please inquire about the matrix for a particular item when ordering, if the matrix is important to your application, a substitution may be possible.

Concentrations other than these, as well as custom matrices, are readily available, but a minimum order of five ampules may be required in some cases.

This section also represents a partial listing of SPEX CertiPrep's chemical inventory. Please use this list of chemicals to help design your custom standards. Our list of available components is constantly increasing, so if you require a component not found on this list, please contact us for assistance. Note: Compound properties have been compiled from various scientific sources, therefore, no guarantee as to accuracy.


Volume for all Organic Singles is 1 mL



Abate (Temephos)

Molecular Weight	466.458
Molecular Formula	$C_{16}H_{20}O_6P_2S_3$
Density	1.32 g/cm ³
Melting Point	30 °C
Boiling Point	253 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	3383-96-8	Methanol	S-102



Acarol (Bromopropylate)

Molecular Weight	428.12
Molecular Formula	$C_{17}H_{16}Br_2O_3$
Density	1.49 g/cm ³
Melting Point	77 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	18181-80-1	Methanol-P&T	S-103



Acenaphthene

Molecular Weight	154.212
Molecular Formula	$C_{12}H_{10}$
Density	1.2 g/cm ³
Melting Point	93 °C
Boiling Point	278 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	83-32-9	Acetonitrile	S-105-ACN
		Methylene Chloride	S-105



Acenaphthene-d₁₀

Molecular Weight	164.273
Molecular Formula	$C_{12}H_{10}$


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	15067-26-2	Methanol-P&T	S-110



Acenaphthylene

Molecular Weight	152.196
Molecular Formula	$C_{12}H_8$
Density	0.898 g/cm ³
Melting Point	89 °C
Boiling Point	280 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	208-96-8	Methylene Chloride	S-115




Acenaphthylene-d₈

Molecular Weight	160.245
Molecular Formula	$C_{12}H_8$
Density	1.249 g/cm ³
Melting Point	92 to 95 °C
Boiling Point	299 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	93951-97-4	Methylene Chloride	S-116

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



Acephate

Molecular Weight	183.162
Molecular Formula	C ₄ H ₁₀ NO ₃ PS
Density	1.35 g/cm ³
Melting Point	89 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	30560-19-1	Acetonitrile	S-120-ACN
		Methanol	S-120




Acetaldehyde

Molecular Weight	44.053
Molecular Formula	C ₂ H ₄ O
Density	0.783 g/cm ³
Melting Point	-123 °C
Boiling Point	20 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-07-0	DI Water	S-125-W1.8*
		Methanol-P&T	S-125


* Acetaldehyde, part # S-125-W1.8 is 1.8 mL.



Acetamiprid

Molecular Weight	222.676
Molecular Formula	C ₁₀ H ₁₁ ClN ₄
Density	1.33 g/cm ³
Melting Point	99 °C
Boiling Point	Decomposes


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	135410-20-7	Methanol	S-4677



Acetanilide

Molecular Weight	135.166
Molecular Formula	C ₈ H ₉ NO
Density	1.22 g/cm ³
Melting Point	114 °C
Boiling Point	304 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	103-84-4	Methanol-P&T	S-132



Acetic acid

Molecular Weight	60.052
Molecular Formula	C ₂ H ₄ O ₂
Density	1.045 g/cm ³
Melting Point	17 °C
Boiling Point	118 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	64-19-7	Methanol-P&T	S-133



Acetic acid, sodium salt

Molecular Weight	82.03
Molecular Formula	C ₂ H ₃ NaO ₂
Density	1.528 g/cm ³
Melting Point	328 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	127-09-3	DI Water	S-134



Acetochlor

Molecular Weight	269.769
Molecular Formula	C ₁₄ H ₂₀ ClNO ₂
Density	1.107 g/mL @25 °C
Melting Point	11 °C
Boiling Point	0.4 torr 134 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	34256-82-1	Methanol	S-135




Acetochlor OA

Molecular Weight	265.309
Molecular Formula	C ₁₄ H ₁₉ NO ₄

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	194992-44-4	Acetonitrile	S-4631


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Acetol**


Molecular Weight	74.079
Molecular Formula	C ₃ H ₆ O ₂
Density	1.059 g/cm ³
Melting Point	-17 °C
Boiling Point	146 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	116-09-6	Methanol-P&T	S-138

**Acetonitrile**


Molecular Weight	41.05
Molecular Formula	C ₂ H ₃ N
Density	0.786 g/cm ³
Melting Point	-46 °C
Boiling Point	82 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-05-8	Methanol-P&T	S-145

**Acetophenone**


Molecular Weight	120.151
Molecular Formula	C ₈ H ₈ O
Density	1.03 g/cm ³
Melting Point	20 °C
Boiling Point	202 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	98-86-2	Methanol	S-155

**1-Acetoxy-2-methoxyethane**


Molecular Weight	118.132
Molecular Formula	C ₅ H ₁₀ O ₃
Density	1.006 g/cm ³
Melting Point	-65 °C
Boiling Point	145 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	110-49-6	Methanol-P&T	S-157

**Acetylene**


Molecular Weight	26.038
Molecular Formula	C ₂ H ₂
Density	0.377 g/cm ³
Melting Point	-81 °C
Boiling Point	-84 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	74-86-2	Methanol-P&T	S-158

**2-Acetylfuran**


Molecular Weight	110.112
Molecular Formula	C ₆ H ₆ O ₂
Density	1.098 g/cm ³
Melting Point	30 °C
Boiling Point	168 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1192-62-7	Methanol-P&T	S-161

**Aclonifen**

Molecular Weight	264.665
Molecular Formula	C ₁₂ H ₉ ClN ₂ O ₃

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	74070-46-5	Methanol	S-5154


**Acridine**

Molecular Weight	179.222
Molecular Formula	C ₁₃ H ₉ N
Density	1.005 g/cm ³
Melting Point	107 °C
Boiling Point	346 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	260-94-6	Methanol-P&T	S-170

Single-Component Organic Standards

Volume for all Organic Singles is 1 mL




Acrolein	
Molecular Weight	56.064
Molecular Formula	C ₃ H ₄ O
Density	0.84 g/cm ³
Melting Point	-88 °C
Boiling Point	53 °C




Acrylamide	
Molecular Weight	71.079
Molecular Formula	C ₃ H ₅ NO
Density	1.13 g/cm ³
Melting Point	85 °C
Boiling Point	125 °C @ 25 mm Hg

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107-02-8	DI Water	S-175-W
		Methanol-P&T	S-175

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	79-06-1	Methanol-P&T	S-177




Acrylonitrile	
Molecular Weight	53.064
Molecular Formula	C ₃ H ₃ N
Density	0.8 g/cm ³
Melting Point	-82 to -84 °C
Boiling Point	77 °C




Adiponitrile	
Molecular Weight	108.144
Molecular Formula	C ₆ H ₈ N ₂
Density	0.965 g/cm ³
Melting Point	1 °C
Boiling Point	295 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107-13-1	Methanol-P&T	S-180

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	111-69-3	Methanol-P&T	S-5932




Alachlor	
Molecular Weight	269.8
Molecular Formula	C ₁₄ H ₂₀ ClNO ₂
Density	1.13 g/cm ³
Melting Point	41 °C




Aldicarb	
Molecular Weight	190.261
Molecular Formula	C ₇ H ₁₄ N ₂ O ₂ S
Density	1.2 g/cm ³
Melting Point	99 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	15972-60-8	Methanol	S-185

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	116-06-3	Acetonitrile	S-190
		Methanol	S-190-METH



Aldicarb sulfone	
Molecular Weight	222.3
Molecular Formula	C ₇ H ₁₄ N ₂ O ₄ S
Density	1.35 g/cm ³
Melting Point	141 °C




Aldicarb sulfoxide	
Molecular Weight	206.3
Molecular Formula	C ₇ H ₁₄ N ₂ O ₃ S
Density	1.21 g/cm ³

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1646-88-4	Acetone	S-194

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1646-87-3	Acetonitrile	S-195


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Aldrin**


Molecular Weight	364.9
Molecular Formula	$C_{12}H_8Cl_6$
Density	1.60 g/cm ³
Melting Point	104 °C
Boiling Point	145 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	309-00-2	Methanol	S-205

**Allethrin**


Molecular Weight	302.414
Molecular Formula	$C_{19}H_{26}O_3$
Density	1.01 g/cm ³
Melting Point	4 °C
Boiling Point	153 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	584-79-2	Methanol-P&T	S-4240

**Allyl alcohol**


Molecular Weight	58.08
Molecular Formula	C_3H_6O
Density	0.85 g/cm ³
Melting Point	-129 °C
Boiling Point	97 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107-18-6	Methanol-P&T	S-207

**Allyl chloride**


Molecular Weight	76.523
Molecular Formula	C_3H_5Cl
Density	0.94 g/cm ³
Melting Point	-135 °C
Boiling Point	45 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107-05-1	Methanol-P&T	S-210

**Ametryn**


Molecular Weight	227.33
Molecular Formula	$C_9H_{17}N_5S$
Density	1.18 g/cm ³
Melting Point	84 °C
Boiling Point	337 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	834-12-8	Methanol-P&T	S-215

**2-Amino-4,6-dinitrotoluene**


Molecular Weight	197.15
Molecular Formula	$C_7H_7N_3O_4$

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	35572-78-2	Methanol	S-221

**4-Amino-2,6-dinitrotoluene**

Molecular Weight	197.15
Molecular Formula	$C_7H_7N_3O_4$

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	19406-51-0	Methanol	S-226


**o-Aminoazotoluene**

Molecular Weight	225.295
Molecular Formula	$C_{14}H_{15}N_3$
Density	0.57 g/cm ³
Melting Point	101 to 102 °C
Boiling Point	Sublimes > 150 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	97-56-3	Methanol	S-4476


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



4-Aminobiphenyl

Molecular Weight	169.227
Molecular Formula	C ₁₂ H ₁₁ N
Density	1.16 g/cm ³
Melting Point	53 °C
Boiling Point	302 °C




4-Aminobiphenyl-d₉

Molecular Weight	178.282
Molecular Formula	C ₁₂ H ₁₁ N


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	92-67-1	Methanol-P&T	S-225

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	344298-96-0	Ethyl Acetate	S-6144



Aminomethyl phosphonic acid

Molecular Weight	111.037
Molecular Formula	CH ₆ NO ₃ P
Density	1.6 g/cm ³
Melting Point	300 °C
Boiling Point	358 °C




4-Aminophenylether

Molecular Weight	200.241
Molecular Formula	C ₁₂ H ₁₂ N ₂ O
Melting Point	189 °C
Boiling Point	> 300 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1066-51-9	DI Water	S-4006

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	101-80-4	Methanol-P&T	S-240



1-Aminonaphthalene

Molecular Weight	143.189
Molecular Formula	C ₁₀ H ₉ N
Density	1.114 g/cm ³
Melting Point	47 to 50 °C
Boiling Point	301 °C




2-Aminonaphthalene

Molecular Weight	143.189
Molecular Formula	C ₁₀ H ₉ N
Density	1.061 g/cm ³
Melting Point	306 °C
Boiling Point	113 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	134-32-7	Methanol-P&T	S-230

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	91-59-8	Methanol-P&T	S-235



1-Aminonaphthalene-d₇

Molecular Weight	150.232
Molecular Formula	C ₁₀ H ₉ N



2-Aminonaphthalene-d₇


Molecular Weight	150.232
Molecular Formula	C ₁₀ H ₉ N

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	78832-53-8	Ethyl Acetate	S-6146

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	93951-94-1	Ethyl Acetate	S-6145


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Aminotriazole**


Molecular Weight	84.082
Molecular Formula	C ₂ H ₄ N ₄
Density	1.138 g/cm ³
Melting Point	147 to 159 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	61-82-5	Acetone	S-245

**Amitraz**

Molecular Weight	293.414
Molecular Formula	C ₁₉ H ₂₃ N ₃
Density	1.128 g/cm ³
Melting Point	86 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	33089-61-1	Methanol-P&T	S-246

**Amyl acetate**

(Isomers of pentyl acetate & 2-pentyl acetate)


Molecular Weight	130.187
Molecular Formula	C ₇ H ₁₄ O ₂
Density	0.88 g/cm ³
Melting Point	-71 °C
Boiling Point	149 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	628-63-7	Methanol-P&T	S-255

**tert-Amyl alcohol**


Molecular Weight	88.15
Molecular Formula	C ₅ H ₁₂ O
Density	0.805 g/cm ³
Melting Point	-9 °C
Boiling Point	102 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-85-4	Methanol-P&T	S-260

**tert-Amyl methyl ether**


Molecular Weight	102.177
Molecular Formula	C ₆ H ₁₄ O
Density	0.766 g/cm ³
Melting Point	-80 °C
Boiling Point	86 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	994-05-8	Methanol-P&T	S-265

**4-Androstene-3,17-dione**


Molecular Weight	286.415
Molecular Formula	C ₁₉ H ₂₆ O ₂
Density	1.1 g/cm ³
Melting Point	173 °C
Boiling Point	431 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	63-05-8	Methanol	S-4434

**Aniline**

Molecular Weight	93.129
Molecular Formula	C ₆ H ₇ N
Density	1.02 g/cm ³
Melting Point	-6 °C
Boiling Point	184 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	62-53-3	Methanol	S-280


**o-Anisidine**

Molecular Weight	123.155
Molecular Formula	C ₇ H ₉ NO
Density	1.092 g/cm ³
Melting Point	5 °C
Boiling Point	224 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	90-04-0	Methanol-P&T	S-285

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



Anisole

Molecular Weight	108.14
Molecular Formula	C ₇ H ₈ O
Density	0.996 g/cm ³
Melting Point	-37 °C
Boiling Point	155 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	100-66-3	Methanol	S-288



Anthanthrene

Molecular Weight	276.338
Molecular Formula	C ₂₂ H ₁₂
Density	1.36 g/cm ³
Melting Point	245 °C
Boiling Point	497 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	191-26-4	Methylene Chloride	S-4739



Anthracene

Molecular Weight	178.234
Molecular Formula	C ₁₄ H ₁₀
Density	1.24 g/cm ³
Melting Point	218 °C
Boiling Point	340 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	120-12-7	Methylene Chloride	S-290



Anthracene-d₁₀

Molecular Weight	188.295
Molecular Formula	C ₁₄ H ₁₀
Density	1.194 g/cm ³
Melting Point	218 to 220 °C
Boiling Point	337 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1719-06-8	Acetonitrile	S-291-ACN
		Methylene Chloride	S-291



Aroclor 1016

Molecular Weight	257.538
Molecular Formula	C ₁₂ H ₇ Cl ₃
Density	1.33 g/cm ³
Boiling Point	350 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	12674-11-2	Methanol	S-310



Aroclor 1221

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	11104-28-2	Methanol	S-315


* No Image Available



Aroclor 1232

Molecular Weight	221
Molecular Formula	C ₁₂ H ₉ Cl
Density	1.270 g/cm ³
Boiling Point	290 to 325 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	11141-16-5	Methanol	S-317



Aroclor 1242


Molecular Weight	291.98
Molecular Formula	C ₁₂ H ₆ Cl ₄
Density	1.39 g/cm ³
Melting Point	-19 °C
Boiling Point	325 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	53469-21-9	Methanol	S-325

* No Image Available


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Aroclor 1248**


Molecular Weight	291.98
Molecular Formula	C ₁₂ H ₆ Cl ₄
Density	1.405 g/cm ³
Melting Point	357 °C
Boiling Point	382 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	12672-29-6	Methanol-P&T	S-330

**Aroclor 1254**

Molecular Weight	326.422
Molecular Formula	C ₁₂ H ₅ Cl ₅
Density	1.495 g/cm ³
Melting Point	10 °C
Boiling Point	365 to 390 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	11097-69-1	Isooctane	S-335-ISOOCT

**Aroclor 1260**


Molecular Weight	360.864
Molecular Formula	C ₁₂ H ₄ Cl ₆
Density	1.4 g/cm ³
Melting Point	141 °C
Boiling Point	385 to 420 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	11096-82-5	Isooctane	S-340-ISOOCT

**Aroclor 1262**


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	37324-23-5	Hexane	S-345

* No Image Available.

**Asulam**


Molecular Weight	230.238
Molecular Formula	C ₈ H ₁₀ N ₂ O ₄ S
Density	1.419 g/cm ³

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	3337-71-1	Methanol-P&T	S-4201

**Atraton**


Molecular Weight	211.269
Molecular Formula	C ₉ H ₁₇ N ₅ O

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1610-17-9	Methanol	S-360

**Atrazine**

Molecular Weight	215.7
Molecular Formula	C ₈ H ₁₄ ClN ₅
Density	1.23 g/cm ³
Melting Point	176 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1912-24-9	Acetone	S-365


**Atrazine desethyl**

Molecular Weight	187.6
Molecular Formula	C ₆ H ₁₀ ClN ₅
Density	1.38 g/cm ³
Melting Point	125 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	6190-65-4	Methanol	S-1145


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



Atrazine desisopropyl

Molecular Weight	173.604
Molecular Formula	C ₅ H ₈ ClN ₅




Azadirachtin

Molecular Weight	720.71
Molecular Formula	C ₃₅ H ₄₄ O ₁₆
Density	1.51 g/cm ³
Melting Point	154 to 158 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1007-28-9	Methanol	S-1135

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	11141-17-6	Acetonitrile	S-6124



Azinphos methyl

Molecular Weight	317.3
Molecular Formula	C ₁₀ H ₁₂ N ₃ O ₂ PS ₂
Density	1.44 g/cm ³
Melting Point	73 °C
Boiling Point	Decomposes




Azobenzene

Molecular Weight	182.226
Molecular Formula	C ₁₂ H ₁₀ N ₂
Density	1.203 g/cm ³
Melting Point	68 °C
Boiling Point	293 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	86-50-0	Acetone	S-2085

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	103-33-3	Methanol	S-370



Azoxystrobin

Molecular Weight	403.4
Molecular Formula	C ₂₂ H ₁₇ N ₃ O ₅
Density	1.34 g/cm ³
Melting Point	116 °C
Boiling Point	360 °C




Azulene

Molecular Weight	128.174
Molecular Formula	C ₁₀ H ₈
Melting Point	100 °C
Boiling Point	242 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	131860-33-8	Methanol-P&T	S-3984

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	275-51-4	Methanol-P&T	S-372



Baygon (Propoxur)

Molecular Weight	209.2
Molecular Formula	C ₁₁ H ₁₅ NO ₃
Density	1.18 g/cm ³
Melting Point	90 °C
Boiling Point	Decomposes



Baytan (Triadimenol)


Molecular Weight	295.767
Molecular Formula	C ₁₄ H ₁₈ ClN ₃ O ₂
Density	1.22 g/cm ³
Melting Point	124 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	114-26-1	Acetonitrile	S-3200-ACN
		Methanol	S-3200

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	55219-65-3	Methanol-P&T	S-3996


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Baythroid (Cyfluthrin)**


Molecular Weight	434.288
Molecular Formula	C ₂₂ H ₁₈ Cl ₂ FNO ₃
Density	1.34 g/cm ³
Melting Point	60 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	68359-37-5	Acetone	S-376-AC
		Methanol-P&T	S-376

**Beam**


Molecular Weight	189.236
Molecular Formula	C ₉ H ₇ N ₃ S
Melting Point	188 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	41814-78-2	Methanol-P&T	S-377

**Benalaxyl**


Molecular Weight	325.408
Molecular Formula	C ₂₀ H ₂₃ NO ₃
Density	1.181 g/cm ³

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	71626-11-4	Methanol-P&T	S-4262

**Bendiocarb**


Molecular Weight	223.228
Molecular Formula	C ₁₁ H ₁₃ NO ₄
Density	1.25 g/cm ³
Melting Point	129 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	22781-23-3	Methanol	S-379

**Benfluralin**


Molecular Weight	355.283
Molecular Formula	C ₁₃ H ₁₆ F ₃ N ₃ O ₄
Melting Point	65 °C
Boiling Point	148 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1861-40-1	Methanol	S-380

**Bentazon**


Molecular Weight	240.3
Molecular Formula	C ₁₀ H ₁₂ N ₂ O ₃ S
Density	1.41 g/cm ³
Melting Point	139 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	25057-89-0	Methyl Tertiary Butyl Ether	S-395

**Benthicarb**

Molecular Weight	257.776
Molecular Formula	C ₁₂ H ₁₆ ClNOS
Density	1.67 g/cm ³
Melting Point	3.3 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	28249-77-6	Methanol-P&T	S-400


**Benz(a)anthracene**

Molecular Weight	228.294
Molecular Formula	C ₁₈ H ₁₂
Density	1.274 g/cm ³
Melting Point	162 °C
Boiling Point	438 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	56-55-3	Methylene Chloride	S-425

Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



Benzaldehyde

Molecular Weight	106.124
Molecular Formula	C ₇ H ₆ O
Density	1.05 g/cm ³
Melting Point	-57 °C
Boiling Point	178 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	100-52-7	Methanol-P&T	S-402



Benzene

Molecular Weight	78.114
Molecular Formula	C ₆ H ₆
Density	0.88 g/cm ³
Melting Point	6 °C
Boiling Point	80 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	71-43-2	Methanol-P&T	S-405



Benzdine

Molecular Weight	184.242
Molecular Formula	C ₁₂ H ₁₂ N ₂
Melting Point	120 °C
Boiling Point	401 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	92-87-5	Methanol	S-410



Benzo(a)fluorene

Molecular Weight	216.283
Molecular Formula	C ₁₇ H ₁₂
Melting Point	189 °C
Boiling Point	399 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	238-84-6	Methanol-P&T	S-3921



2,3-Benzofluorene

Molecular Weight	216.283
Molecular Formula	C ₁₇ H ₁₂
Melting Point	212 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	243-17-4	Methylene Chloride	S-3920



Benzo(a)pyrene

Molecular Weight	252.316
Molecular Formula	C ₂₀ H ₁₂
Density	1.351 g/cm ³
Melting Point	178 °C
Boiling Point	496 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	50-32-8	Methylene Chloride	S-430



Benzo(a)pyrene-d₁₂

Molecular Weight	264.389
Molecular Formula	C ₂₀ H ₁₂

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	63466-71-7	Methylene Chloride	S-431




Benzo(b)fluoranthene

Molecular Weight	252.316
Molecular Formula	C ₂₀ H ₁₂
Melting Point	168 °C
Boiling Point	481 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	205-99-2	Methylene Chloride	S-435


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Benzo(b)thiophene**

Molecular Weight	134.196
Molecular Formula	C ₈ H ₆ S
Density	1.15 g/cm ³
Melting Point	32 °C
Boiling Point	221 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	95-15-8	Methanol-P&T	S-437

**Benzo(c)phenanthrene**


Molecular Weight	228.294
Molecular Formula	C ₁₈ H ₁₂
Density	1.19 g/cm ³
Melting Point	65 to 67 °C
Boiling Point	424 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	195-19-7	Methylene Chloride	S-439

**Benzo(g,h,i)perylene**


Molecular Weight	267.338
Molecular Formula	C ₂₂ H ₁₂
Density	1.3 g/cm ³
Melting Point	277 to 279 °C
Boiling Point	550 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	191-24-2	Methylene Chloride	S-445

**Benzo(j)fluoranthene**


Molecular Weight	252.316
Molecular Formula	C ₂₀ H ₁₂
Melting Point	165 °C
Boiling Point	480 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	205-82-3	Methylene Chloride	S-450

**Benzo(k)fluoranthene**


Molecular Weight	252.316
Molecular Formula	C ₂₀ H ₁₂
Melting Point	217 °C
Boiling Point	480 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	207-08-9	Methylene Chloride	S-455

**Benzocaine**


Molecular Weight	165.192
Molecular Formula	C ₉ H ₁₁ NO ₂
Melting Point	92 °C
Boiling Point	310 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	94-09-7	Methanol	S-411

**Benzoic acid**

Molecular Weight	122.123
Molecular Formula	C ₇ H ₆ O ₂
Density	1.3 g/cm ³
Melting Point	122 °C
Boiling Point	249 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	65-85-0	Methylene Chloride	S-415


**Benzophenone**

Molecular Weight	182.222
Molecular Formula	C ₁₃ H ₁₀ O
Density	1.085 g/cm ³
Melting Point	49 °C
Boiling Point	305 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	119-61-9	Methylene Chloride	S-418


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



1,4-Benzoquinone dioxime

Molecular Weight	138.126
Molecular Formula	C ₆ H ₆ N ₂ O ₂
Density	1.49 g/cm ³
Melting Point	240 °C
Boiling Point	315 °C




Benzothiazole

Molecular Weight	135.184
Molecular Formula	C ₇ H ₅ NS
Density	1.246 g/cm ³
Melting Point	2 °C
Boiling Point	227 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	105-11-3	Methylene Chloride:Acetone	S-421

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	95-16-9	Methanol-P&T	S-422



Benzotriazole

Molecular Weight	119.127
Molecular Formula	C ₆ H ₅ N ₃
Density	1.36 g/cm ³
Melting Point	99 °C
Boiling Point	204 °C




Benzoylformic acid

Molecular Weight	150.133
Molecular Formula	C ₈ H ₆ O ₃
Melting Point	66 °C
Boiling Point	163 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	95-14-7	Methanol	S-4121

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	611-73-4	HPLC Acetonitrile	S-5222



Benzyl alcohol

Molecular Weight	108.14
Molecular Formula	C ₇ H ₈ O
Density	1.05 g/cm ³
Melting Point	-15 °C
Boiling Point	205 °C




Benzyl benzoate

Molecular Weight	212.248
Molecular Formula	C ₁₄ H ₁₂ O ₂
Density	1.1 g/cm ³
Melting Point	21 °C
Boiling Point	324 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	100-51-6	Methanol-P&T	S-460

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	120-51-4	Cyclohexane	S-462-CYC
		Methanol-P&T	S-462



Benzyl chloride

Molecular Weight	126.583
Molecular Formula	C ₇ H ₇ Cl
Density	1.10 g/cm ³
Melting Point	-43 °C
Boiling Point	174 °C



alpha-BHC


Molecular Weight	290.814
Molecular Formula	C ₆ H ₆ Cl ₆

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	100-44-7	Methanol-P&T	S-465

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	319-84-6	Methanol-P&T	S-470


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL




alpha-BHC-d₆ (a-1,2,3,4,5,6-Hexachlorocyclohexane-d ₆)	
Molecular Weight	296.851
Molecular Formula	C ₆ H ₆ Cl ₆
Melting Point	160 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	86194-41-4	Methanol-P&T	S-490




beta-BHC	
Molecular Weight	290.814
Molecular Formula	C ₆ H ₆ Cl ₆
Density	1.89 g/cm ³
Melting Point	113 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	319-85-7	Methanol-P&T	S-475




delta-BHC	
Molecular Weight	290.814
Molecular Formula	C ₆ H ₆ Cl ₆
Density	1.89 g/cm ³

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	319-86-8	Methanol-P&T	S-480




gamma-BHC	
Molecular Weight	290.814
Molecular Formula	C ₆ H ₆ Cl ₆
Density	1.89 g/cm ³

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	58-89-9	Methanol-P&T	S-485




beta-Myrcene	
Molecular Weight	136.238
Molecular Formula	C ₁₀ H ₁₆
Density	0.794 g/cm ³
Melting Point	-10 °C
Boiling Point	167 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	123-35-3	Hexane	S-2654




Bifenox	
Molecular Weight	342.128
Molecular Formula	C ₁₄ H ₉ Cl ₂ NO ₅
Density	1.155 g/cm ³
Melting Point	85 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	42576-02-3	Methanol-P&T	S-495



Biphenyl	
Molecular Weight	154.212
Molecular Formula	C ₁₂ H ₁₀
Density	1.04 g/cm ³
Melting Point	70 °C
Boiling Point	256 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	92-52-4	Methylene Chloride	S-500




Bisabolene	
Molecular Weight	204.357
Molecular Formula	C ₁₅ H ₂₄

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	495-62-5	Methanol-P&T	S-502


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



Bisphenol A

Molecular Weight	228.291
Molecular Formula	C ₁₅ H ₁₆ O ₂
Density	1.195 g/cm ³
Melting Point	153 °C
Boiling Point	361 °C




Bisphenol A diglycidyl ether

Molecular Weight	340.419
Molecular Formula	C ₂₁ H ₂₄ O ₄
Density	1.16 g/cm ³
Melting Point	8 to 12 °C
Boiling Point	Decomposes


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	80-05-7	Acetone	S-509
		Methylene Chloride	S-509-MC

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1675-54-3	Acetonitrile	S-511



Bisphenol F diglycidyl ether

Molecular Weight	312.365
Molecular Formula	C ₁₉ H ₂₀ O ₄




Bisphenol S

Molecular Weight	250.268
Molecular Formula	C ₁₂ H ₁₀ O ₄ S
Density	1.366 g/cm ³
Melting Point	205 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2095-03-6	Acetonitrile	S-507

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	80-09-1	Methanol	S-5871



Bitertanol (mix of isomers)

Molecular Weight	337.423
Molecular Formula	C ₂₀ H ₂₃ N ₃ O ₂




Bladex

Molecular Weight	240.695
Molecular Formula	C ₉ H ₁₃ ClN ₆
Density	1.26 g/cm ³
Melting Point	168 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	55179-31-2	Acetone	S-4679

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	21725-46-2	Methanol-P&T	S-510



Borneol

Molecular Weight	154.253
Molecular Formula	C ₁₀ H ₁₈ O
Density	1.011 g/cm ³
Melting Point	202 °C
Boiling Point	212 °C



Boscalid


Molecular Weight	343.2
Molecular Formula	C ₁₈ H ₁₂ Cl ₂ N ₂ O
Density	1.38 g/cm ³
Melting Point	143 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	507-70-0	Methanol-P&T	S-4570

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	188425-85-6	Methanol	S-4815


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Bromacil**


Molecular Weight	261.1
Molecular Formula	C ₉ H ₁₃ BrN ₂ O ₂
Density	1.59 g/cm ³
Melting Point	158 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	314-40-9	Methanol	S-515

**1-Bromo-2-nitrobenzene**


Molecular Weight	202.007
Molecular Formula	C ₆ H ₄ BrNO ₂
Melting Point	41 °C
Boiling Point	261 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	577-19-5	Methanol-P&T	S-590

**1-Bromo-4-fluorobenzene**


Molecular Weight	175
Molecular Formula	C ₆ H ₄ BrF
Density	1.495 g/cm ³
Melting Point	-16 °C
Boiling Point	150 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	460-00-4	Methanol-P&T	S-593

**4-Bromo-3,5-dimethylphenyl-n-methylcarbamate**


Molecular Weight	285.115
Molecular Formula	C ₁₀ H ₁₂ BrNO ₂
Melting Point	115 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	672-99-1	Methanol-P&T	S-591

**Bromoacetic acid**


Molecular Weight	138.948
Molecular Formula	C ₂ H ₃ BrO ₂
Density	1.934 g/cm ³
Melting Point	50 °C
Boiling Point	208 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	79-08-3	Methyl Tertiary Butyl Ether	S-520

**Bromobenzene**


Molecular Weight	157.01
Molecular Formula	C ₆ H ₅ Br
Density	1.49 g/cm ³
Melting Point	-31 °C
Boiling Point	156 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-86-1	Methanol-P&T	S-525

**Bromochloroacetic acid**

Molecular Weight	173.39
Molecular Formula	C ₂ H ₂ BrClO ₂
Density	1.985 g/cm ³
Melting Point	28 °C
Boiling Point	215 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	5589-96-8	Methyl Tertiary Butyl Ether	S-530


**Bromochloromethane**

Molecular Weight	129.381
Molecular Formula	CH ₂ BrCl
Density	1.93 g/cm ³
Melting Point	-88 °C
Boiling Point	68 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	74-97-5	Methanol-P&T	S-535

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



Bromodichloroacetic acid

Molecular Weight	207.832
Molecular Formula	C ₂ H ₂ Cl ₂ O ₂
Density	1.985 g/cm ³
Melting Point	9 °C
Boiling Point	194 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	71133-14-7	Methyl Tertiary Butyl Ether	S-536



Bromodichloromethane

Molecular Weight	163.823
Molecular Formula	CHBrCl ₂
Density	1.9 g/cm ³
Melting Point	-57 °C
Boiling Point	90 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-27-4	Methanol-P&T	S-542



4-Bromofluorobenzene

Molecular Weight	175
Molecular Formula	C ₆ H ₄ BrF
Density	1.49 g/cm ³
Melting Point	-16 °C
Boiling Point	150 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	460-00-4	Methanol-P&T	S-550



Bromoform

Molecular Weight	252.731
Molecular Formula	CHBr ₃
Density	0.289 g/cm ³
Melting Point	4 °C
Boiling Point	149 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-25-2	Methanol-P&T	S-555



Bromomethane

Molecular Weight	94.939
Molecular Formula	CH ₃ Br
Density	1.73 g/cm ³
Melting Point	-94 °C
Boiling Point	4 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	74-83-9	Dimethyl Formamide	S-560-DMF
		Methanol-P&T	S-560



Bromophos-ethyl

Molecular Weight	394.041
Molecular Formula	C ₁₀ H ₁₂ BrCl ₂ O ₃ PS
Density	1.53 g/cm ³
Boiling Point	128 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	4824-78-6	Methanol-P&T	S-565



1-Bromopropane

Molecular Weight	122.993
Molecular Formula	C ₃ H ₇ Br
Density	1.354 g/cm ³
Melting Point	-110 °C
Boiling Point	71 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	106-94-5	Methanol-P&T	S-6048




2-Bromopropionic acid

Molecular Weight	152.975
Molecular Formula	C ₃ H ₅ BrO ₂
Density	1.7 g/cm ³
Boiling Point	203 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	598-72-1	Methanol-P&T	S-572


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Bromoxynil**


Molecular Weight	276.915
Molecular Formula	C ₇ H ₃ Br ₂ NO
Density	2.243 g/cm ³
Melting Point	194 to 195 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1689-84-5	Methanol-P&T	S-575

**Bromoxynil methyl ether**


Molecular Weight	290.942
Molecular Formula	C ₈ H ₅ Br ₂ NO

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	3336-39-8	Methanol	S-10469

**Bromoxynil octanoic acid ester**


Molecular Weight	403.114
Molecular Formula	C ₁₅ H ₁₇ Br ₂ NO ₂
Melting Point	45 to 46 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1689-99-2	Methanol-P&T	S-577

**Bupirimate**


Molecular Weight	316.42
Molecular Formula	C ₁₃ H ₂₄ N ₄ O ₃ S

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	41483-43-6	Methanol-P&T	S-4272

**Buprofezin**


Molecular Weight	305.44
Molecular Formula	C ₁₆ H ₂₃ N ₃ OS
Density	1.18 g/cm ³
Melting Point	106 °C
Boiling Point	268 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	69327-76-0	Toluene	S-4254

**Butachlor**


Molecular Weight	311.85
Molecular Formula	C ₁₇ H ₂₆ ClNO ₂
Density	1.07 g/cm ³
Melting Point	-5 °C
Boiling Point	156 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	23184-66-9	Methanol	S-595

**1,3-Butadiene**

Molecular Weight	54.092
Molecular Formula	C ₄ H ₆ O ₂
Density	0.621 g/cm ³
Melting Point	-109 °C
Boiling Point	-4 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	106-99-0	Methanol-P&T	S-600


**1,3-Butanediol**

Molecular Weight	90.122
Molecular Formula	C ₄ H ₁₀ O ₂
Density	1.005 g/cm ³
Melting Point	-50 °C
Boiling Point	207 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107-88-0	Methanol-P&T	S-607


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



2,3-Butanediol

Molecular Weight	202.007
Molecular Formula	C ₆ H ₄ BrNO ₂
Melting Point	300 °C




2,3-Butanedione

Molecular Weight	86.09
Molecular Formula	C ₄ H ₆ O ₂
Density	0.99 g/cm ³
Melting Point	-2 °C
Boiling Point	88 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	513-85-9	Methanol-P&T	S-4193

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	431-03-8	Methanol-P&T	S-609



1-Butanethiol

Molecular Weight	90.184
Molecular Formula	C ₄ H ₁₀ S
Density	0.83 g/cm ³
Melting Point	-116 °C
Boiling Point	98 °C




1-Butanol

Molecular Weight	74.123
Molecular Formula	C ₄ H ₁₀ O
Density	0.81 g/cm ³
Melting Point	-90 °C
Boiling Point	117 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	109-79-5	Methanol-P&T	S-608

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	71-36-3	Methanol-P&T	S-610



2-Butanol

Molecular Weight	74.123
Molecular Formula	C ₄ H ₁₀ O
Density	0.81 g/cm ³
Melting Point	-115 °C
Boiling Point	100 °C



2-Butanone

Molecular Weight	72.107
Molecular Formula	C ₄ H ₈ O
Density	0.803 g/cm ³
Melting Point	-87 °C
Boiling Point	80 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	78-92-2	Methanol-P&T	S-615

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	78-93-3	Methanol-P&T	S-620



1-Butene

Molecular Weight	56.108
Molecular Formula	C ₄ H ₈
Density	0.577 g/cm ³
Melting Point	-185 °C
Boiling Point	-6 °C



cis-2-Butene

Molecular Weight	56.108
Molecular Formula	C ₄ H ₈
Density	0.616 g/cm ³
Melting Point	-139 °C
Boiling Point	4 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	106-98-9	Methanol-P&T	S-621


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	590-18-1	Methanol-P&T	S-622

Volume for all Organic Singles is 1 mL

CC1=C(C)C(=C(C)C1[N+](=O)[O-])[N+](=O)[O-]

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	111-76-2	Methanol-P&T	S-630

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	81-15-2	Methanol-P&T	S-3761

CCCCOC(=O)C=C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	123-86-4	Methanol-P&T	S-635

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	141-32-2	Methanol-P&T	S-655

CCCCCOC(=O)COCCOCCOCCOCC

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-65-0	Methanol-P&T	S-3365

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	124-17-4	Methanol-P&T	S-640

CC(C)(C)OC=O

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	637-92-3	Methanol-P&T	S-645

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	762-75-4	Methanol-P&T	S-646


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



tert-Butyl methyl ether

Molecular Weight	88.15
Molecular Formula	C ₅ H ₁₂ O
Density	0.735 g/cm ³
Melting Point	-109 °C
Boiling Point	55 °C




tert-Butyl methyl-d₃ ether

Molecular Weight	91.168
Molecular Formula	C ₅ H ₁₂ O


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1634-04-4	Methanol-P&T	S-650

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	29366-08-3	Methanol-P&T	S-2455C



tert-Butylamine

Molecular Weight	73.139
Molecular Formula	C ₄ H ₁₁ N
Density	0.696 g/cm ³
Melting Point	-73 °C
Boiling Point	45 °C




Butylate

Molecular Weight	217.371
Molecular Formula	C ₁₁ H ₂₃ NOS
Density	0.940 g/cm ³
Boiling Point	138 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-64-9	Methanol-P&T	S-3366

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2008-41-5	Methanol	S-660



Butylated hydroxyanisole

Molecular Weight	180.247
Molecular Formula	C ₁₁ H ₁₆ O ₂
Density	1.059 g/cm ³
Melting Point	48 to 55 °C
Boiling Point	264 to 270 °C




n-Butylbenzene

Molecular Weight	134.222
Molecular Formula	C ₁₀ H ₁₄
Density	0.860 g/cm ³
Melting Point	-88 °C
Boiling Point	183 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	25013-16-5	Methanol-P&T	S-662

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	104-51-8	Methanol-P&T	S-665



tert-Butylbenzene

Molecular Weight	134.222
Molecular Formula	C ₁₀ H ₁₄
Density	0.867 g/cm ³
Melting Point	-58 °C
Boiling Point	169 °C



n-Butylbenzenesulfonamide


Molecular Weight	213.295
Molecular Formula	C ₁₀ H ₁₅ NO ₂ S
Density	1.15 g/cm ³
Boiling Point	314 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	98-06-6	Methanol-P&T	S-675

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	3622-84-2	Methanol-P&T	S-677


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Butylbenzyl phthalate**


Molecular Weight	312.365
Molecular Formula	C ₁₉ H ₂₀ O ₄
Density	1.12 g/cm ³
Melting Point	-35 °C
Boiling Point	370 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	85-68-7	Methylene Chloride	S-680-MECL

**Butyraldehyde**


Molecular Weight	72.107
Molecular Formula	C ₄ H ₈ O
Density	0.802 g/cm ³
Melting Point	-97 °C
Boiling Point	75 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	123-72-8	Methanol-P&T	S-700

**Butyric acid**


Molecular Weight	88.106
Molecular Formula	C ₄ H ₈ O ₂
Density	0.959 g/cm ³
Melting Point	-8 °C
Boiling Point	164 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107-92-6	DI Water	S-702

**gamma-Butyrolactone**


Molecular Weight	86.09
Molecular Formula	C ₄ H ₆ O ₂
Density	1.129 g/cm ³
Melting Point	-44 °C
Boiling Point	204 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	96-48-0	Methanol-P&T	S-701

**Caffeine**


Molecular Weight	194.194
Molecular Formula	C ₈ H ₁₀ N ₄ O ₂
Density	1.23 g/cm ³
Melting Point	238 °C
Boiling Point	178 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	58-08-2	Methanol	S-705

**Camphor**


Molecular Weight	152.237
Molecular Formula	C ₁₀ H ₁₆ O
Density	0.99 g/cm ³
Melting Point	180 °C
Boiling Point	209 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	76-22-2	Methanol-P&T	S-3925

**Caprolactam**

Molecular Weight	113.16
Molecular Formula	C ₆ H ₁₁ NO
Density	1.02 g/cm ³
Melting Point	69 °C
Boiling Point	270 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	105-60-2	Methanol-P&T	S-712


**Captafol**

Molecular Weight	349.047
Molecular Formula	C ₁₀ H ₉ Cl ₄ NO ₂ S
Density	1.00 g/cm ³
Melting Point	160 to 161 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2425-06-1	Acetone	S-715

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



Captan

Molecular Weight	301.0
Molecular Formula	C ₉ H ₈ Cl ₃ NO ₂ S
Density	1.68 g/cm ³
Melting Point	174 °C
Boiling Point	Decomposes


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	133-06-2	Acetone	S-720
		Acetonitrile	S-720-ACN



Carbazole

Molecular Weight	167.211
Molecular Formula	C ₁₂ H ₉ N
Density	1.10 g/cm ³
Melting Point	245 °C
Boiling Point	355 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	86-74-8	Methylene Chloride	S-730



Carbofuran

Molecular Weight	221.3
Molecular Formula	C ₁₂ H ₁₅ NO ₃
Density	1.26 g/cm ³
Melting Point	153 °C
Boiling Point	254 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1563-66-2	Methanol	S-740



Carbofuranphenol

Molecular Weight	178.187
Molecular Formula	C ₁₀ H ₁₀ O ₃


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	17781-16-7	Methanol	S-4346



Carbon disulfide

Molecular Weight	76.131
Molecular Formula	CS ₂
Density	1.263 g/cm ³
Melting Point	-112 °C
Boiling Point	46 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-15-0	Methanol-P&T	S-745



Carbon tetrachloride

Molecular Weight	153.811
Molecular Formula	CCl ₄
Density	1.594 g/cm ³
Melting Point	-23 °C
Boiling Point	76 to 77 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	56-23-5	Methanol-P&T	S-750



Carbophenothion

Molecular Weight	342.9
Molecular Formula	C ₁₁ H ₁₆ ClO ₂ PS ₃
Density	1.27 g/cm ³

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	786-19-6	Acetone	S-755-AC
		Methanol	S-755




Carbosulfan

Molecular Weight	380.547
Molecular Formula	C ₂₀ H ₃₂ N ₂ O ₃ S

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	55285-14-8	Methanol	S-742


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Carboxin**


Molecular Weight	235.301
Molecular Formula	C ₁₂ H ₁₃ NO ₂ S
Density	1.7 g/cm ³
Melting Point	92 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	5234-68-4	Acetone	S-760

**3-Carene**


Molecular Weight	136.238
Molecular Formula	C ₁₀ H ₁₆
Density	0.86 g/cm ³
Melting Point	25 °C
Boiling Point	168 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	13466-78-9	Methanol-P&T	S-4171

**Carfentrazone-ethyl**


Molecular Weight	412.19
Molecular Formula	C ₁₅ H ₁₄ Cl ₂ F ₃ N ₃ O ₃
Density	1.457 g/cm ³
Melting Point	-22 °C
Boiling Point	350 to 355 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	128639-02-1	Acetone	S-5040-AC
		Acetonitrile	S-5040

**Catechol**


Molecular Weight	110.112
Molecular Formula	C ₆ H ₆ O ₂
Density	1.344 g/cm ³
Melting Point	105 °C
Boiling Point	245 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	120-80-9	Methanol	S-761

**Chloramben**


Molecular Weight	206.022
Molecular Formula	C ₇ H ₅ Cl ₂ NO ₂
Melting Point	200 to 201 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	133-90-4	Methanol-P&T	S-765

**Chloramphenicol**


Molecular Weight	323.126
Molecular Formula	C ₁₁ H ₁₂ Cl ₂ N ₂ O ₅
Melting Point	171 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	56-75-7	Methanol-P&T	S-4032

**Chlorbenside**

Molecular Weight	269.183
Molecular Formula	C ₁₃ H ₁₀ Cl ₂ S
Density	1.421 g/cm ³
Melting Point	75 to 76 °C
Boiling Point	83 to 84 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	103-17-3	Methanol	S-767


**Chlorbromuron**

Molecular Weight	293.545
Molecular Formula	C ₉ H ₁₀ BrClN ₂ O ₂
Density	1.68 g/cm ³
Melting Point	95 to 97 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	13360-45-7	Methanol-P&T	S-4275

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



Chlordane

Molecular Weight	409.758
Molecular Formula	C ₁₀ H ₆ Cl ₈
Density	1.6 g/cm ³
Melting Point	106 to 107 °C
Boiling Point	175 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	57-74-9	Hexane	S-780



alpha-Chlordane

Molecular Weight	409.758
Molecular Formula	C ₁₀ H ₆ Cl ₈
Density	1.80 g/cm ³


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	5103-71-9	Methanol	S-770



gamma-Chlordane

Molecular Weight	409.758
Molecular Formula	C ₁₀ H ₆ Cl ₈
Density	1.80 g/cm ³


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	5103-74-2	Methanol	S-775



Chlordecone (Kepone)

Molecular Weight	490.6
Molecular Formula	C ₁₀ Cl ₁₀ O
Density	1.60 g/cm ³
Melting Point	Decomposes
Boiling Point	Decomposes


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	143-50-0	Methanol	S-2340



Chlordimeform

Molecular Weight	196.678
Molecular Formula	C ₁₀ H ₁₃ ClN ₂
Density	1.105 g/cm ³
Melting Point	32 to 35 °C
Boiling Point	163 to 165 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	6164-98-3	Methanol-P&T	S-783



Chlorendic acid

Molecular Weight	388.827
Molecular Formula	C ₉ H ₄ Cl ₆ O ₄
Density	0.95 g/cm ³
Melting Point	209 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	115-28-6	Methanol-P&T	S-4302



Chlorfenapyr

Molecular Weight	407.615
Molecular Formula	C ₁₅ H ₁₁ BrClF ₃ N ₂ O
Density	0.543 g/cm ³
Melting Point	100 to 101 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	122453-73-0	Acetonitrile	S-4961




Chlorfenvinfos

Molecular Weight	359.564
Molecular Formula	C ₁₂ H ₁₄ Cl ₃ O ₄ P
Density	1.36 g/cm ³
Melting Point	-23 to -19 °C
Boiling Point	167 to 170 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	470-90-6	Acetone	S-785


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Chlorimuron ethyl**


Molecular Weight	414.817
Molecular Formula	C ₁₅ H ₁₅ ClN ₄ O ₆ S
Density	1.51 g/cm ³
Melting Point	181 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	90982-32-4	Acetone	S-3927

**Chlorimequat chloride**


Molecular Weight	158.066
Molecular Formula	C ₅ H ₁₃ Cl ₂ N
Density	1.15 g/cm ³
Melting Point	239 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	999-81-5	Methanol	S-4838

**2-Chloro-1,3-butadiene**


Molecular Weight	88.534
Molecular Formula	C ₄ H ₅ Cl
Density	0.958 g/cm ³
Melting Point	-130 °C
Boiling Point	59 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	126-99-8	Methanol-P&T	S-930

**1-Chloro-3-fluorobenzene**


Molecular Weight	130.546
Molecular Formula	C ₆ H ₄ ClF
Density	1.219 g/cm ³
Boiling Point	128 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	625-98-9	Methanol-P&T	S-944

**4-Chloro-2-methylaniline**


Molecular Weight	141.598
Molecular Formula	C ₇ H ₈ ClN
Density	1.19 g/cm ³
Melting Point	29 °C
Boiling Point	241 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	95-69-2	Methanol	S-4472

**4-Chloro-3-methylphenol**


Molecular Weight	142.582
Molecular Formula	C ₇ H ₇ ClO
Density	1.37 g/cm ³
Melting Point	64 to 66 °C
Boiling Point	235 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	59-50-7	Methanol-P&T	S-945

**4-Chloro-3-nitrobenzotrifluoride**

Molecular Weight	225.551
Molecular Formula	C ₇ H ₃ ClF ₃ NO ₂
Density	1.542 g/cm ³
Melting Point	-3 °C
Boiling Point	223 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	121-17-5	Methanol-P&T	S-947


**1-Chloro-2-propanol**
(Contains 2-Chloro-1-propanol)

Molecular Weight	94.538
Molecular Formula	C ₃ H ₇ ClO
Density	1.115 g/cm ³
Boiling Point	126 to 127 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	127-00-4	Methanol-P&T	S-908


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



4-Chloro-o-tolyoxyacetic acid

Molecular Weight	200.618
Molecular Formula	C ₉ H ₉ ClO ₃
Density	1.56 g/cm ³
Melting Point	113 to 119 °C




2-Chloro-1,1,1-trifluoroethane

Molecular Weight	118.483
Molecular Formula	C ₂ H ₂ ClF ₃
Density	1.389 g/cm ³
Melting Point	-105 °C
Boiling Point	6 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	94-74-6	Methanol	S-955

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-88-7	Methanol-P&T	S-958



Chloroacetaldehyde

Molecular Weight	78.495
Molecular Formula	C ₂ H ₃ ClO
Density	1.19 g/cm ³
Melting Point	-16 °C
Boiling Point	86 °C




Chloroacetic acid

Molecular Weight	94.494
Molecular Formula	C ₂ H ₃ ClO ₂
Density	1.58 g/cm ³
Melting Point	53 °C
Boiling Point	189 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107-20-0	Methanol-P&T	S-792

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	79-11-8	Methyl Tertiary Butyl Ether	S-795



Chloroacetonitrile

Molecular Weight	75.495
Molecular Formula	C ₂ H ₂ ClN
Density	1.193 g/cm ³
Melting Point	38 °C
Boiling Point	127 °C




2-Chloroacetophenone

Molecular Weight	154.593
Molecular Formula	C ₈ H ₇ ClO
Density	1.324 g/cm ³
Melting Point	57 °C
Boiling Point	245 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107-14-2	Methanol-P&T	S-797

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	532-27-4	Methanol-P&T	S-794



2-Chloroaniline

Molecular Weight	127.571
Molecular Formula	C ₆ H ₆ ClN
Density	1.211 g/cm ³
Melting Point	-14 °C
Boiling Point	209 °C



4-Chloroaniline (p-Chloroaniline)


Molecular Weight	127.571
Molecular Formula	C ₆ H ₆ ClN
Density	1.169 g/cm ³ @ 77 °C
Melting Point	70 °C
Boiling Point	232 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	95-51-2	Methanol-P&T	S-802

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	106-47-8	Methanol-P&T	S-805


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**2-Chloroanisole**


Molecular Weight	142.582
Molecular Formula	C ₇ H ₇ ClO
Density	1.164 g/cm ³
Melting Point	-27 °C
Boiling Point	195 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	766-51-8	Methanol	S-5143

**3-Chloroanisole**


Molecular Weight	142.582
Molecular Formula	C ₇ H ₇ ClO
Density	1.164 g/cm ³
Boiling Point	193 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2845-89-8	Methanol	S-5144

**4-Chloroanisole**


Molecular Weight	142.582
Molecular Formula	C ₇ H ₇ ClO
Density	1.164 g/cm ³
Melting Point	-18 °C
Boiling Point	200 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	623-12-1	Methanol	S-5145

**Chlorobenzene**


Molecular Weight	112.556
Molecular Formula	C ₆ H ₅ Cl
Density	1.106 g/cm ³
Melting Point	-45 °C
Boiling Point	132 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-90-7	Methanol-P&T	S-810

**Chlorobenzene-d₅**


Molecular Weight	117.587
Molecular Formula	C ₆ H ₅ Cl
Density	1.157 g/cm ³
Boiling Point	130 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	3114-55-4	Methanol-P&T	S-815

**o-Chlorobenzoic acid**


Molecular Weight	156.565
Molecular Formula	C ₇ H ₅ ClO ₂
Density	1.544 g/cm ³
Melting Point	142 °C
Boiling Point	285 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	118-91-2	Methanol-P&T	S-830

**p-Chlorobenzoic acid**

Molecular Weight	156.565
Molecular Formula	C ₇ H ₅ ClO ₂
Density	1.541 g/cm ³
Melting Point	243 °C
Boiling Point	Sublimes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	74-11-3	Methanol-P&T	S-835


**3-Chlorobiphenyl**

Molecular Weight	188.654
Molecular Formula	C ₁₂ H ₉ Cl

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2051-61-8	Methylene Chloride	S-841


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



Chlorodibromoacetic acid

Molecular Weight	252.286
Molecular Formula	C ₂ HBr ₂ ClO ₂




1-Chlorobutane

Molecular Weight	92.566
Molecular Formula	C ₄ H ₉ Cl
Density	0.881 g/cm ³
Melting Point	-123 °C
Boiling Point	77 to 79 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	5278-95-5	Methyl Tertiary Butyl Ether	S-3892

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	109-69-3	Methanol-P&T	S-838



Chloroethane

Molecular Weight	64.512
Molecular Formula	C ₂ H ₅ Cl
Density	0.921 g/cm ³
Melting Point	-139 °C
Boiling Point	12 °C



2-Chloroethanol

Molecular Weight	80.511
Molecular Formula	C ₂ H ₅ ClO
Density	1.197 g/cm ³
Melting Point	-68 °C
Boiling Point	128 to 130 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-00-3	Methanol-P&T	S-845

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107-07-3	Methanol-P&T	S-847



1,2-bis(2-Chloroethoxy)ethane

Molecular Weight	187.06
Molecular Formula	C ₆ H ₁₂ Cl ₂ O ₂
Density	1.197 g/cm ³
Melting Point	-32 °C
Boiling Point	235 to 241 °C



bis(2-Chloroethoxy)methane

Molecular Weight	173.033
Molecular Formula	C ₅ H ₁₀ Cl ₂ O ₂
Density	1.23 g/cm ³
Melting Point	-33 °C
Boiling Point	218 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	112-26-5	Methanol-P&T	S-849

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	111-91-1	Methanol-P&T	S-850



bis(2-Chloroethyl)ether

Molecular Weight	143.007
Molecular Formula	C ₄ H ₈ Cl ₂ O
Density	1.22 g/cm ³
Melting Point	-50 °C
Boiling Point	178 °C



2-Chloroethyl vinyl ether


Molecular Weight	106.549
Molecular Formula	C ₄ H ₇ ClO
Density	1.048 g/cm ³
Melting Point	-70 °C
Boiling Point	110 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	111-44-4	Methanol-P&T	S-860


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	110-75-8	Methanol-P&T	S-855

Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Chlorodifluoromethane**

Molecular Weight	86.466
Molecular Formula	CHClF ₂
Density	1.194 g/cm ³
Boiling Point	-41 °C

**Chloroform**

Molecular Weight	119.369
Molecular Formula	CHCl ₃
Density	1.489 g/cm ³
Melting Point	-63 °C
Boiling Point	61 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-45-6	Methanol-P&T	S-840

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	67-66-3	Methanol-P&T	S-865

**Chloroform-d**

Molecular Weight	120.375
Molecular Formula	CHCl ₃
Density	1.5 g/cm ³
Melting Point	-64 °C
Boiling Point	61 °C

**1-Chlorohexane**


Molecular Weight	120.62
Molecular Formula	C ₆ H ₁₃ Cl

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	865-49-6	Methanol	S-866

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	544-10-5	Methanol-P&T	S-869

**Chloromethane**

Molecular Weight	50.485
Molecular Formula	CH ₃ Cl
Density	0.911 g/cm ³
Melting Point	-97 to -98 °C
Boiling Point	-24 °C

**bis(Chloromethyl) ether**


Molecular Weight	114.953
Molecular Formula	(CH ₂ Cl) ₂ O
Density	1.315 g/cm ³
Melting Point	-42 °C
Boiling Point	104 to 106 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	74-87-3	Methanol-P&T	S-875

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	542-88-1	Isooctane	S-880

**Chloromethyl methyl ether**

Molecular Weight	80.511
Molecular Formula	C ₂ H ₅ ClO
Density	1.060 g/cm ³
Melting Point	-104 °C
Boiling Point	60 °C

**1-Chloronaphthalene**


Molecular Weight	162.616
Molecular Formula	C ₁₀ H ₇ Cl
Density	1.194 g/cm ³
Melting Point	-3 °C
Boiling Point	259 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107-30-2	Methanol-P&T	S-877

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	90-13-1	Methanol-P&T	S-885

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



2-Chloronaphthalene

Molecular Weight	1262.616
Molecular Formula	C ₁₀ H ₇ Cl
Density	1.138 g/cm ³
Melting Point	60 °C
Boiling Point	256 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	91-58-7	Methanol-P&T	S-890



4-Chlorophenol

Molecular Weight	128.555
Molecular Formula	C ₆ H ₅ ClO
Density	1.3 g/cm ³
Melting Point	43 °C
Boiling Point	220 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	106-48-9	Methanol-P&T	S-906



Chloropicrin

Molecular Weight	164.366
Molecular Formula	CCl ₃ NO ₂
Density	1.645 g/cm ³
Melting Point	-64 °C
Boiling Point	112 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	76-06-2	Methanol	S-911



Chloroprene

Molecular Weight	88.535
Molecular Formula	C ₄ H ₅ Cl
Density	0.958 g/cm ³
Melting Point	-130 °C
Boiling Point	59 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	126-99-8	Methanol-P&T	S-930A



2-Chloropropane

Molecular Weight	78.539
Molecular Formula	C ₃ H ₇ Cl
Density	0.862 g/cm ³
Melting Point	-117 °C
Boiling Point	36 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-29-6	Methanol-P&T	S-912



Chloropropylate

Molecular Weight	339.212
Molecular Formula	C ₁₇ H ₁₆ Cl ₂ O ₃
Density	1.36 g/cm ³
Melting Point	73 °C
Boiling Point	148 to 150 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	5836-10-2	Methanol-P&T	S-963



2-Chloropyridine

Molecular Weight	113.544
Molecular Formula	C ₅ H ₄ ClN
Melting Point	-46 °C
Boiling Point	168 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	109-09-1	Methanol-P&T	S-3860




3-Chloropyridine

Molecular Weight	113.554
Molecular Formula	C ₅ H ₄ ClN
Density	1.21 g/cm ³
Boiling Point	148 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	626-60-8	Methanol-P&T	S-913


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Chlorothalonil**


Molecular Weight	265.9
Molecular Formula	C ₈ Cl ₄ N ₂
Density	1.74 g/cm ³
Melting Point	252 °C
Boiling Point	350 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1897-45-6	Methanol	S-915

**2-Chlorotoluene**


Molecular Weight	126.583
Molecular Formula	C ₇ H ₇ Cl
Density	1.083 g/cm ³
Melting Point	-35 °C
Boiling Point	159 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	95-49-8	Methanol-P&T	S-920

**4-Chlorotoluene**


Molecular Weight	126.583
Molecular Formula	C ₇ H ₇ Cl
Density	1.069 g/cm ³
Melting Point	8 °C
Boiling Point	162 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	106-43-4	Methanol-P&T	S-925

**Chlorotrifluoroethylene**


Molecular Weight	116.467
Molecular Formula	C ₂ ClF ₃
Density	1.54 g/cm ³
Melting Point	-158 °C
Boiling Point	-28 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	79-38-9	Methanol	S-4840

**Chlorpropham**


Molecular Weight	213.7
Molecular Formula	C ₁₀ H ₁₂ ClNO ₂
Density	1.18 g/cm ³
Melting Point	36 °C
Boiling Point	256 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	101-21-3	Methanol	S-960

**Chlorpyrifos**


Molecular Weight	350.6
Molecular Formula	C ₉ H ₁₁ Cl ₃ NO ₃ PS
Density	1.43 g/cm ³
Melting Point	41 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2921-88-2	Acetone	S-965-A
		Methanol	S-965

**Chlorpyrifos-methyl**

Molecular Weight	322.521
Molecular Formula	C ₇ H ₇ Cl ₃ NO ₃ PS
Density	1.64 g/cm ³
Melting Point	46 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	5598-13-0	Acetonitrile	S-966-ACN
		Methanol	S-966


**Chlorthiophos**

Molecular Weight	361.232
Molecular Formula	C ₁₁ H ₁₅ Cl ₂ O ₃ PS ₂
Density	1.345 g/cm ³
Boiling Point	150 °C @ 0.001 mm Hg

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	60238-56-4	Methanol-P&T	S-967


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



Cholesterol

Molecular Weight	386.664
Molecular Formula	C ₂₇ H ₄₆ O
Density	1.067 g/cm ³
Melting Point	149 °C




Chrysene

Molecular Weight	228.294
Molecular Formula	C ₁₈ H ₁₂
Density	1.274 g/cm ³
Melting Point	255 °C
Boiling Point	448 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	57-88-5	Methanol	S-4702

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	218-01-9	Methylene Chloride	S-970



Chrysene-d₁₂

Molecular Weight	240.367
Molecular Formula	C ₁₈ H ₁₂




Clofentezine

Molecular Weight	303.1
Molecular Formula	C ₁₄ H ₈ Cl ₂ N ₄
Density	1.52 g/cm ³
Melting Point	183 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1719-03-5	Methylene Chloride	S-975

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	74115-24-5	Methanol	S-5772



Clomazone

Molecular Weight	239.699
Molecular Formula	C ₁₂ H ₁₃ NO ₂ S
Density	1.192 g/cm ³
Melting Point	25 °C
Boiling Point	275 °C




Coronene

Molecular Weight	300.36
Molecular Formula	C ₂₄ H ₁₂


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	81777-89-1	Acetone	S-762

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	191-07-1	Methylene Chlorine	S-3919



Coumaphos

Molecular Weight	362.8
Molecular Formula	C ₁₄ H ₁₆ ClO ₅ PS
Density	1.41 g/cm ³
Melting Point	95 °C



Creosol


Molecular Weight	138.166
Molecular Formula	C ₈ H ₁₀ O ₂
Density	1.092 g/cm ³
Melting Point	6 °C
Boiling Point	220 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	56-72-4	Acetone	S-980

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	93-51-6	Methanol-P&T	S-987


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Creosote**


Molecular Weight	124.139
Molecular Formula	C ₇ H ₈ O ₂
Density	1.129 g/cm ³
Melting Point	32 °C
Boiling Point	205 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	8021-39-4	Methylene Chloride	S-3847

**Crotonaldehyde**


Molecular Weight	70.091
Molecular Formula	C ₄ H ₆ O
Density	0.852 g/cm ³
Melting Point	-76 °C
Boiling Point	104 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	123-73-9	DI Water	S-990

**Crotonitrile**

Molecular Weight	67.091
Molecular Formula	C ₄ H ₅ N
Density	0.82 g/cm ³
Melting Point	-50 °C
Boiling Point	120 to 121 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	4786-20-3	Methanol	S-992

**beta-Cyclocitral**


Molecular Weight	152.237
Molecular Formula	C ₁₀ H ₁₆ O
Density	0.943 g/cm ³
Boiling Point	62 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	432-25-7	Methanol	S-4427

**Cyclohexane**


Molecular Weight	84.162
Molecular Formula	C ₆ H ₁₂
Density	0.778 g/cm ³
Melting Point	7 °C
Boiling Point	81 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	110-82-7	Methanol-P&T	S-1015

**Cyclohexanol**

Molecular Weight	100.161
Molecular Formula	C ₆ H ₁₂ O
Density	0.962 g/cm ³
Melting Point	25 °C
Boiling Point	161 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-93-0	Methanol-P&T	S-1020

**Cyclohexanone**

Molecular Weight	98.145
Molecular Formula	C ₆ H ₁₀ O
Density	0.08 g/cm ³
Melting Point	-31 °C
Boiling Point	155 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-94-1	Methanol-P&T	S-1025


**Cyclohexene**

Molecular Weight	82.146
Molecular Formula	C ₆ H ₁₀
Density	0.811 g/cm ³
Melting Point	-104 °C
Boiling Point	83 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	110-83-8	Methanol-P&T	S-1030

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



Cyclohexylamine

Molecular Weight	99.177
Molecular Formula	C ₆ H ₁₃ N
Density	0.865 g/cm ³
Melting Point	-18 °C
Boiling Point	135 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-91-8	Methanol-P&T	S-1027



Cyclopenta(c,d)pyrene

Molecular Weight	226.278
Molecular Formula	C ₁₈ H ₁₀
Density	1.33 g/cm ³
Melting Point	170 °C
Boiling Point	438 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	27208-37-3	Methylene Chloride	S-4875



Cyclopentanone

Molecular Weight	84.118
Molecular Formula	C ₅ H ₈ O
Density	0.95 g/cm ³
Melting Point	-51 °C
Boiling Point	131 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	120-92-3	Methanol-P&T	S-1042



lambda-Cyhalothrin

Molecular Weight	449.854
Molecular Formula	C ₂₃ H ₁₉ ClF ₃ NO ₃
Density	1.3 g/cm ³
Melting Point	49 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	91465-08-6	Acetone	S-1044-AC
		Toluene	S-1044



Cymoxanil

Molecular Weight	198.182
Molecular Formula	C ₇ H ₁₀ N ₄ O ₃
Density	1.32 g/cm ³
Melting Point	160 to 161 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	57966-95-7	Methanol-P&T	S-3926



Cypermethrin

Molecular Weight	416.3
Molecular Formula	C ₂₂ H ₁₉ Cl ₂ NO ₃
Density	1.25 g/cm ³
Melting Point	41 °C
Boiling Point	Decomposes


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	52315-07-8	Acetone	S-1041
		Acetonitrile	S-1041-ACN



alpha-Cypermethrin

Molecular Weight	416.298
Molecular Formula	C ₂₂ H ₁₉ Cl ₂ NO ₃
Density	1.25 g/cm ³
Melting Point	70 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	67375-30-8	Methanol	S-5908




Cyproconazole (mix of isomers)

Molecular Weight	291.779
Molecular Formula	C ₁₅ H ₁₈ ClN ₃ O
Melting Point	106 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	94361-06-5	Methanol	S-4863


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Cyprodinil**


Molecular Weight	225.295
Molecular Formula	C ₁₄ H ₁₅ N ₃
Density	1.21 g/cm ³
Melting Point	76 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	121552-61-2	Methanol	S-4622

**Cyromazine**


Molecular Weight	166.188
Molecular Formula	C ₆ H ₁₀ N ₆
Density	1.35 g/cm ³
Melting Point	220 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	66215-27-8	Methanol-P&T	S-4255

**2,4-D methyl ester**


Molecular Weight	235.06
Molecular Formula	C ₉ H ₈ Cl ₂ O ₃

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1928-38-7	Methanol	S-1050

**Dacthal monoacid**


Molecular Weight	317.927
Molecular Formula	C ₉ H ₄ Cl ₄ O ₄

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	887-54-7	Acetonitrile	S-4385

**Dalapon**


Molecular Weight	142.963
Molecular Formula	C ₃ H ₄ Cl ₂ O ₂
Density	1.401 g/cm ³
Melting Point	20 °C
Boiling Point	190 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-99-0	Methanol-P&T	S-1055

**Danofloxacin**


Molecular Weight	357.385
Molecular Formula	C ₁₉ H ₂₀ FN ₃ O ₃

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	112398-08-0	Methanol	S-4575

**2,4-DB**

Molecular Weight	249.1
Molecular Formula	C ₁₀ H ₁₀ Cl ₂ O ₃
Density	1.46 g/cm ³
Melting Point	119 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	94-82-6	Methyl Tertiary Butyl Ether	S-1060


**o,p'-DDD**

Molecular Weight	320.0
Molecular Formula	C ₁₄ H ₁₀ Cl ₄
Melting Point	77 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	53-19-0	Methanol-P&T	S-1070

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



p,p'-DDD

Molecular Weight	320.0
Molecular Formula	C ₁₄ H ₁₀ Cl ₄
Density	1.39 g/cm ³
Melting Point	110 °C
Boiling Point	350 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	72-54-8	Acetone	S-1075-AC
		Methanol	S-1075



o,p'-DDE

Molecular Weight	318.0
Molecular Formula	C ₁₄ H ₈ Cl ₄
Melting Point	75 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	3424-82-6	Methanol	S-1080



p,p'-DDE

Molecular Weight	318.0
Molecular Formula	C ₁₄ H ₈ Cl ₄
Density	1.40 g/cm ³
Melting Point	89 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	72-55-9	Methanol	S-1085



o,p'-DDT

Molecular Weight	354.5
Molecular Formula	C ₁₄ H ₉ Cl ₅


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	789-02-6	Methanol	S-1090



p,p'-DDT

Molecular Weight	354.5
Molecular Formula	C ₁₄ H ₉ Cl ₅
Density	0.99 g/cm ³
Melting Point	109 °C
Boiling Point	185 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	50-29-3	Methanol	S-1095



Decabromodiphenyl ether

Molecular Weight	959.171
Molecular Formula	C ₁₂ Br ₁₀ O
Density	3.4 g/cm ³
Melting Point	305 °C
Boiling Point	425 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1163-19-5	Toluene	S-5656



Decachlorobiphenyl

Molecular Weight	498.632
Molecular Formula	C ₁₂ Cl ₁₀

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2051-24-3	Hexane	S-1100
		Toluene	S-1100-TOL



Decafluorobiphenyl

Molecular Weight	334.116
Molecular Formula	C ₆ F ₅ C ₆ F ₅
Density	1.785 g/cm ³
Melting Point	68 °C
Boiling Point	206 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	434-90-2	Methanol	S-1103


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**n-Decane**


Molecular Weight	142.286
Molecular Formula	$C_{10}H_{22}$
Density	0.726 g/cm ³
Melting Point	-30 °C
Boiling Point	174 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	124-18-5	Methanol	S-1112-MEOH
		Methylene Chloride	S-1112
		Methylene Chloride	S-1115

**Decanoic acid**


Molecular Weight	172.268
Molecular Formula	$C_{10}H_{20}O_2$
Density	0.893 g/cm ³
Melting Point	32 °C
Boiling Point	269 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	334-48-5	Methylene Chloride	S-1122

**DEF**


Molecular Weight	314.501
Molecular Formula	$C_{12}H_{27}OPS_3$
Density	1.057 g/cm ³
Melting Point	< -25 °C
Boiling Point	210 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	78-48-8	Acetone	S-1130-AC

**Deltamethrin**


Molecular Weight	505.206
Molecular Formula	$C_{22}H_{19}Br_2NO_3$
Density	0.5 g/cm ³
Melting Point	100 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	52918-63-5	Methanol-P&T	S-3977

**Demeton O**


Molecular Weight	258.331
Molecular Formula	$C_8H_{19}O_3PS_2$

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	298-03-3	Methanol	S-4020

**Demeton S**


Molecular Weight	258.331
Molecular Formula	$C_8H_{19}O_3PS_2$
Density	1.13 g/cm ³
Boiling Point	128 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	126-75-0	Acetone	S-1141

**Demeton O & S**

Molecular Weight	516.662
Molecular Formula	$C_6H_{15}O_3PS_2$
Density	1.2 g/cm ³
Melting Point	-25 °C
Boiling Point	134 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	8065-48-3	Methanol	S-1140


**Desmetryn**

Molecular Weight	213.303
Molecular Formula	$C_8H_{15}N_5S$
Density	1.172 g/cm ³
Melting Point	85 °C
Boiling Point	339 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1014-69-3	Methanol-P&T	S-1146

Single-Component Organic Standards

Volume for all Organic Singles is 1 mL




Di-allate (mix of isomers)	
Molecular Weight	270.212
Molecular Formula	C ₁₀ H ₁₇ Cl ₂ NOS
Density	1.188 g/cm ³ @25 °C
Melting Point	25 to 30 °C
Boiling Point	150 °C @ 9 mm Hg




Di-iso-octyl phthalate	
Molecular Weight	390.564
Molecular Formula	C ₂₄ H ₃₈ O ₄
Melting Point	-45 °C
Boiling Point	370 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2303-16-4	Acetone	S-1155

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	27554-26-3	Methanol	S-5738




Di-n-butyl phthalate	
Molecular Weight	278.348
Molecular Formula	C ₁₆ H ₂₂ O ₄
Density	1.049 g/cm ³
Melting Point	35 °C
Boiling Point	340 °C




Di-n-heptyltin dichloride	
Molecular Weight	388.004
Molecular Formula	C ₁₄ H ₃₀ Cl ₂ Sn

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	84-74-2	Methanol-P&T	S-1770

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	74340-12-8	Ethanol	S-5518-ETOH




Di-n-hexyl phthalate	
Molecular Weight	334.456
Molecular Formula	C ₂₀ H ₃₀ O ₄
Density	0.995 g/cm ³
Melting Point	-58 °C
Boiling Point	345 °C



Di-n-octyl phthalate	
Molecular Weight	390.564
Molecular Formula	C ₂₄ H ₃₈ O ₄
Density	0.98 g/cm ³
Melting Point	25 °C
Boiling Point	220 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	84-75-3	Methanol-P&T	S-4155

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	117-84-0	Methanol-P&T	S-1775



2,6-Di-tert-butyl-4-methylphenol	
Molecular Weight	220.356
Molecular Formula	C ₁₅ H ₂₄ O
Density	1.04 g/cm ³
Melting Point	71 °C
Boiling Point	265 °C




Di(ethylene glycol)ethyl ether	
Molecular Weight	134.17
Molecular Formula	C ₆ H ₁₄ O ₃
Density	0.989 g/cm ³
Melting Point	-76 °C
Boiling Point	202 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	128-37-0	Methanol-P&T	S-1785

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	111-90-0	Methanol-P&T	S-3849


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Diacrylic acid**


Molecular Weight	144.126
Molecular Formula	C ₆ H ₈ O ₄

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	24615-84-7	Methanol-P&T	S-5050

**Dialifos**


Molecular Weight	393.837
Molecular Formula	C ₁₄ H ₁₇ ClNO ₄ PS ₂
Melting Point	68 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	10311-84-9	Methanol-P&T	S-4288

**1,4-Diaminobutane**


Molecular Weight	88.154
Molecular Formula	C ₄ H ₁₂ N ₂
Density	0.877 g/cm ³
Melting Point	28 °C
Boiling Point	159 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	110-60-1	Methanol-P&T	S-1158

**4,4'-Diaminodiphenylmethane**


Molecular Weight	198.269
Molecular Formula	C ₁₃ H ₁₄ N ₂
Density	1.05 g/cm ³
Melting Point	93 °C
Boiling Point	398 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	101-77-9	Methanol-P&T	S-1156

**1,5-Diaminonaphthalene**


Molecular Weight	158.204
Molecular Formula	C ₁₀ H ₁₀ N ₂
Density	1.4 g/cm ³
Melting Point	187 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2243-62-1	Methanol	S-5682

**2,4-Diaminotoluene**


Molecular Weight	122.171
Molecular Formula	C ₇ H ₁₀ N ₂
Density	1.26 g/cm ³
Melting Point	99 °C
Boiling Point	292 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	95-80-7	Methanol	S-1160

**2,6-Diaminotoluene**

Molecular Weight	122.171
Molecular Formula	C ₇ H ₁₀ N ₂
Density	0.95 g/cm ³
Melting Point	106 °C
Boiling Point	289 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	823-40-5	Methanol-P&T	S-1162


**Diamyl phthalate**

Molecular Weight	306.402
Molecular Formula	C ₁₈ H ₂₆ O ₄
Density	1.022 g/cm ³
Melting Point	-55 °C
Boiling Point	342 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	131-18-0	Methanol	S-4157


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



Diazinon

Molecular Weight	304.3
Molecular Formula	C ₁₂ H ₂₁ N ₂ O ₃ PS
Density	1.11 g/cm ³
Boiling Point	Decomposes




Diazinon-d₁₀

Molecular Weight	314.406
Molecular Formula	C ₁₂ H ₂₁ N ₂ O ₃ PS
Density	1.152 g/cm ³
Boiling Point	84 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	333-41-5	Acetone	S-1175

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	100155-47-3	Methanol-P&T	S-4204



Dibenz(a,c)anthracene

Molecular Weight	278.354
Molecular Formula	C ₂₂ H ₁₄




Dibenz(a,h)acridine

Molecular Weight	279.342
Molecular Formula	C ₂₁ H ₁₃ N
Density	1.274 g/cm ³
Melting Point	216 °C
Boiling Point	534 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	215-58-7	Methylene Chloride	S-3922

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	226-36-8	Methylene Chloride	S-1215



Dibenz(a,h)anthracene

Molecular Weight	278.354
Molecular Formula	C ₂₂ H ₁₄
Density	1.282 g/cm ³
Melting Point	269 °C
Boiling Point	524 °C




Dibenz(a,j)acridine

Molecular Weight	279.342
Molecular Formula	C ₂₁ H ₁₃ N
Density	1.274 g/cm ³
Melting Point	216 °C
Boiling Point	534 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	53-70-3	Methylene Chloride	S-1205

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	224-42-0	Methylene Chloride	S-1207



Dibenzo(a,e)pyrene

Molecular Weight	302.376
Molecular Formula	C ₂₄ H ₁₄
Melting Point	244 °C



Dibenzo(a,i)pyrene


Molecular Weight	302.376
Molecular Formula	C ₂₄ H ₁₄
Melting Point	284 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	192-65-4	Methylene Chloride: Benzene (50:50)	S-1200

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	189-55-9	Methylene Chloride: Benzene (50:50)	S-1195


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Dibenzo(a,l)pyrene**


Molecular Weight	302.376
Molecular Formula	C ₂₄ H ₁₄
Density	1.28 g/cm ³
Melting Point	165 °C
Boiling Point	631 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	191-30-0	Methylene Chloride	S-1196

**7H-Dibenzo(c,g)carbazole**


Molecular Weight	267.331
Molecular Formula	C ₂₀ H ₁₃ N
Density	1.308 g/cm ³
Melting Point	158 °C
Boiling Point	544 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	194-59-2	Methylene Chloride	S-1197

**Dibenzofuran**


Molecular Weight	168.195
Molecular Formula	C ₁₂ H ₈ O
Density	1.089 g/cm ³
Melting Point	87 °C
Boiling Point	287 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	132-64-9	Methanol-P&T	S-1180

**Dibenzothiophene**


Molecular Weight	184.256
Molecular Formula	C ₁₂ H ₈ S
Density	1.252 g/cm ³
Melting Point	100 °C
Boiling Point	333 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	132-65-0	Methanol-P&T	S-1185

**Dibrom (Naled)**


Molecular Weight	380.778
Molecular Formula	C ₄ H ₇ Br ₂ Cl ₂ O ₄ P
Density	1.96 g/cm ³
Melting Point	27 °C
Boiling Point	200 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	300-76-5	Methylene Chloride	S-2650

**1,2-Dibromo-3-chloropropane**


Molecular Weight	236.331
Molecular Formula	C ₃ H ₅ Br ₂ Cl
Density	2.05 g/cm ³
Melting Point	6 °C
Boiling Point	196 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	96-12-8	Methanol-P&T	S-1255

**Dibromoacetic acid**

Molecular Weight	217.844
Molecular Formula	C ₂ H ₂ Br ₂ O ₂
Melting Point	48 °C
Boiling Point	232 to 234 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	631-64-1	Methyl Tertiary Butyl Ether	S-1220


**4,4'-Dibromobiphenyl**

Molecular Weight	312.004
Molecular Formula	C ₁₂ H ₈ Br ₂
Density	1.867 g/cm ³
Melting Point	164 °C
Boiling Point	357 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	92-86-4	Acetone	S-1228

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



Dibromochloromethane

Molecular Weight	208.277
Molecular Formula	CHBr_2Cl
Density	2.45 g/cm ³
Melting Point	-20 °C
Boiling Point	247 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	124-48-1	Methanol-P&T	S-1230



1,2-Dibromoethane

Molecular Weight	187.862
Molecular Formula	$\text{C}_2\text{H}_4\text{Br}_2$
Density	2.18 g/cm ³
Melting Point	10 °C
Boiling Point	131 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	106-93-4	Methanol-P&T	S-1235



4,4'-Dibromo-octafluorobiphenyl

Molecular Weight	455.927
Molecular Formula	$\text{C}_{12}\text{Br}_2\text{F}_8$
Density	2.1 g/cm ³
Melting Point	113 to 115 °C
Boiling Point	260 to 330 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	10386-84-2	Methyl Tertiary Butyl Ether	S-1250



2,6-Dibromophenol

Molecular Weight	251.905
Molecular Formula	$\text{C}_6\text{H}_4\text{Br}_2\text{O}$
Melting Point	56 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	608-33-3	Methanol	S-5147



2,3-Dibromopropionic acid

Molecular Weight	231.871
Molecular Formula	$\text{C}_3\text{H}_4\text{Br}_2\text{O}_2$


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	600-05-5	Methyl Tertiary Butyl Ether	S-3895



2,5-Dibromotoluene

Molecular Weight	249.933
Molecular Formula	$\text{C}_7\text{H}_6\text{Br}_2$
Density	1.813 g/cm ³
Melting Point	5 °C
Boiling Point	107 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	615-59-8	Methanol-P&T	S-1251



Dibutyl chlorendate

Molecular Weight	501.043
Molecular Formula	$\text{C}_{17}\text{H}_{20}\text{Cl}_4\text{O}_4$

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1770-80-5	Methanol-P&T	S-1265




Dicamba

Molecular Weight	221.033
Molecular Formula	$\text{C}_8\text{H}_6\text{Cl}_2\text{O}_3$
Density	1.57 g/cm ³
Melting Point	115 °C
Boiling Point	200 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1918-00-9	Methanol	S-1270


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Dichlobenil**


Molecular Weight	172.008
Molecular Formula	C ₇ H ₃ Cl ₂ N
Density	1.3 g/cm ³
Melting Point	146 °C
Boiling Point	270 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1194-65-6	Methanol-P&T	S-1271

**Dichlofluandil**


Molecular Weight	333.217
Molecular Formula	C ₉ H ₁₁ Cl ₂ FN ₂ O ₂ S ₂
Density	1.553 g/cm ³
Melting Point	105 °C
Boiling Point	337 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1085-98-9	Methylene Chloride	S-1277

**Dichloran**


Molecular Weight	207.01
Molecular Formula	C ₆ H ₄ Cl ₂ N ₂ O ₂
Density	0.28 g/cm ³
Melting Point	195 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	99-30-9	Methanol	S-1497

**Dichlorfenthion**


Molecular Weight	314.145
Molecular Formula	C ₁₀ H ₁₃ Cl ₂ O ₃ PS
Density	1.3 g/cm ³
Boiling Point	123 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	97-17-6	Methanol-P&T	S-1280

**1,1-Dichloro-1-fluoroethane (Freon 141)**


Molecular Weight	116.994
Molecular Formula	C ₂ H ₃ Cl ₂ F
Density	1.24 g/cm ³
Melting Point	-104 °C
Boiling Point	32 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1717-00-6	Methanol-P&T	S-1480

**1,2-Dichloro-1,1-difluoroethane**


Molecular Weight	134.935
Molecular Formula	C ₂ H ₂ Cl ₂ F ₂
Density	1.416 g/cm ³
Melting Point	-101 °C
Boiling Point	47 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1649-08-7	Methanol-P&T	S-1477

**1,1-Dichloro-2,2-bis(4-chlorophenyl-d4)ethane**

Molecular Weight	328.083
Molecular Formula	C ₁₄ H ₁₀ Cl ₄
Density	0.689 g/cm ³
Melting Point	109 to 110 °C
Boiling Point	99 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	93952-20-6	Isooctane	S-5620


**1,4-Dichloro-2-butene (mix of cis & trans)**

Molecular Weight	124.992
Molecular Formula	C ₄ H ₆ Cl ₂
Density	1.186 g/cm ³
Melting Point	4 °C
Boiling Point	158 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	764-41-0	Methanol-P&T	S-1485


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



trans-1,4-Dichloro-2-butene

Molecular Weight	124.992
Molecular Formula	$\text{ClCH}_2\text{CH}=\text{CHCH}_2\text{Cl}$
Density	1.183 g/cm ³
Melting Point	2 °C
Boiling Point	75 °C




2,3-Dichloro-1-propene

Molecular Weight	110.965
Molecular Formula	$\text{ClCH}_2\text{CH}=\text{CHCl}$
Density	1.211 g/cm ³
Melting Point	10 °C
Boiling Point	94 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	110-57-6	Methanol-P&T	S-1490

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	78-88-6	Methanol-P&T	S-1458



Dichloroacetic acid

Molecular Weight	128.936
Molecular Formula	$\text{C}_2\text{H}_2\text{Cl}_2\text{O}_2$
Density	1.563 g/cm ³
Melting Point	50 °C
Boiling Point	194 °C




2,3-Dichloroaniline

Molecular Weight	162.013
Molecular Formula	$\text{Cl}_2\text{C}_6\text{H}_3\text{NH}_2$
Density	1.383 g/cm ³
Melting Point	24 °C
Boiling Point	252 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	79-43-6	Methyl Tertiary Butyl Ether	S-1285

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	608-27-5	Methanol-P&T	S-1284



3,4-Dichloroaniline

Molecular Weight	162.013
Molecular Formula	$\text{C}_6\text{H}_5\text{Cl}_2\text{N}$
Density	1.33 g/cm ³
Melting Point	71 to 72 °C
Boiling Point	272 °C




9,10-Dichloroanthracene

Molecular Weight	247.118
Molecular Formula	$\text{C}_{14}\text{H}_8\text{Cl}_2$


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	95-76-1	Methanol-P&T	S-3851

Concentration	CAS #	Matrix	Part #
500 µg/mL	605-48-1	Methanol: Methylene Chloride (50:50)	S-1288



1,2-Dichlorobenzene

Molecular Weight	146.998
Molecular Formula	$\text{C}_6\text{H}_4\text{Cl}_2$
Density	1.306 g/cm ³
Melting Point	-17 °C
Boiling Point	183 °C



1,3-Dichlorobenzene


Molecular Weight	146.998
Molecular Formula	$\text{C}_6\text{H}_4\text{Cl}_2$
Density	1.288 g/cm ³
Melting Point	-25 °C
Boiling Point	173 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	95-50-1	Methanol-P&T	S-1290


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	541-73-1	Methanol-P&T	S-1295

Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**1,4-Dichlorobenzene**


Molecular Weight	146.998
Molecular Formula	C ₆ H ₄ Cl ₂
Density	1.248 g/cm ³
Melting Point	53 °C
Boiling Point	174 °C

**1,4-Dichlorobenzene-d₄**


Molecular Weight	151.022
Molecular Formula	C ₆ H ₄ Cl ₂
Melting Point	53 °C
Boiling Point	173 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	106-46-7	Methanol-P&T	S-1300

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	3855-82-1	Methanol-P&T	S-1310

**3,3'-Dichlorobenzidine**


Molecular Weight	253.126
Molecular Formula	C ₁₂ H ₁₀ Cl ₂ N ₂
Melting Point	133 °C
Boiling Point	402 °C

**4,4'-Dichlorobiphenyl**


Molecular Weight	223.096
Molecular Formula	C ₁₂ H ₈ Cl ₂
Melting Point	288 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	91-94-1	Methanol-P&T	S-1315

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2050-68-2	Methanol-P&T	S-1355

**1,2-Dichlorobutane**


Molecular Weight	127.008
Molecular Formula	C ₄ H ₈ Cl ₂
Density	1.112 g/cm ³
Boiling Point	125 °C

**Dichlorodifluoromethane**


Molecular Weight	120.908
Molecular Formula	CCl ₂ F ₂
Density	1.49 g/cm ³
Melting Point	-158 °C
Boiling Point	-30 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	616-21-7	Methanol-P&T	S-1359

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-71-8	Methanol-P&T	S-1370

**1,1-Dichloroethane**

Molecular Weight	98.954
Molecular Formula	C ₂ H ₄ Cl ₂
Density	1.2 g/cm ³
Melting Point	-97 °C
Boiling Point	57 °C

**1,2-Dichloroethane**


Molecular Weight	98.954
Molecular Formula	C ₂ H ₄ Cl ₂
Density	1.25 g/cm ³
Melting Point	-35 °C
Boiling Point	84 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-34-3	Methanol-P&T	S-1375

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107-06-2	Methanol-P&T	S-1380


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



1,2-Dichloroethane-d₄

Molecular Weight	102.978
Molecular Formula	ClCD ₂ CD ₂ Cl
Density	1.307 g/cm ³
Melting Point	-35 °C
Boiling Point	83 °C




1,1-Dichloroethene

Molecular Weight	96.938
Molecular Formula	C ₂ H ₂ Cl ₂
Density	1.21 g/cm ³
Melting Point	-122 °C
Boiling Point	32 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	17060-07-0	Methanol-P&T	S-1385

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-35-4	Methanol-P&T	S-1390



cis-1,2-Dichloroethene

Molecular Weight	96.938
Molecular Formula	C ₂ H ₂ Cl ₂
Density	1.28 g/cm ³
Melting Point	-80 °C
Boiling Point	55 °C




trans-1,2-Dichloroethene

Molecular Weight	96.938
Molecular Formula	C ₂ H ₂ Cl ₂
Density	1.28 g/cm ³
Melting Point	-80 °C
Boiling Point	55 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	156-59-2	Methanol-P&T	S-1394

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	156-60-5	Methanol-P&T	S-1400



Dichlorofluoromethane

Molecular Weight	102.917
Molecular Formula	CHCl ₂ F
Density	1.405 g/cm ³
Melting Point	-135 °C
Boiling Point	9 °C




Dichloromethane-d₂

Molecular Weight	86.939
Molecular Formula	CH ₂ Cl ₂
Density	1.362 g/cm ³
Boiling Point	40 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-43-4	Methanol-P&T	S-1405

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1665-00-5	Methanol-P&T	S-4333



2,3-Dichlorophenol

Molecular Weight	162.997
Molecular Formula	C ₆ H ₄ Cl ₂ O
Melting Point	58 °C
Boiling Point	206 °C



2,4-Dichlorophenol


Molecular Weight	162.997
Molecular Formula	C ₆ H ₄ Cl ₂ O
Density	1.38 g/cm ³
Melting Point	43 °C
Boiling Point	210 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	576-24-9	Methanol-P&T	S-1406

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	120-83-2	Methanol-P&T	S-1410


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**2,5-Dichlorophenol**


Molecular Weight	162.997
Molecular Formula	C ₆ H ₄ Cl ₂ O
Melting Point	59 °C
Boiling Point	211 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	583-78-8	Methanol-P&T	S-1412

**2,6-Dichlorophenol**


Molecular Weight	162.997
Molecular Formula	C ₆ H ₄ Cl ₂ O
Density	1.653 g/cm ³
Melting Point	65 °C
Boiling Point	219 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	87-65-0	Methanol	S-1415

**3,5-Dichlorophenol**


Molecular Weight	162.997
Molecular Formula	C ₆ H ₄ Cl ₂ O
Melting Point	68 °C
Boiling Point	233 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	591-35-5	Methanol-P&T	S-1417

**2,4-D (2,4-Dichlorophenoxyacetic acid)**


Molecular Weight	221.033
Molecular Formula	C ₈ H ₆ Cl ₂ O ₃
Density	1.42 g/cm ³ @ 25 °C
Melting Point	138 to 141 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	94-75-7	Methanol	S-1045

**2,4-Dichlorophenyl acetic acid methyl ester**


Molecular Weight	219.061
Molecular Formula	C ₉ H ₈ Cl ₂ O ₂

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	55954-23-9	Methanol	S-1421

**2,4-Dichlorophenyl acetic acid**

Molecular Weight	205.034
Molecular Formula	C ₈ H ₆ Cl ₂ O ₂
Density	1.456 g/cm ³
Melting Point	132 to 133 °C
Boiling Point	316 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	19719-28-9	Acetone	S-1420

**1,1-Dichloropropane**

Molecular Weight	112.981
Molecular Formula	C ₃ H ₅ Cl ₂
Density	1.13 g/cm ³
Boiling Point	88 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	78-99-9	Methanol-P&T	S-1429


**1,2-Dichloropropane**

Molecular Weight	112.981
Molecular Formula	C ₃ H ₆ Cl ₂
Density	1.156 g/cm ³
Melting Point	-100 °C
Boiling Point	96 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	78-87-5	Methanol-P&T	S-1430

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



1,3-Dichloropropane

Molecular Weight	112.981
Molecular Formula	C ₃ H ₄ Cl ₂
Density	1.22 g/cm ³
Melting Point	-85 °C
Boiling Point	104 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	142-28-9	Methanol-P&T	S-1435



2,2-Dichloropropane

Molecular Weight	112.981
Molecular Formula	C ₃ H ₆ Cl ₂
Density	1.16 g/cm ³
Melting Point	-100 °C
Boiling Point	96 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	594-20-7	Methanol-P&T	S-1440



1,3-Dichloropropene (mix of isomers)

Molecular Weight	110.965
Molecular Formula	C ₃ H ₄ Cl ₂
Density	1.225 g/cm ³
Melting Point	-50 °C
Boiling Point	108 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	542-75-6	Methanol-P&T	S-1455



cis-1,3-Dichloropropene

Molecular Weight	110.965
Molecular Formula	C ₃ H ₄ Cl ₂
Density	1.224 g/cm ³
Melting Point	-84 °C
Boiling Point	104 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	10061-01-5	Methanol-P&T	S-1460



trans-1,3-Dichloropropene

Molecular Weight	110.965
Molecular Formula	C ₃ H ₄ Cl ₂
Density	1.22 g/cm ³
Melting Point	-50 °C
Boiling Point	108 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	10061-02-6	Methanol-P&T	S-1465



2,3-Dichloropropionic acid

Molecular Weight	142.963
Molecular Formula	C ₃ H ₄ Cl ₂ O ₂


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	565-64-0	Methyl Tertiary Butyl Ether	S-4305-MTBE



2,6-Dichloropyridine

Molecular Weight	147.986
Molecular Formula	C ₅ H ₃ Cl ₂ N
Melting Point	85 °C
Boiling Point	211 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2402-78-0	Methanol-P&T	S-1469




1,2-Dichlorotetrafluoroethane

Molecular Weight	170.916
Molecular Formula	C ₂ Cl ₂ F ₄
Density	1.455 g/cm ³
Melting Point	-94 °C
Boiling Point	4 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	76-14-2	Methanol-P&T	S-1470


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**1,2-Dichlorotrifluoroethane**


Molecular Weight	152.925
Molecular Formula	C ₂ HCl ₂ F ₃
Density	1.5 g/cm ³
Melting Point	-78 °C
Boiling Point	30 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	354-23-4	Methanol-P&T	S-1479

**Dichlorprop**


Molecular Weight	235.06
Molecular Formula	C ₉ H ₈ Cl ₂ O ₃
Density	1.42 g/cm ³
Melting Point	117 to 118 °C
Boiling Point	215 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	120-36-5	Methyl Tertiary Butyl Ether	S-1425

**Dichlorvos**


Molecular Weight	221.0
Molecular Formula	C ₄ H ₇ Cl ₂ O ₄ P
Density	1.42 g/cm ³
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	62-73-7	Methanol-P&T	S-1475

**Diclofop methyl**

Molecular Weight	341.184
Molecular Formula	C ₁₆ H ₁₄ Cl ₂ O ₄
Melting Point	40 °C
Boiling Point	176 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	51338-27-3	Methanol-P&T	S-1495

**Dicyclohexyl phthalate**


Molecular Weight	330.424
Molecular Formula	C ₂₀ H ₂₆ O ₄
Density	1.4 g/cm ³
Melting Point	66 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	84-61-7	Methanol-P&T	S-4151

**Dicyclopentadiene**


Molecular Weight	132.206
Molecular Formula	C ₁₀ H ₁₂
Density	0.98 g/cm ³
Melting Point	33 °C
Boiling Point	170 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	77-73-6	Methanol-P&T	S-1505

**Dieldrin**

Molecular Weight	380.895
Molecular Formula	C ₁₂ H ₈ Cl ₆ O
Density	1.75 g/cm ³
Melting Point	177 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	60-57-1	Methanol	S-1510


**Diethanolamine**

Molecular Weight	105.137
Molecular Formula	C ₄ H ₁₁ NO ₂
Density	1.09 g/cm ³
Melting Point	28 °C
Boiling Point	269 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	111-42-2	Methanol-P&T	S-1528

Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



Diethofencarb

Molecular Weight	267.325
Molecular Formula	C ₁₄ H ₂₁ NO ₄




1,2-Diethoxyethane

Molecular Weight	118.176
Density	0.848 g/cm ³
Melting Point	-74 °C
Boiling Point	121 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	87130-20-9	Methanol	S-4830

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	629-14-1	Methanol-P&T	S-1513



Diethyl phthalate

Molecular Weight	222.24
Molecular Formula	C ₁₂ H ₁₄ O ₄
Density	1.12 g/cm ³
Melting Point	-4 °C
Boiling Point	302 °C




N,N-Diethyl-m-tolamide

Molecular Weight	191.274
Molecular Formula	C ₁₂ H ₁₇ NO
Density	0.996 g/cm ³
Melting Point	-38 °C
Boiling Point	160 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	84-66-2	Methanol-P&T	S-1515

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	134-62-3	Methanol-P&T	S-1127



Diethylamine

Molecular Weight	73.139
Molecular Formula	C ₄ H ₁₁ N
Density	0.707 g/cm ³
Melting Point	-50 °C
Boiling Point	56 °C




1,2-Diethylbenzene

Molecular Weight	134.222
Molecular Formula	C ₁₀ H ₁₄
Density	0.88 g/cm ³
Melting Point	-31 °C
Boiling Point	184 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	109-89-7	Methanol-P&T	S-1522

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	135-01-3	Methanol-P&T	S-1524



1,3-Diethylbenzene

Molecular Weight	134.222
Molecular Formula	C ₁₀ H ₁₄
Density	0.864 g/cm ³
Melting Point	-84 °C
Boiling Point	182 °C



1,4-Diethylbenzene

Molecular Weight	134.222
Molecular Formula	C ₁₀ H ₁₄
Density	0.862 g/cm ³
Melting Point	-43 °C
Boiling Point	184 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	141-93-5	Methanol-P&T	S-1523

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	105-05-5	Methanol-P&T	S-1525


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Diethylene glycol**


Molecular Weight	106.121
Molecular Formula	C ₄ H ₁₀ O ₃
Density	1.12 g/cm ³
Melting Point	-10 °C
Boiling Point	244 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	111-46-6	Methanol-P&T	S-3848

**Diethylene glycol dibenzoate**


Molecular Weight	314.337
Molecular Formula	C ₁₈ H ₁₈ O ₅
Melting Point	28 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	120-55-8	Methanol-P&T	S-4207

**N,N-Diethylethanolamine**


Molecular Weight	117.192
Molecular Formula	C ₆ H ₁₅ NO
Density	0.892 g/cm ³
Melting Point	-70 °C
Boiling Point	163 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	100-37-8	Methanol-P&T	S-1529

**Diethylstilbestrol**


Molecular Weight	268.356
Molecular Formula	C ₁₈ H ₂₀ O ₂
Melting Point	170 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	56-53-1	Methanol-P&T	S-1530

**Difenoconazole**


Molecular Weight	406.263
Molecular Formula	C ₁₉ H ₁₇ Cl ₂ N ₃ O ₃
Melting Point	-79 °C
Boiling Point	101 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	119446-68-3	Methanol-P&T	S-3995

**Diflubenzuron**

Molecular Weight	310.685
Molecular Formula	C ₁₄ H ₉ ClF ₂ N ₂ O ₂
Density	0.08 mg/L
Melting Point	231 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	35367-38-5	Methanol-P&T	S-1537

**4,4'-Difluorobiphenyl**

Molecular Weight	190.193
Molecular Formula	FC ₆ H ₄ C ₆ H ₄ F
Melting Point	89 °C
Boiling Point	254 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	398-23-2	Methanol-P&T	S-1541


**2,3-Dihydrofuran**

Molecular Weight	70.091
Molecular Formula	C ₄ H ₆ O
Density	0.927 g/cm ³
Boiling Point	55 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1191-99-7	Methanol-P&T	S-1545

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



3,5-Diiodo-4-hydroxybenzonitrile

Molecular Weight	370.916
Molecular Formula	C ₇ H ₃ I ₂ NO

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1689-83-4	Methanol-P&T	S-1554



Diisobutyl phthalate

Molecular Weight	278.348
Molecular Formula	C ₁₆ H ₂₂ O ₄
Density	1.038 g/cm ³
Melting Point	-37 °C
Boiling Point	320 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	84-69-5	Methanol-P&T	S-4150



1,6-Diisocyanatohexane

Molecular Weight	168.196
Molecular Formula	C ₈ H ₁₂ N ₂ O ₂
Density	1.04 g/cm ³
Melting Point	-67 °C
Boiling Point	255 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	822-06-0	Methylene Chloride	S-1561



Diisodecyl phthalate

Molecular Weight	446.672
Molecular Formula	C ₂₈ H ₄₆ O ₄
Density	0.967 g/cm ³
Melting Point	-50 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	26761-40-0	Methanol-P&T	S-4464



Diisoheptyl phthalate

Molecular Weight	362.51
Molecular Formula	C ₂₂ H ₃₄ O ₄
Density	0.995 g/cm ³
Melting Point	-40 °C
Boiling Point	210 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	71888-89-6	Hexane	S-1553-H
		Methylene Chloride	S-1553



Diisononyl phthalate

Molecular Weight	418.618
Molecular Formula	C ₂₆ H ₄₂ O ₄
Density	0.972 g/cm ³
Melting Point	-43 °C
Boiling Point	244 to 252 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	28553-12-0	Acetone	S-1559



Diisopentylphthalate (DIPP)

Molecular Weight	306.402
Molecular Formula	C ₁₈ H ₂₆ O ₄

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	605-50-5	Methanol	S-6148




1,3-Diisopropenylbenzene

Molecular Weight	158.244
Molecular Formula	C ₁₂ H ₁₄
Density	0.925 g/cm ³
Boiling Point	231 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	3748-13-8	Methanol-P&T	S-1557


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**2,6-Diisopropylnaphthalene**


Molecular Weight	212.336
Molecular Formula	C ₁₆ H ₂₀

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	24157-81-1	Methanol-P&T	S-1556

**Dimefox**


Molecular Weight	154.125
Molecular Formula	C ₄ H ₁₂ FN ₂ OP
Density	1.11 g/cm ³

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	115-26-4	Acetonitrile	S-4681-ACN

**Dimethachlor**


Molecular Weight	255.742
Molecular Formula	C ₁₃ H ₁₈ ClNO ₂

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	50563-36-5	Methanol-P&T	S-4282

**Dimethenamid**


Molecular Weight	275.791
Molecular Formula	C ₁₂ H ₁₈ ClNO ₂ S

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	87674-68-8	Acetone	S-3944

**Dimethoate**


Molecular Weight	229.2
Molecular Formula	C ₅ H ₁₂ NO ₃ PS ₂
Density	1.31 g/cm ³
Melting Point	51 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	60-51-5	Methanol-P&T	S-1560

**Dimethomorph**


Molecular Weight	387.9
Molecular Formula	C ₂₁ H ₂₂ ClNO ₄
Density	1.32 g/cm ³
Melting Point	137 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	110488-70-5	Acetone	S-3970

**3,3'-Dimethoxybenzidine**

Molecular Weight	244.294
Molecular Formula	C ₁₄ H ₁₆ N ₂ O ₂
Melting Point	138 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	119-90-4	Methanol-P&T	S-1565


**1,2-Dimethoxyethane**

Molecular Weight	90.122
Molecular Formula	C ₄ H ₁₀ O ₂
Density	0.868 g/cm ³
Melting Point	-58 °C
Boiling Point	85 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	110-71-4	Methanol-P&T	S-1572

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



Dimethoxyethyl phthalate

Molecular Weight	282.292
Density	1.159 g/cm ³
Melting Point	-45 °C
Boiling Point	340 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	117-82-8	Methanol-P&T	S-1575



trans-1,3-Dimethylcyclopentane

Molecular Weight	98.189
Molecular Formula	C ₇ H ₁₄


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1759-58-6	Methanol-P&T	S-3891



Dimethyl methylphosphonate

Molecular Weight	124.076
Molecular Formula	C ₃ H ₉ O ₃ P
Density	1.159 g/cm ³
Melting Point	50 °C
Boiling Point	181 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	756-79-6	Methanol	S-4553



Dimethyl phthalate

Molecular Weight	194.186
Molecular Formula	C ₁₀ H ₁₀ O ₄
Density	1.191 g/cm ³
Melting Point	6 °C
Boiling Point	284 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	131-11-3	Methanol-P&T	S-1590



Dimethyl sulfate

Molecular Weight	126.126
Molecular Formula	C ₂ H ₆ O ₄ S
Density	1.332 g/cm ³
Melting Point	-32 °C
Boiling Point	188 °C w/ decomposition


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	77-78-1	Methanol-P&T	S-1592



Dimethyl trisulfide

Molecular Weight	126.25
Molecular Formula	C ₂ H ₆ S ₃
Melting Point	-85 °C
Boiling Point	170 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	3658-80-8	Methanol-P&T	S-4371



2,3-Dimethyl-2,3-dinitrobutane

Molecular Weight	176.172
Molecular Formula	C ₆ H ₁₂ N ₂ O ₄
Melting Point	214 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	3964-18-9	Methanol-P&T	S-4235




N,N-Dimethylacetamide

Molecular Weight	87.122
Molecular Formula	C ₄ H ₉ NO
Density	0.937 g/cm ³
Melting Point	-20 °C
Boiling Point	165 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	127-19-5	Methanol-P&T	S-1597


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Dimethylamine**


Molecular Weight	45.085
Molecular Formula	C ₂ H ₇ N
Density	0.67 g/cm ³
Melting Point	-92 °C
Boiling Point	7 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	124-40-3	Methanol-P&T	S-1599

**2,4-Dimethylaniline**


Molecular Weight	121.183
Molecular Formula	C ₈ H ₁₁ N
Density	0.972 g/cm ³
Melting Point	-16 °C
Boiling Point	214 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	95-68-1	Methanol-P&T	S-2806

**2,6-Dimethylaniline**


Molecular Weight	121.183
Molecular Formula	C ₈ H ₁₁ N
Density	0.984 g/cm ³
Melting Point	11 °C
Boiling Point	215 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	87-62-7	Methanol	S-4510

**N,N-Dimethylaniline**


Molecular Weight	121.183
Molecular Formula	C ₈ H ₁₁ N
Density	0.956 g/cm ³
Melting Point	3 °C
Boiling Point	193 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	121-69-7	Methanol-P&T	S-2805

**9,10-Dimethylantracene**

Molecular Weight	206.288
Molecular Formula	C ₁₆ H ₁₄
Density	1.1 g/cm ³
Melting Point	182 °C
Boiling Point	360 °C

Concentration	CAS #	Matrix	Part #
2,000 µg/mL	781-43-1	Methylene Chloride	S-3924

**7,12-Dimethylbenz(a)anthracene**


Molecular Weight	256.348
Molecular Formula	C ₂₀ H ₁₆
Density	0.9 g/cm ³ @ 25 °C
Melting Point	123 °C
Boiling Point	183 to 184 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	57-97-6	Methylene Chloride: Benzene (50:50)	S-1610

**2,2-Dimethylbutane**

Molecular Weight	86.178
Molecular Formula	C ₆ H ₁₄
Density	0.644 g/cm ³
Melting Point	-99 °C
Boiling Point	50 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-83-2	Methanol-P&T	S-1614

**2,3-Dimethylbutane**

Molecular Weight	86.178
Molecular Formula	C ₆ H ₁₄
Density	0.662 g/cm ³
Melting Point	129 °C
Boiling Point	58 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	79-29-8	Methanol-P&T	S-1615

Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



1,1-Dimethylcyclopentane

Molecular Weight	98.189
Molecular Formula	C ₇ H ₁₄




1,3-Dimethylcyclopentane

Molecular Weight	98.189
Molecular Formula	C ₇ H ₁₄


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1638-26-2	Methanol-P&T	S-1616

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2453-00-1	Methanol-P&T	S-1617



cis-1,2-Dimethylcyclopentane

Molecular Weight	98.189
Molecular Formula	C ₇ H ₁₄




4,6-Dimethyldibenzo[thiophene]

Molecular Weight	212.31
Molecular Formula	C ₁₄ H ₁₂ S


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1192-18-3	Methanol-P&T	S-3886

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1207-12-1	Methylene Chloride	S-6055



N,N-Dimethylethanolamine

Molecular Weight	89.138
Molecular Formula	C ₄ H ₁₁ NO
Density	0.887 g/cm ³
Melting Point	-59 °C
Boiling Point	135 °C




Dimethylformamide

Molecular Weight	73.095
Molecular Formula	C ₃ H ₇ NO
Density	0.945 g/cm ³
Melting Point	-61 °C
Boiling Point	153 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-01-0	Methanol-P&T	S-2807

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	68-12-2	Methanol-P&T	S-1620



1,1-Dimethylhydrazine

Molecular Weight	60.1
Molecular Formula	C ₂ H ₈ N ₂
Density	0.782 g/cm ³
Melting Point	-58 °C
Boiling Point	63 °C



1,2-Dimethylnaphthalene


Molecular Weight	156.228
Molecular Formula	C ₁₂ H ₁₂
Density	1.013 g/cm ³
Melting Point	-2 °C
Boiling Point	266 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	57-14-7	Methanol-P&T	S-1627

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	573-98-8	Methanol-P&T	S-1630


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**1,3-Dimethylnaphthalene**


Molecular Weight	156.228
Molecular Formula	C ₁₂ H ₁₂
Density	0.982 g/cm ³
Boiling Point	263 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	575-41-7	Methanol	S-1631

**1,8-Dimethylnaphthalene**


Molecular Weight	156.228
Molecular Formula	C ₁₂ H ₁₂
Melting Point	60 °C
Boiling Point	270 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	569-41-5	Methanol-P&T	S-1636

**2,3-Dimethylnaphthalene**


Molecular Weight	156.228
Molecular Formula	C ₁₂ H ₁₂
Melting Point	103 °C
Boiling Point	269 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	581-40-8	Methanol	S-1639

**2,6-Dimethylnaphthalene**


Molecular Weight	156.228
Molecular Formula	C ₁₂ H ₁₂

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	581-42-0	Methanol-P&T	S-1640

**2,3-Dimethylpentane**


Molecular Weight	100.205
Molecular Formula	C ₆ H ₁₄
Density	0.66 g/cm ³
Melting Point	-124 °C
Boiling Point	58 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	565-59-3	Methanol-P&T	S-1650

**3,6-Dimethylphenanthrene**


Molecular Weight	206.288
Molecular Formula	C ₁₆ H ₁₄
Melting Point	141 °C
Boiling Point	145 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1576-67-6	Methanol-P&T	S-4002

**2,3-Dimethylphenol**

Molecular Weight	122.167
Molecular Formula	C ₈ H ₁₀ O
Density	1.08 g/cm ³
Melting Point	75 °C
Boiling Point	218 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	526-75-0	Methanol-P&T	S-1659


**2,4-Dimethylphenol**

Molecular Weight	122.167
Molecular Formula	C ₈ H ₁₀ O
Density	0.97 g/cm ³
Melting Point	26 °C
Boiling Point	212 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	105-67-9	Methanol-P&T	S-1660

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



2,5-Dimethylphenol

Molecular Weight	122.167
Molecular Formula	C ₈ H ₁₀ O
Density	0.971 g/cm ³
Melting Point	71 to 73 °C
Boiling Point	212 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	95-87-4	Acetone	S-1661



2,6-Dimethylphenol

Molecular Weight	122.167
Molecular Formula	C ₈ H ₁₀ O
Density	1.01 g/cm ³
Melting Point	49 °C
Boiling Point	203 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	576-26-1	Methanol	S-1662



3,4-Dimethylphenol

Molecular Weight	122.167
Molecular Formula	C ₈ H ₁₀ O
Density	0.983 g/cm ³
Melting Point	63 °C
Boiling Point	225 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	95-65-8	Methanol	S-1664



3,5-Dimethylphenol

Molecular Weight	122.167
Molecular Formula	C ₈ H ₁₀ O
Density	0.968 g/cm ³
Melting Point	64 °C
Boiling Point	219 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-68-9	Methanol-P&T	S-1665



2,5-Dimethyltetrahydrofuran (mix of cis & trans)

Molecular Weight	100.161
Molecular Formula	C ₆ H ₁₂ O
Density	0.833 g/cm ³
Boiling Point	91 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1003-38-9	Methanol-P&T	S-1668



Dinitramine

Molecular Weight	322.244
Molecular Formula	C ₁₁ H ₁₃ F ₃ N ₄ O ₄
Density	1.5 g/cm ³
Melting Point	98 to 99 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	29091-05-2	Acetone	S-4052



4,6-Dinitro-2-methylphenol

Molecular Weight	198.134
Molecular Formula	C ₇ H ₆ N ₂ O ₅
Density	1.58 g/cm ³
Melting Point	87 °C
Boiling Point	312 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	534-52-1	Methylene Chloride	S-1700




1,2-Dinitrobenzene

Molecular Weight	168.108
Molecular Formula	C ₆ H ₄ (NO ₂) ₂
Density	1.31 g/cm ³
Melting Point	118 °C
Boiling Point	319 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	528-29-0	Methanol	S-1670


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**1,4-Dinitrobenzene**


Molecular Weight	168.108
Molecular Formula	$C_6H_4(NO_2)_2$
Density	1.625 g/cm ³
Melting Point	173 °C
Boiling Point	299 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	100-25-4	Methanol	S-1675

**2,4-Dinitrophenol**


Molecular Weight	184.107
Molecular Formula	$C_6H_4N_2O_5$
Density	1.683 g/cm ³
Melting Point	108 °C
Boiling Point	112 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	51-28-5	Methanol-P&T	S-1680

**2,3-Dinitrotoluene**


Molecular Weight	182.135
Molecular Formula	$C_7H_6N_2O_4$
Density	1.32 g/cm ³
Melting Point	60 °C
Boiling Point	300 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	602-01-7	Methanol-P&T	S-1689

**2,4-Dinitrotoluene**


Molecular Weight	182.135
Molecular Formula	$C_7H_6N_2O_5$
Density	1.52 g/cm ³
Melting Point	71 °C
Boiling Point	300 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	121-14-2	Methanol	S-1690

**3,4-Dinitrotoluene**


Molecular Weight	182.135
Molecular Formula	$C_7H_6N_2O_4$
Density	1.259 g/cm ³
Melting Point	58 °C
Boiling Point	337 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	610-39-9	Acetonitrile	S-1696

**Dinonyl phthalate**


Molecular Weight	418.618
Molecular Formula	$C_{26}H_{42}O_4$
Density	0.97 g/cm ³
Boiling Point	413 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	84-76-4	Methanol-P&T	S-4153

**Dinoseb**

Molecular Weight	240.215
Molecular Formula	$C_{10}H_{12}N_2O_5$
Density	0.052 g/cm ³
Melting Point	40 °C
Boiling Point	332 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	88-85-7	Methanol	S-1710

**1,4-Dioxane**

Molecular Weight	88.106
Molecular Formula	$C_4H_8O_2$
Density	1.036 g/cm ³
Melting Point	12 °C
Boiling Point	101 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	123-91-1	Ethanol	S-1715-ETOH
		Methanol-P&T	S-1715


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



1,4-Dioxane-d₈

Molecular Weight	96.155
Molecular Formula	C ₄ H ₈ O ₂
Density	1.129 g/cm ³
Boiling Point	99 °C



Dioxathion

Molecular Weight	456.522
Molecular Formula	C ₁₂ H ₂₆ O ₆ P ₂ S ₄
Density	1.257 g/cm ³
Melting Point	-20 °C
Boiling Point	64 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	17647-74-4	Methanol-P&T	S-1716

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	78-34-2	Methanol	S-1720



1,3-Dioxolane

Molecular Weight	74.079
Molecular Formula	C ₃ H ₆ O ₂
Density	1.06 g/cm ³
Melting Point	-95 °C
Boiling Point	78 °C




Diphenamid

Molecular Weight	239.318
Molecular Formula	C ₁₆ H ₁₇ NO
Density	1.2 g/cm ³
Melting Point	135 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	646-06-0	Methanol-P&T	S-1725

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	957-51-7	Acetone	S-1730



Diphenyl mercury

Molecular Weight	354.804
Molecular Formula	C ₁₂ H ₁₀ Hg
Density	2.32 g/cm ³
Melting Point	122 °C
Boiling Point	204 °C




Diphenylamine

Molecular Weight	169.227
Molecular Formula	C ₁₂ H ₁₁ N
Density	1.2 g/cm ³
Melting Point	53 °C
Boiling Point	302 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	587-85-9	Methanol-P&T	S-1735

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	122-39-4	Methanol-P&T	S-1740



1,2-Diphenylhydrazine

Molecular Weight	184.242
Molecular Formula	C ₁₂ H ₁₂ N ₂
Density	1.16 g/cm ³
Melting Point	131 °C
Boiling Point	293 °C



Diphenyltin dichloride


Molecular Weight	343.822
Molecular Formula	C ₁₂ H ₁₀ Cl ₂ Sn
Melting Point	42 °C
Boiling Point	335 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	122-66-7	Methanol-P&T	S-1750

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1135-99-5	Methanol	S-4979


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Dipropyl phthalate**


Molecular Weight	250.294
Molecular Formula	C ₁₄ H ₁₈ O ₄
Density	1.078 g/cm ³
Boiling Point	318 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	131-16-8	Methanol-P&T	S-4491

**Dipropylene glycol**


Molecular Weight	134.175
Molecular Formula	C ₆ H ₁₄ O ₃
Density	1.02 g/cm ³
Boiling Point	231 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	25265-71-8	Methanol-P&T	S-1751

**Dipropylene glycol methyl ether**


Molecular Weight	148.2
Molecular Formula	C ₇ H ₁₆ O ₃
Density	0.954 g/cm ³
Melting Point	-80 °C
Boiling Point	90 to 91 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	34590-94-8	Methanol-P&T	S-4174

**Diquat dibromide monohydrate**


Molecular Weight	362.065
Molecular Formula	C ₁₂ H ₁₄ BrN ₂ O

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	6385-62-2	Methanol-P&T	S-1752

**Disulfoton**


Molecular Weight	274.4
Molecular Formula	C ₈ H ₁₉ O ₂ PS ₃
Density	1.14 g/cm ³
Melting Point	-25 °C
Boiling Point	128 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	298-04-4	Methanol	S-1755

**Disulfoton sulfoxide**


Molecular Weight	290.391
Molecular Formula	C ₈ H ₁₉ O ₃ PS ₃

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2497-07-6	Acetone	S-1757

**Diuron**

Molecular Weight	233.1
Molecular Formula	C ₉ H ₁₀ Cl ₂ N ₂ O
Density	1.48 g/cm ³
Melting Point	157 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	330-54-1	Methanol	S-1760

**Divinylbenzene**

Molecular Weight	130.19
Molecular Formula	C ₁₀ H ₁₀
Density	0.914 g/cm ³
Melting Point	-52 °C
Boiling Point	195 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1321-74-0	Methanol-P&T	S-1765

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



n-Docosane

Molecular Weight	310.61
Molecular Formula	C ₂₂ H ₄₆
Density	0.794 g/cm ³
Melting Point	44 °C
Boiling Point	369 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	629-97-0	Methylene Chloride	S-1790



n-Dodecane

Molecular Weight	170.34
Molecular Formula	C ₁₂ H ₂₆
Density	0.749 g/cm ³
Melting Point	-10 °C
Boiling Point	216 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	112-40-3	Methanol	S-1795-MEOH
		Methylene Chloride	S-1795



Dodine

Molecular Weight	287.448
Molecular Formula	C ₁₅ H ₃₃ N ₃ O ₂
Melting Point	136 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2439-10-3	Methanol-P&T	S-1807



n-Dotetracontane

Molecular Weight	591.15
Molecular Formula	C ₄₂ H ₈₆


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	7098-20-6	Carbon Disulfide	S-1809



n-Dotriacontane

Molecular Weight	450.88
Molecular Formula	C ₃₂ H ₆₆
Density	0.812 g/cm ³
Melting Point	70 °C
Boiling Point	470 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	544-85-4	Methylene Chloride	S-1810



Dyfonate (Fonofos)

Molecular Weight	246.3
Molecular Formula	C ₁₀ H ₁₅ OPS ₂
Density	1.16 g/cm ³
Melting Point	30 °C
Boiling Point	130 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	944-22-9	Methanol-P&T	S-1815



Dylox

Molecular Weight	257.428
Molecular Formula	C ₄ H ₈ Cl ₃ O ₄ P
Density	1.57 g/cm ³
Melting Point	80 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	52-68-6	Acetone	S-1816




n-Eicosane

Molecular Weight	282.556
Molecular Formula	C ₂₀ H ₄₂
Density	0.789 g/cm ³
Melting Point	98 °C
Boiling Point	344 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	112-95-8	Methylene Chloride	S-1820


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Emamectin**


Molecular Weight	886.133
Molecular Formula	C ₄₉ H ₇₅ NO ₁₃
Density	1.20 g/cm ³
Melting Point	141 to 146 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	119791-41-2	Acetonitrile	S-5507-ACN

**Endosulfan**


Molecular Weight	406.904
Molecular Formula	C ₉ H ₆ Cl ₆ O ₃ S
Density	1.745 g/cm ³
Melting Point	106 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	115-29-7	Methanol-P&T	S-1824

**Endosulfan I**


Molecular Weight	406.904
Molecular Formula	C ₉ H ₆ Cl ₆ O ₃ S
Density	1.94 g/cm ³
Melting Point	208 to 210 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	959-98-8	Acetone	S-1825-AC
		Methanol-P&T	S-1825

**Endosulfan II**


Molecular Weight	406.904
Molecular Formula	C ₉ H ₆ Cl ₆ O ₃ S
Melting Point	408 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	33213-65-9	Methanol-P&T	S-1830

**Endosulfan sulfate**


Molecular Weight	422.903
Molecular Formula	C ₉ H ₆ Cl ₆ O ₄ S
Melting Point	181 to 182 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1031-07-8	Methanol	S-1835

**Endothall dimethyl ester**


Molecular Weight	186.163
Molecular Formula	C ₈ H ₁₀ O ₅

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	145-73-3	Methanol	S-1842

**Endothal monohydrate**

Molecular Weight	204.178
Molecular Formula	C ₈ H ₁₀ O ₅

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	62059-43-2	Methanol	S-1840


**Endrin**

Molecular Weight	380.9
Molecular Formula	C ₁₂ H ₈ Cl ₆ O
Density	1.84 g/cm ³
Melting Point	200 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	72-20-8	Methanol	S-1845


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



Endrin aldehyde

Molecular Weight	380.9
Molecular Formula	C ₁₂ H ₈ Cl ₆ O
Density	1.72 g/cm ³
Melting Point	152 °C




Endrin ketone

Molecular Weight	380.9
Molecular Formula	C ₁₂ H ₈ Cl ₆ O
Melting Point	285 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	7421-93-4	Methanol	S-1850

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	53494-70-5	Methanol	S-1855



Epichlorohydrin

Molecular Weight	95.522
Molecular Formula	C ₃ H ₅ ClO
Density	1.175 g/cm ³
Melting Point	-26 °C
Boiling Point	117 °C




EPN

Molecular Weight	323.3
Molecular Formula	C ₁₄ H ₁₄ NO ₄ PS
Density	1.27 g/cm ³
Melting Point	35 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	106-89-8	Methanol-P&T	S-1860

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2104-64-5	Methanol	S-1865



Epoxiconazole

Molecular Weight	329.8
Molecular Formula	C ₁₇ H ₁₃ ClFN ₃ O
Density	1.38 g/cm ³
Melting Point	137 °C
Boiling Point	Decomposes




1,2-Epoxybutane

Molecular Weight	72.107
Molecular Formula	C ₄ H ₈ O
Density	0.83 g/cm ³
Melting Point	-150 °C
Boiling Point	63 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	133855-98-8	Methanol	S-4923

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	106-88-7	Methanol-P&T	S-1867



EPTC

Molecular Weight	189.137
Density	0.955 g/cm ³
Boiling Point	232 °C



Erythromycin


Molecular Weight	733.937
Molecular Formula	C ₃₇ H ₆₇ NO ₁₃
Melting Point	191 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	759-94-4	Methanol	S-1870

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	114-07-8	Methanol	S-1871


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Estriol**

Molecular Weight	288.387
Molecular Formula	$C_{18}H_{24}O_3$
Density	1.27 g/cm ³
Melting Point	282 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	50-27-1	Methanol	S-5541

**Ethalfluralin**


Molecular Weight	333.267
Molecular Formula	$C_{13}H_{14}F_3N_3O_4$
Melting Point	55 °C
Boiling Point	256 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	55283-68-6	Methanol-P&T	S-1875

**Ethane**

Molecular Weight	30.07
Molecular Formula	C_2H_6
Density	0.546 g/cm ³
Melting Point	-183 °C
Boiling Point	-89 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	74-84-0	Methanol-P&T	S-1880

**Ethanolamine**


Molecular Weight	61.084
Molecular Formula	C_2H_7NO
Density	1.016 g/cm ³
Melting Point	10 °C
Boiling Point	171 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	141-43-5	Ethanol	S-1890

**Ethene (Ethylene)**


Molecular Weight	28.054
Molecular Formula	C_2H_4
Density	0.118 g/cm ³
Melting Point	-169 °C
Boiling Point	-104 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	74-85-1	Methanol-P&T	S-1895

**Ethephon**


Molecular Weight	144.491
Molecular Formula	$C_2H_6ClO_3P$
Density	1.2 g/cm ³
Melting Point	74 to 75 °C
Boiling Point	265 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	16672-87-0	Acetonitrile	S-4682-ACN
		Methanol	S-4682

**Ether**

Molecular Weight	74.123
Molecular Formula	$C_4H_{10}O$
Density	0.714 g/cm ³
Melting Point	-116 °C
Boiling Point	35 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	60-29-7	Methanol-P&T	S-1900


**Ethion**

Molecular Weight	384.5
Molecular Formula	$C_9H_{22}O_4P_2S_4$
Density	1.22 g/cm ³
Melting Point	-12 °C
Boiling Point	165 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	563-12-2	Acetone	S-1905-AC
		Methanol-P&T	S-1905

Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



Ethofumesate

Molecular Weight	286.342
Molecular Formula	C ₁₃ H ₁₈ O ₅ S
Density	1.29 g/cm ³
Melting Point	71 °C




2-Ethoxyethanol

Molecular Weight	90.122
Molecular Formula	C ₄ H ₁₀ O ₂
Density	0.925 g/cm ³
Melting Point	-70 °C
Boiling Point	135 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	26225-79-6	Methanol-P&T	S-3959

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	110-80-5	Methanol-P&T	S-1910



2-Ethoxyethyl acetate

Molecular Weight	132.159
Molecular Formula	C ₆ H ₁₂ O ₃
Density	0.974 g/cm ³
Melting Point	-62 °C
Boiling Point	156 °C




Ethoxyquin

Molecular Weight	217.312
Molecular Formula	C ₁₄ H ₁₉ NO
Density	1.029 g/cm ³
Melting Point	156 °C
Boiling Point	124 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	111-15-9	Methanol-P&T	S-1912

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	91-53-2	Methanol-P&T	S-1913



Ethyl 4-hydroxybenzoate

Molecular Weight	166.176
Molecular Formula	C ₉ H ₁₀ O ₃
Melting Point	116 °C
Boiling Point	297 °C




Ethyl acetate

Molecular Weight	88.106
Molecular Formula	C ₄ H ₈ O ₂
Density	0.902 g/cm ³
Melting Point	-84 °C
Boiling Point	77 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	120-47-8	Methanol-P&T	S-1928

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	141-78-6	Methanol-P&T	S-1920



Ethyl acetate-1,2-13C2

Molecular Weight	90.091
Density	0.922 g/cm ³
Melting Point	-84 °C
Boiling Point	77 °C



Ethyl acrylate


Molecular Weight	100.117
Molecular Formula	C ₅ H ₈ O ₂
Density	0.923 g/cm ³
Melting Point	-71 °C
Boiling Point	99 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	84508-45-2	Methanol-P&T	S-1921

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	140-88-5	Methanol	S-4541


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**2-Ethyl-fenchol**


Molecular Weight	182.307
Molecular Formula	C ₁₂ H ₂₂ O

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	18368-91-7	Ethanol	S-4952

**Ethyl formate**


Molecular Weight	74.079
Molecular Formula	C ₃ H ₆ O ₂
Density	0.92 g/cm ³
Melting Point	-80 °C
Boiling Point	53 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	109-94-4	Methanol-P&T	S-4279

**Ethyl hexanoate**


Molecular Weight	144.214
Molecular Formula	C ₈ H ₁₆ O ₂
Density	0.87 g/cm ³
Melting Point	-67 °C
Boiling Point	168 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	123-66-0	Methanol-P&T	S-5480

**Ethyl lactate**


Molecular Weight	118.132
Molecular Formula	C ₅ H ₁₀ O ₃
Density	1.03 g/cm ³
Melting Point	-26 °C
Boiling Point	154 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	687-47-8	Methanol-P&T	S-1973

**Ethyl methacrylate**


Molecular Weight	114.144
Molecular Formula	C ₆ H ₁₀ O ₂
Density	0.917 g/cm ³
Melting Point	-75 °C
Boiling Point	117 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	97-63-2	Methanol-P&T	S-1975

**Ethyl methanesulfonate**


Molecular Weight	124.154
Molecular Formula	C ₃ H ₈ O ₃ S
Density	1.145 g/cm ³
Boiling Point	213 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	62-50-0	Methanol-P&T	S-1930

**Ethyl methyl sulfide**

Molecular Weight	76.157
Molecular Formula	C ₃ H ₈ S
Density	0.842 g/cm ³
Melting Point	-105 °C
Boiling Point	66 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	624-89-5	Methanol-P&T	S-1976


**Ethyl parathion**

Molecular Weight	291.258
Molecular Formula	C ₁₀ H ₁₄ NO ₅ PS
Density	1.26 g/cm ³
Melting Point	6 °C
Boiling Point	375 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	56-38-2	Methanol	S-1935

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



Ethyl sulfide

Molecular Weight	90.184
Molecular Formula	C ₄ H ₁₀ S
Density	0.837 g/cm ³
Melting Point	-104 °C
Boiling Point	92 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	352-93-2	Methanol-P&T	S-1521



2-Ethyl-5,5-dimethyl-1,3-dioxane (2-EDD)

Molecular Weight	144.214
Molecular Formula	C ₈ H ₁₆ O ₂
Boiling Point	154 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	768-58-1	Methanol	S-5785



4-Ethyl-2-methoxyphenol

Molecular Weight	152.193
Molecular Formula	C ₉ H ₁₂ O ₂
Melting Point	15 °C
Boiling Point	235 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2785-89-9	Methanol-P&T	S-4183



2-Ethyl-4-methyl-1,3-dioxolane (2-EMD) isomer

Molecular Weight	116.16
Molecular Formula	C ₆ H ₁₂ O ₂


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	4359-46-0	Methanol	S-5789



Ethylamine

Molecular Weight	45.085
Molecular Formula	C ₂ H ₇ N
Density	0.688 g/cm ³
Melting Point	17 °C
Boiling Point	81 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-04-7	Methanol-P&T	S-1938



Ethylbenzene

Molecular Weight	106.168
Molecular Formula	C ₈ H ₁₀
Density	0.863 g/cm ³
Melting Point	-95 °C
Boiling Point	136 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	100-41-4	Methanol-P&T	S-1940



Ethylbenzoate

Molecular Weight	150.17
Molecular Formula	C ₉ H ₁₀ O ₂
Density	1.05 g/cm ³
Melting Point	-34 °C
Boiling Point	213 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	93-89-0	Methanol-P&T	S-1945




Ethylene glycol

Molecular Weight	62.068
Molecular Formula	C ₂ H ₆ O ₂
Density	1.115 g/cm ³
Melting Point	-13 °C
Boiling Point	198 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107-21-1	Methanol-P&T	S-1952

Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Ethylene glycol dimethacrylate**

Molecular Weight	198.218
Molecular Formula	C ₁₀ H ₁₄ O ₄
Density	1.05 g/cm ³
Melting Point	-40 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	97-90-5	Methanol-P&T	S-1954

**Ethylene oxide**


Molecular Weight	44.053
Molecular Formula	C ₂ H ₄ O
Density	0.822 g/cm ³
Melting Point	-111 °C
Boiling Point	11 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-21-8	Isopropanol	S-1960-IPA
		Methanol-P&T	S-1960

**Ethyleneimine**


Molecular Weight	43.069
Molecular Formula	C ₂ H ₅ N
Density	0.832 g/cm ³
Melting Point	-74 °C
Boiling Point	56 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	151-56-4	Methanol-P&T	S-1955

**Ethylenethiourea**


Molecular Weight	102.155
Molecular Formula	C ₃ H ₆ N ₂ S
Density	1.27 g/cm ³
Melting Point	203 °C
Boiling Point	347 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	96-45-7	Methanol-P&T	S-1962

**2-Ethylhexanoic acid**


Molecular Weight	144.214
Density	0.903 g/cm ³
Melting Point	-59 °C
Boiling Point	227 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	149-57-5	Methanol-P&T	S-1927

**bis(2-Ethylhexyl)adipate**


Molecular Weight	370.574
Molecular Formula	C ₂₂ H ₄₂ O ₄
Density	0.93 g/cm ³
Melting Point	-68 °C
Boiling Point	417 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	103-23-1	Methanol-P&T	S-1965

**bis(2-Ethylhexyl) isophthalate**

Molecular Weight	390.564
Molecular Formula	C ₂₄ H ₃₈ O ₄

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	137-89-3	Methanol-P&T	S-4928


**bis(2-Ethylhexyl) phthalate**

Molecular Weight	390.564
Molecular Formula	C ₂₄ H ₃₈ O ₄
Density	0.981 g/cm ³
Melting Point	-50 °C
Boiling Point	385 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	117-81-7	Methanol	S-1970

Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



bis(2-Ethylhexyl) terephthalate

Molecular Weight	390.564
Molecular Formula	C ₂₄ H ₃₈ O ₄
Density	0.983 g/cm ³
Melting Point	48 °C
Boiling Point	383 °C




5-Ethylidene-2-norbornene

Molecular Weight	120.195
Molecular Formula	C ₉ H ₁₂
Density	0.896 g/cm ³
Melting Point	-80 °C
Boiling Point	148 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	6422-86-2	Methanol	S-5459

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	16219-75-3	Methanol-P&T	S-1972



2-Ethylphenol

Molecular Weight	122.167
Molecular Formula	C ₈ H ₁₀ O
Density	1.037 g/cm ³
Melting Point	-18 °C
Boiling Point	205 °C




3-Ethylphenol

Molecular Weight	122.167
Molecular Formula	C ₈ H ₁₀ O
Density	1.028 g/cm ³


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	90-00-6	Methanol-P&T	S-1983

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	620-17-7	Methanol-P&T	S-4300



4-Ethylphenol

Molecular Weight	122.167
Molecular Formula	C ₈ H ₁₀ O
Density	1.011 g/cm ³
Melting Point	43 °C
Boiling Point	218 °C




4-Ethylphenol-2,3,5,6-d₄ OD

Molecular Weight	127.198
Molecular Formula	C ₈ H ₁₀ O


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	123-07-9	Methanol-P&T	S-1985

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	340256-40-8	Methanol	S-6156



2-Ethyltoluene

Molecular Weight	120.195
Molecular Formula	C ₉ H ₁₂
Density	0.881 g/cm ³
Melting Point	-80 °C
Boiling Point	165 °C



4-Ethyltoluene


Molecular Weight	120.195
Molecular Formula	C ₉ H ₁₂
Density	0.861 g/cm ³
Boiling Point	162 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	611-14-3	Methanol-P&T	S-1984

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	622-96-8	Methanol-P&T	S-1990


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Etofenprox**


Molecular Weight	376.5
Molecular Formula	C ₂₅ H ₂₈ O ₃
Density	1.17 g/cm ³
Melting Point	37 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	80844-07-1	Acetonitrile	S-6104

**Etoxazole**


Molecular Weight	359.4
Molecular Formula	C ₂₁ H ₂₃ F ₂ NO ₂
Density	1.24 g/cm ³
Melting Point	102 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	153233-91-1	Acetonitrile	S-5670

**Famphur**


Molecular Weight	325.334
Molecular Formula	C ₁₀ H ₁₆ NO ₅ PS ₂

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	52-85-7	Methanol	S-1995

**Farnesene**
(mix of isomers)


Molecular Weight	204.357
Molecular Formula	C ₁₅ H ₂₄
Density	0.813 g/cm ³
Boiling Point	124 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	502-61-4	Methanol-P&T	S-1989

**Fenamidone**


Molecular Weight	311.403
Molecular Formula	C ₁₇ H ₁₇ N ₃ OS

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	161326-34-7	Acetonitrile	S-4966-ACN

**Fenarimol**


Molecular Weight	331.196
Molecular Formula	C ₁₇ H ₁₂ Cl ₂ N ₂ O
Melting Point	118 °C
Boiling Point	240 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	60168-88-9	Methanol-P&T	S-1997

**Fenbuconazole**

Molecular Weight	336.823
Molecular Formula	C ₁₉ H ₁₇ ClN ₄
Melting Point	125 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	114369-43-6	Methanol-P&T	S-3985


**Fenchlorphos (Ronnel)**

Molecular Weight	321.533
Molecular Formula	C ₈ H ₈ Cl ₃ O ₃ PS
Density	1.49 g/cm ³
Melting Point	41 °C
Boiling Point	97 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	299-84-3	Methanol	S-2000

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



L(-)Fenchone

Molecular Weight	152.237
Molecular Formula	C ₁₀ H ₁₆ O
Density	0.948 g/cm ³
Melting Point	6 °C
Boiling Point	194 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	7787-20-4	Methanol-P&T	S-5091



Fenhexamid

Molecular Weight	302.2
Molecular Formula	C ₁₄ H ₁₇ Cl ₂ NO ₂
Density	1.34 g/cm ³
Melting Point	154 °C
Boiling Point	230 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	126833-17-8	Acetonitrile	S-4962-ACN



Fenitrothion

Molecular Weight	277.2
Molecular Formula	C ₉ H ₁₂ NO ₅ PS
Density	1.33 g/cm ³
Melting Point	3 °C
Boiling Point	Decomposes


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	122-14-5	Acetone	S-2001



Fenobucarb

Molecular Weight	207.3
Molecular Formula	C ₁₂ H ₁₇ NO ₂
Density	1.04 g/cm ³
Melting Point	31 °C
Boiling Point	Decomposes


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	3766-81-2	Acetone	S-4610-AC



Fenoprop (Silvex)

Molecular Weight	269.5
Molecular Formula	C ₉ H ₇ Cl ₃ O ₃
Density	1.21 g/cm ³
Melting Point	180 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	93-72-1	Methyl Tertiary Butyl Ether	S-3660



Fenoxaprop-ethyl

Molecular Weight	361.778
Molecular Formula	C ₁₈ H ₁₆ ClNO ₅
Density	1.31 g/cm ³
Melting Point	85 °C
Boiling Point	200 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	66441-23-4	Methanol	S-2002



Fenoxycarb

Molecular Weight	301.3
Molecular Formula	C ₁₇ H ₁₉ NO ₄
Density	1.23 g/cm ³
Melting Point	54 °C
Boiling Point	100 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	79127-80-3	Methanol	S-5463




Fenpropathrin

Molecular Weight	349.4
Molecular Formula	C ₂₂ H ₂₃ NO ₃
Density	1.15 g/cm ³
Melting Point	47 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	39515-41-8	Acetone	S-5781


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Fenprothrin**


Molecular Weight	349.43
Molecular Formula	C ₂₂ H ₂₃ NO ₃
Melting Point	47 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	64257-84-7	Methanol-P&T	S-4246

**Fenpropidin**


Molecular Weight	273.464
Molecular Formula	C ₁₉ H ₃₁ N
Density	0.92 g/cm ³
Melting Point	-64 °C
Boiling Point	100 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	67306-00-7	Methanol-P&T	S-2004

**Fenpropimorph**


Molecular Weight	303.49
Molecular Formula	C ₂₀ H ₃₃ NO
Density	0.43 g/cm ³
Boiling Point	120 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	67564-91-4	Methanol-P&T	S-2003

**(E)-Fenpyroximate**


Molecular Weight	421.497
Molecular Formula	C ₂₄ H ₂₇ N ₃ O ₄
Density	1.25 g/cm ³
Melting Point	101 to 102 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	134098-61-6	Acetonitrile	S-6179

**Fensulfothion**


Molecular Weight	308.347
Molecular Formula	C ₁₁ H ₁₇ O ₄ PS ₂
Density	1.202 g/cm ³
Boiling Point	138 to 141 °C @ 0.01 mm Hg

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	115-90-2	Acetone	S-2005

**Fenthion**


Molecular Weight	278.3
Molecular Formula	C ₁₀ H ₁₅ O ₃ PS ₂
Density	1.25 g/cm ³
Melting Point	7 °C
Boiling Point	90 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	55-38-9	Acetone	S-2010

**Fenthion sulfoxide**

Molecular Weight	294.32
Molecular Formula	C ₁₀ H ₁₅ O ₄ PS ₂

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	3761-41-9	Acetonitrile	S-4316-ACN


**Fenuron**

Molecular Weight	164.208
Molecular Formula	C ₉ H ₁₂ N ₂ O
Density	1.08 g/cm ³
Boiling Point	133 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	101-42-8	Methanol	S-2011

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



Fenvalerate (Sanmarton)

Molecular Weight	419.9
Molecular Formula	C ₂₅ H ₂₂ ClNO ₃
Density	1.18 g/cm ³
Melting Point	39 °C
Boiling Point	Decomposes


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	51630-58-1	Acetone	S-3261



Fipronil

Molecular Weight	437.1
Molecular Formula	C ₁₂ H ₄ Cl ₂ F ₆ N ₄ OS
Density	1.71 g/cm ³
Melting Point	203 °C
Boiling Point	Decomposes


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	120068-37-3	Acetone	S-4004-AC
		Methanol-P&T	S-4004



Fipronil sulfone

Molecular Weight	453.14
Molecular Formula	C ₁₂ H ₄ Cl ₂ F ₆ N ₄ O ₂ S


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	120068-36-2	Methanol	S-4699



Flonicamid

Molecular Weight	229.2
Molecular Formula	C ₉ H ₆ F ₃ N ₃ O
Density	1.54 g/cm ³
Melting Point	157 °C
Boiling Point	Decomposes


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	158062-67-0	Acetonitrile	S-6084



tau-Fluvalinate

Molecular Weight	502.9
Molecular Formula	C ₂₆ H ₂₂ ClF ₃ N ₂ O ₃
Density	1.27 g/cm ³
Melting Point	-14 °C
Boiling Point	Decomposes


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	102851-06-9	Acetone	S-4161



Fluazifop

Molecular Weight	327.259
Molecular Formula	C ₁₉ H ₂₀ F ₃ NO ₄
Density	1.22 g/cm ³
Melting Point	5 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	69335-91-7	Methanol-P&T	S-2015



Fluazifop-p-butyl

Molecular Weight	383.367
Molecular Formula	C ₁₉ H ₂₀ F ₃ NO ₄

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	79241-46-6	Acetone	S-2020




Fluazinam

Molecular Weight	465.089
Molecular Formula	C ₁₃ H ₄ Cl ₂ F ₆ N ₄ O ₄
Density	1.259 g/cm ³
Melting Point	115 to 117 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	79622-59-6	Acetone	S-2021


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Fluchloralin**


Molecular Weight	355.698
Molecular Formula	C ₁₂ H ₁₃ ClF ₃ N ₃ O ₄
Melting Point	42 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	33245-39-5	Methanol-P&T	S-2025

**Fludioxonil**


Molecular Weight	248.2
Molecular Formula	C ₁₂ H ₆ F ₂ N ₂ O ₂
Density	1.54 g/cm ³
Melting Point	200 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	131341-86-1	Methanol-P&T	S-2061

**Flumioxazin**


Molecular Weight	354.337
Molecular Formula	C ₁₉ H ₁₅ FN ₂ O ₄
Density	1.514 g/cm ³
Melting Point	201 to 204 °C
Boiling Point	644 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	103361-09-7	Acetonitrile	S-5193

**Fluometuron**


Molecular Weight	232.2
Molecular Formula	C ₁₀ H ₁₁ F ₃ N ₂ O
Density	1.39 g/cm ³
Melting Point	152 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2164-17-2	Methanol	S-2026

**Fluoranthene**


Molecular Weight	202.256
Molecular Formula	C ₁₆ H ₁₀
Density	1.252 g/cm ³
Melting Point	110 °C
Boiling Point	384 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	206-44-0	Methylene Chloride	S-2030

**Fluoranthene-d₁₀**


Molecular Weight	212.317
Molecular Formula	C ₁₆ H ₁₀
Melting Point	112 °C
Boiling Point	384 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	93951-69-0	Methanol	S-4111

**Fluorene**

Molecular Weight	166.223
Molecular Formula	C ₁₃ H ₁₀
Density	1.203 g/cm ³
Melting Point	115 °C
Boiling Point	294 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	86-73-7	Methylene Chloride	S-2035


**Fluorene-d₁₀**

Molecular Weight	176.284
Molecular Formula	C ₁₃ D ₁₀
Melting Point	116 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	81103-79-9	Methanol-P&T	S-2036


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



Fluorenone

Molecular Weight	180.206
Molecular Formula	C ₁₃ H ₈ O
Density	1.130 g/cm ³ @ 99 °C
Melting Point	84 °C
Boiling Point	342 °C




Fluorobenzene

Molecular Weight	96.104
Molecular Formula	C ₆ H ₅ F
Density	1.023 g/cm ³
Melting Point	-41 °C
Boiling Point	85 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	486-25-9	Methanol	S-4332

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	462-06-6	Isooctane	S-2040-ISO



1-Fluoronaphthalene

Molecular Weight	146.164
Molecular Formula	C ₁₀ H ₇ F
Density	1.132 g/cm ³
Melting Point	-9 °C
Boiling Point	215 °C




2-Fluorophenol

Molecular Weight	112.103
Molecular Formula	C ₆ H ₅ FO
Density	1.6 g/cm ³
Melting Point	16 °C
Boiling Point	305 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	321-38-0	Methanol-P&T	S-2047

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	367-12-4	Methanol	S-2050



Fluoxastrobin

Molecular Weight	458.83
Molecular Formula	C ₂₁ H ₁₆ ClF ₄ N ₄ O ₅
Density	1.422 g/cm ³
Melting Point	103 to 108 °C




Fluquinconazole

Molecular Weight	376.172
Molecular Formula	C ₁₆ H ₈ Cl ₂ FN ₅ O


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	361377-29-9	Acetonitrile	S-6020

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	136426-54-5	Acetonitrile	S-6103-ACN



Fluroxypyr

Molecular Weight	255.026
Molecular Formula	C ₇ H ₅ Cl ₂ FN ₂ O ₃
Density	1.09 g/cm ³
Melting Point	232 °C



Fluroxypyr-1-methylheptylester


Molecular Weight	367.242
Molecular Formula	C ₁₅ H ₂₁ Cl ₂ FN ₂ O ₃
Density	1.09 g/cm ³
Melting Point	232 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	69377-81-7	Methanol-P&T	S-3954

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	81406-37-3	Methanol-P&T	S-3955


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Flutolanil**


Molecular Weight	323.315
Molecular Formula	C ₁₇ H ₁₆ F ₃ NO ₂
Density	1.3 g/cm ³
Melting Point	104 °C
Boiling Point	300 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	66332-96-5	Methanol-P&T	S-2059

**Flutriaol**


Molecular Weight	301.297
Molecular Formula	C ₁₆ H ₁₃ F ₂ N ₃ O
Density	1.41 g/cm ³
Melting Point	130 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	76674-21-0	Methanol-P&T	S-2058

**Folpet**


Molecular Weight	296.546
Molecular Formula	C ₉ H ₄ Cl ₃ NO ₂ S
Density	1.75 g/cm ³
Melting Point	177 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	133-07-3	Methanol	S-2057

**Formaldehyde**


Molecular Weight	30.026
Molecular Formula	H ₂ CO
Density	0.815 g/cm ³
Melting Point	-92 °C
Boiling Point	-19 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	50-00-0	DI Water	S-2060

**Formamide**


Molecular Weight	45.041
Molecular Formula	CH ₃ NO
Density	1.13 g/cm ³
Melting Point	3 °C
Boiling Point	210 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-12-7	Methanol-P&T	S-2062

**Formic acid**


Molecular Weight	46.025
Molecular Formula	CH ₂ O ₂
Density	1.22 g/cm ³
Melting Point	8 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	64-18-6	DI Water	S-2067

**Fosamine ammonium**

Molecular Weight	170.105
Molecular Formula	C ₃ H ₁₁ N ₂ O ₄ P
Density	1.33 g/cm ³
Melting Point	175 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	25954-13-6	Methanol-P&T	S-2070


**Fumaric acid**

Molecular Weight	116.072
Molecular Formula	C ₄ H ₄ O ₄
Density	1.635 g/cm ³
Melting Point	287 °C
Boiling Point	522 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	110-17-8	Methanol-P&T	S-2074

Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



2-Furaldehyde

Molecular Weight	96.085
Molecular Formula	C ₅ H ₄ O ₂
Density	1.159 g/cm ³
Melting Point	-37 °C
Boiling Point	162 °C




Furan

Molecular Weight	68.075
Molecular Formula	C ₄ H ₄ O
Density	0.937 g/cm ³
Melting Point	-86 °C
Boiling Point	31 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	98-01-1	DI Water: Acetonitrile (80:20)	S-2075-ACNDI
		Methanol-P&T	S-2075

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	110-00-9	Methanol-P&T	S-2080



Furan-d₄

Molecular Weight	72.099
Molecular Formula	C ₄ H ₄ O
Density	0.991 g/cm ³




Furathiocarb

Molecular Weight	382.475
Molecular Formula	C ₁₈ H ₂₆ N ₂ O ₅ S
Density	1.148 g/cm ³


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	6142-90-1	Methanol-P&T	S-4960

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	65907-30-4	Methanol	S-5464



Furfuryl alcohol

Molecular Weight	98.101
Molecular Formula	C ₅ H ₆ O ₂
Density	1.129 g/cm ³
Melting Point	-31 °C
Boiling Point	170 °C




D-Galactosamine hydrochloride

Molecular Weight	215.63
Molecular Formula	C ₆ H ₁₄ ClNO ₅


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	98-00-0	Methanol-P&T	S-2079

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1772-03-8	Methanol	S-2081



Galactosan

Molecular Weight	162.141
Molecular Formula	C ₆ H ₁₀ O ₅
Boiling Point	384 °C



Glufosinate ammonium


Molecular Weight	198.159
Molecular Formula	C ₅ H ₁₅ N ₂ O ₄ P
Density	1.4 g/cm ³
Melting Point	215 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	644-76-8	Methanol	S-5522

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	77182-82-2	Methanol-P&T	S-2083


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Glutaric dialdehyde**


Molecular Weight	100.117
Molecular Formula	C ₅ H ₈ O ₂
Density	0.72 g/cm ³
Melting Point	-14 °C
Boiling Point	101 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	111-30-8	DI Water	S-3854

**Glycerol**


Molecular Weight	92.094
Molecular Formula	C ₃ H ₈ O ₃
Density	1.261 g/cm ³
Melting Point	19 °C
Boiling Point	290 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	56-81-5	Methanol-P&T	S-4192

**Glycolic acid**


Molecular Weight	76.051
Molecular Formula	C ₂ H ₄ O ₃
Density	1.49 g/cm ³
Melting Point	75 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	79-14-1	Methanol-P&T	S-2088

**Glyphosate**


Molecular Weight	169.073
Molecular Formula	C ₃ H ₈ NO ₅ P
Density	1.74 g/cm ³
Melting Point	190 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1071-83-6	DI Water:Methanol (90:10)	S-3092

**n-Heneicosane**


Molecular Weight	296.583
Molecular Formula	C ₂₁ H ₄₄
Density	0.792 g/cm ³
Melting Point	40 °C
Boiling Point	359 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	629-94-7	Methanol-P&T	S-2090

**n-Hentriacontane**


Molecular Weight	436.853
Molecular Formula	C ₃₁ H ₆₄
Melting Point	68 °C
Boiling Point	438 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	630-04-6	Methylene Chloride	S-2095

**Heptachlor**

Molecular Weight	373.3
Molecular Formula	C ₁₀ H ₅ Cl ₇
Density	1.6 g/cm ³
Melting Point	95 to 96 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	76-44-8	Acetone	S-2100-AC
		Methanol	S-2100


**Heptachlor epoxide (Isomer B)**

Molecular Weight	389.299
Molecular Formula	C ₁₀ H ₅ Cl ₇ O
Melting Point	160 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1024-57-3	Acetone	S-2105-AC
		Methanol-P&T	S-2105


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



Heptachlor-2,3-exo-epoxide

Molecular Weight	389.299
Molecular Formula	C ₁₀ H ₅ Cl ₇ O
Melting Point	160 °C



n-Heptacosane

Molecular Weight	380.745
Molecular Formula	C ₂₇ H ₅₆
Density	0.802 g/cm ³
Melting Point	59 °C
Boiling Point	442 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1024-57-3	Methanol-P&T	S-2110

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	593-49-7	Methylene Chloride	S-2115



n-Heptadecane

Molecular Weight	240.475
Molecular Formula	C ₁₇ H ₃₆
Density	0.778 g/cm ³
Melting Point	22 °C
Boiling Point	303 °C




n-Heptane

Molecular Weight	100.205
Molecular Formula	C ₇ H ₁₆
Density	0.684 g/cm ³
Melting Point	-91 °C
Boiling Point	98 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	629-78-7	Methanol-P&T	S-2120

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	142-82-5	Methanol-P&T	S-2125



2-Heptanone

Molecular Weight	114.188
Molecular Formula	C ₇ H ₁₄ O
Density	0.81 g/cm ³
Melting Point	-35 °C
Boiling Point	151 °C




3-Heptanone

Molecular Weight	114.188
Molecular Formula	C ₇ H ₁₄ O
Density	0.82 g/cm ³
Melting Point	-39 °C
Boiling Point	147 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	110-43-0	Methanol-P&T	S-2131

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	106-35-4	Methanol-P&T	S-4233



Heptenophos

Molecular Weight	250.615
Molecular Formula	C ₉ H ₁₂ ClO ₄ P
Density	1.28 g/cm ³
Melting Point	25 °C



Heptyl aldehyde


Molecular Weight	114.188
Molecular Formula	C ₇ H ₁₄ O
Density	0.809 g/cm ³
Melting Point	-43 °C
Boiling Point	153 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	23560-59-0	Methanol-P&T	S-4261

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	111-71-7	Methanol-P&T	S-2121


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Hexachlorobenzene**


Molecular Weight	284.766
Molecular Formula	C ₆ Cl ₆
Density	1.21 g/cm ³
Melting Point	226 °C
Boiling Point	325 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	118-74-1	Acetone	S-2140-A
		Benzene	S-2140

**Hexachlorobutadiene**


Molecular Weight	260.744
Molecular Formula	C ₄ Cl ₆
Density	1.556 g/cm ³
Melting Point	-18 °C
Boiling Point	112 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	87-68-3	Methanol-P&T	S-2145

**1,2,3,4,5,6-Hexachlorocyclohexane(a)**


Molecular Weight	290.814
Molecular Formula	C ₆ H ₆ Cl ₆
Melting Point	158 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	319-84-6	Methanol-P&T	S-2147

**Hexachlorocyclopentadiene**


Molecular Weight	272.755
Molecular Formula	C ₅ Cl ₆
Density	1.702 g/cm ³
Melting Point	-9 °C
Boiling Point	239 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	77-47-4	Methanol-P&T	S-2150

**Hexachloroethane**


Molecular Weight	236.722
Molecular Formula	C ₂ Cl ₆
Density	2.09 g/cm ³
Melting Point	183 °C
Boiling Point	187 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	67-72-1	Methanol-P&T	S-2155

**Hexachlorophene**


Molecular Weight	406.889
Molecular Formula	C ₁₃ H ₆ Cl ₆ O ₂
Melting Point	166 °C
Boiling Point	167 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	70-30-4	Methylene Chloride	S-2160

**Hexaconazole**

Molecular Weight	314.2
Molecular Formula	C ₁₄ H ₁₇ Cl ₂ N ₃ O
Density	1.29 g/cm ³
Melting Point	111 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	79983-71-4	Methanol	S-5465

**n-Hexacontane**

Molecular Weight	843.636
Molecular Formula	C ₆₀ H ₁₂₂

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	7667-80-3	p-Xylene	S-2166

Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



n-Hexacosane

Molecular Weight	366.718
Molecular Formula	C ₂₆ H ₅₄
Density	0.803 g/cm ³
Melting Point	56 °C
Boiling Point	415 °C




n-Hexadecane

Molecular Weight	226.448
Molecular Formula	C ₁₆ H ₃₄
Density	0.77 g/cm ³
Melting Point	18 °C
Boiling Point	287 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	630-01-3	Methylene Chloride	S-2170

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	544-76-3	Methylene Chloride	S-2175



1,1,1,3,3,3-Hexafluoro-2-propanol

Molecular Weight	168.038
Molecular Formula	C ₃ H ₂ F ₆ O
Density	1.596 g/cm ³
Melting Point	-4 °C
Boiling Point	59 °C




Hexafluorobenzene

Molecular Weight	186.056
Molecular Formula	C ₆ F ₆
Density	1.61 g/cm ³
Melting Point	5 °C
Boiling Point	80 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	920-66-1	Methanol-P&T	S-2207

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	392-56-3	Methanol-P&T	S-2182



Hexamethylbenzene

Molecular Weight	162.276
Molecular Formula	C ₁₂ H ₁₈
Density	1.063 g/cm ³
Melting Point	165 °C
Boiling Point	263 °C




Hexamethylcyclotrisiloxane

Molecular Weight	222.462
Molecular Formula	C ₆ H ₁₈ O ₃ Si ₃
Melting Point	64 to 66 °C
Boiling Point	134 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	87-85-4	Methanol-P&T	S-2181

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	541-05-9	Hexane	S-4334



Hexamethyldisiloxane

Molecular Weight	162.379
Molecular Formula	C ₆ H ₁₈ OSi ₂
Density	0.764 g/cm ³
Melting Point	-66 °C
Boiling Point	99 °C



Hexanal


Molecular Weight	100.161
Molecular Formula	C ₆ H ₁₂ O
Density	0.834 g/cm ³
Melting Point	-56 °C
Boiling Point	129 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107-46-0	Methanol-P&T	S-4456

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	66-25-1	Methanol-P&T	S-2187


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**n-Hexane-d₁₄**


Molecular Weight	100.263
Molecular Formula	C ₆ H ₁₄

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	21666-38-6	Methanol-P&T	S-2191

**Hexanoic acid**


Molecular Weight	116.16
Molecular Formula	C ₆ H ₁₂ O ₂
Density	0.927 g/cm ³
Melting Point	-3 °C
Boiling Point	206 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	142-62-1	DI Water	S-2197

**2-Hexanone**


Molecular Weight	100.161
Molecular Formula	C ₆ H ₁₂ O
Density	0.81 g/cm ³
Melting Point	-57 °C
Boiling Point	127 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	591-78-6	Methanol-P&T	S-2200

**3-Hexanone**

Molecular Weight	100.161
Molecular Formula	C ₆ H ₁₂ O
Density	0.82 g/cm ³
Boiling Point	123 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	589-38-8	Methanol-P&T	S-4236

**n-Hexatriacontane**


Molecular Weight	506.988
Molecular Formula	C ₃₆ H ₇₄
Melting Point	75 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	630-06-8	p-Xylene	S-2210

**1-Hexene**


Molecular Weight	84.162
Molecular Formula	C ₆ H ₁₂
Density	0.673 g/cm ³
Melting Point	-140 °C
Boiling Point	63 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	592-41-6	Methanol-P&T	S-2225

**cis-2-Hexene**

Molecular Weight	84.162
Molecular Formula	C ₆ H ₁₂
Density	0.669 g/cm ³
Boiling Point	69 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	7688-21-3	Methanol-P&T	S-2215

**trans-2-Hexene**

Molecular Weight	84.162
Molecular Formula	C ₆ H ₁₂
Boiling Point	69 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	4050-45-7	Methanol-P&T	S-2220

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



Hexyl alcohol

Molecular Weight	102.177
Molecular Formula	C ₆ H ₁₄ O
Density	0.82 g/cm ³
Melting Point	-45 °C
Boiling Point	157 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	111-27-3	Methanol-P&T	S-2230



Hexythiazox

Molecular Weight	352.9
Molecular Formula	C ₁₇ H ₂₁ ClN ₂ O ₂ S
Density	1.31 g/cm ³
Melting Point	105 °C
Boiling Point	222 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	78587-05-0	Acetone	S-5270



Hippuric acid

Molecular Weight	179.175
Molecular Formula	C ₉ H ₉ NO ₃
Melting Point	187 to 191 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	495-69-2	HPLC Acetonitrile	S-5217



Histamine

Molecular Weight	111.148
Molecular Formula	C ₅ H ₉ N ₃
Melting Point	84 °C
Boiling Point	210 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	51-45-6	Methanol	S-4765



HMX

Molecular Weight	296.156
Molecular Formula	C ₄ H ₈ N ₈ O ₈
Density	1.9 g/cm ³
Melting Point	281 °C
Boiling Point	Decomposes


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2691-41-0	Acetonitrile: Methanol	S-2229



Hydrazine

Molecular Weight	32.046
Molecular Formula	N ₂ H ₄
Density	1.01 g/cm ³
Melting Point	2 °C
Boiling Point	114 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	302-01-2	DI Water	S-2231



Hydrogen sulfide

Molecular Weight	34.076
Molecular Formula	H ₂ S
Density	0.92 g/cm ³
Melting Point	-85 °C
Boiling Point	-60 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	7783-06-4	Methanol	S-3987




Hydroquinone

Molecular Weight	110.122
Molecular Formula	C ₆ H ₆ O ₂
Density	1.33 g/cm ³
Melting Point	172 °C
Boiling Point	287 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	123-31-9	Methanol-P&T	S-2235


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**4-Hydroxy-4-methyl-2-pentanone**


Molecular Weight	116.16
Molecular Formula	C ₆ H ₁₂ O ₂
Density	0.931 g/cm ³
Melting Point	-45 °C
Boiling Point	170 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	123-42-2	Methanol-P&T	S-2241

**3-Hydroxycarbofuran**


Molecular Weight	237.255
Molecular Formula	C ₁₂ H ₁₅ NO ₄
Density	1.24 g/cm ³
Melting Point	138 to 140 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	16655-82-6	Acetonitrile	S-2240

**5-(Hydroxymethyl) furfural**


Molecular Weight	126.111
Molecular Formula	C ₆ H ₆ O ₃
Density	1.206 g/cm ³
Melting Point	32 °C
Boiling Point	15 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	67-47-0	Methanol-P&T	S-2227

**bis(4-Hydroxyphenyl)-methane**


Molecular Weight	200.237
Molecular Formula	C ₁₃ H ₁₂ O ₂
Melting Point	163 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	620-92-8	Methanol-P&T	S-512

**Imazalil**


Molecular Weight	297.179
Molecular Formula	C ₁₄ H ₁₄ Cl ₂ N ₂ O
Density	1.35 g/cm ³
Melting Point	50 °C
Boiling Point	347 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	35554-44-0	Acetonitrile	S-2346-ACN
		Methanol-P&T	S-2346

**Imazalil**


Molecular Weight	297.179
Molecular Formula	C ₁₄ H ₁₄ Cl ₂ N ₂ O
Density	1.23 g/cm ³
Melting Point	50 °C
Boiling Point	347 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	73790-28-0	Methanol-P&T	S-2246

**Imazaquin**

Molecular Weight	311.341
Molecular Formula	C ₁₇ H ₁₇ N ₃ O ₃
Density	1.35 g/cm ³
Melting Point	220 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	81335-37-7	Methanol-P&T	S-2243


**Imazethapyr**

Molecular Weight	289.335
Molecular Formula	C ₁₅ H ₁₉ N ₃ O ₃
Density	1.11g/cm ³
Melting Point	173 °C
Boiling Point	180 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	81335-77-5	Methanol	S-2244

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



Indeno(1,2,3-c,d)pyrene

Molecular Weight	276.338
Molecular Formula	C ₂₂ H ₁₂
Density	1.379 g/cm ³
Melting Point	164 °C
Boiling Point	536 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	193-39-5	Methylene Chloride: Benzene (50:50)	S-2255



Indole

Molecular Weight	117.151
Molecular Formula	C ₈ H ₇ N
Density	1.22 g/cm ³
Melting Point	52 °C
Boiling Point	254 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	120-72-9	Methanol-P&T	S-2260



Indoxacarb

Molecular Weight	527.837
Molecular Formula	C ₂₂ H ₁₇ ClF ₃ N ₃ O ₇
Density	1.44 g/cm ³
Melting Point	88 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	173584-44-6	Acetone	S-4963



Iodofenphos

Molecular Weight	412.987
Molecular Formula	C ₈ H ₈ Cl ₂ IO ₃ PS
Density	2.0 g/cm ³
Melting Point	72 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	18181-70-9	Methanol-P&T	S-2265



Iodomethane

Molecular Weight	141.939
Molecular Formula	CH ₃ I
Density	2.28 g/cm ³
Melting Point	-67 °C
Boiling Point	43 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	74-88-4	Methanol-P&T	S-2270



Iprodione

Molecular Weight	330.165
Molecular Formula	C ₁₃ H ₁₃ Cl ₂ N ₃ O ₃
Density	1.51 g/cm ³
Melting Point	134 °C
Boiling Point	164 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	36734-19-7	Acetonitrile	S-2272-ACN
		Isooctane	S-2272



Irganox 565

Molecular Weight	588.958
Molecular Formula	C ₃₃ H ₅₆ N ₄ OS ₂

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	991-84-4	Methanol-P&T	S-3901




Irgarol 1051

Molecular Weight	253.368
Molecular Formula	C ₁₁ H ₁₉ N ₅ S

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	28159-98-0	Methanol	S-4910


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Isoamyl acetate**


Molecular Weight	130.187
Molecular Formula	C ₇ H ₁₄ O ₂
Density	0.87 g/cm ³
Melting Point	-79 °C
Boiling Point	142 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	123-92-2	Methanol-P&T	S-4036

**Isobutyl acetate**


Molecular Weight	116.16
Molecular Formula	C ₆ H ₁₂ O ₂
Density	0.875 g/cm ³
Melting Point	-99 °C
Boiling Point	118 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	110-19-0	Methanol-P&T	S-2274

**2-Isobutyl-3-methoxypyrazine**


Molecular Weight	166.224
Molecular Formula	C ₉ H ₁₄ N ₂ O

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	24683-00-9	Methanol	S-6051

**Isobutyraldehyde**


Molecular Weight	72.107
Molecular Formula	C ₄ H ₈ O
Density	0.8 g/cm ³
Melting Point	-66 °C
Boiling Point	64 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	78-84-2	Methanol-P&T	S-2280

**Isobutyric acid**


Molecular Weight	88.106
Molecular Formula	C ₄ H ₈ O ₂
Density	0.950 g/cm ³
Melting Point	-46 °C
Boiling Point	152 to 155 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	79-31-2	DI Water	S-2282

**Isodrin**


Molecular Weight	364.9
Molecular Formula	C ₁₂ H ₈ Cl ₆
Melting Point	241 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	465-73-6	Methanol	S-2285

**Isofenphos**

Molecular Weight	345.394
Molecular Formula	C ₁₅ H ₂₄ NO ₄ PS
Density	1.131 g/cm ³
Melting Point	-12 °C
Boiling Point	120 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	25311-71-1	Methanol-P&T	S-2290


**Isooctyl alcohol**

Molecular Weight	130.231
Molecular Formula	C ₈ H ₁₈ O
Density	0.83 g/cm ³
Melting Point	-106 °C
Boiling Point	87 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	26952-21-6	Methanol-P&T	S-2292

Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



Isopentyl pentyl phthalate

Molecular Weight	306.402
Molecular Formula	C ₁₈ H ₂₆ O ₄




Isoprene

Molecular Weight	68.119
Molecular Formula	C ₅ H ₈
Density	0.679 g/cm ³
Melting Point	-146 °C
Boiling Point	34 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	776297-69-9	Hexane	S-6109-H
		Methylene Chloride	S-6109

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	78-79-5	Methanol-P&T	S-2300



Isoprocab

Molecular Weight	193.2
Molecular Formula	C ₁₁ H ₁₅ NO ₂
Density	1.04 g/cm ³
Melting Point	92 °C




Isopropanol (2-propanol, isopropyl alcohol)

Molecular Weight	60.096
Molecular Formula	C ₃ H ₈ O
Density	0.79 g/cm ³
Melting Point	-90 °C
Boiling Point	83 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2631-40-5	Methanol	S-4253

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	67-63-0	Methanol	S-2585B



Isopropyl acetate

Molecular Weight	102.133
Molecular Formula	C ₅ H ₁₀ O ₂
Density	0.87 g/cm ³
Melting Point	-73 °C
Boiling Point	89 °C




Isopropyl ether

Molecular Weight	102.177
Molecular Formula	C ₆ H ₁₄ O
Density	0.724 g/cm ³
Melting Point	-60 °C
Boiling Point	69 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-21-4	Methanol-P&T	S-2305

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-20-3	Methanol-P&T	S-2310



2-Isopropyl-3-methoxypyrazine

Molecular Weight	152.197
Molecular Formula	C ₈ H ₁₂ N ₂ O



2,4-D Isopropylamine salt


Molecular Weight	280.145
Molecular Formula	C ₁₁ H ₁₅ Cl ₂ NO ₃

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	25773-40-4	Methanol	S-6050

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	5742-17-6	Methanol	S-1047


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Isopropylbenzene**


Molecular Weight	120.195
Molecular Formula	C ₉ H ₁₂
Density	0.866 g/cm ³
Melting Point	-96 °C
Boiling Point	152 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	98-82-8	Methanol-P&T	S-2315

**2-Isopropylphenol**


Molecular Weight	136.194
Molecular Formula	C ₉ H ₁₂ O
Density	0.995 g/cm ³
Melting Point	14 °C
Boiling Point	212 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	88-69-7	Methanol-P&T	S-4293

**3-Isopropylphenol**


Molecular Weight	136.194
Molecular Formula	C ₉ H ₁₂ O
Density	0.994 g/cm ³
Melting Point	25 °C
Boiling Point	228 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	618-45-1	Methanol-P&T	S-2317

**p-Isopropyltoluene**


Molecular Weight	134.222
Molecular Formula	C ₁₀ H ₁₄
Density	0.857 g/cm ³
Melting Point	-68 °C
Boiling Point	177 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	99-87-6	Methanol-P&T	S-2320

**Isoproturon**


Molecular Weight	206.3
Molecular Formula	C ₁₂ H ₁₈ N ₂ O
Density	1.17 g/cm ³
Melting Point	157 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	34123-59-6	Methanol	S-3945

**Isoquinoline**


Molecular Weight	129.162
Molecular Formula	C ₉ H ₇ N
Density	1.1 g/cm ³
Melting Point	27 °C
Boiling Point	243 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	119-65-3	Methanol-P&T	S-2325

**Isovaleraldehyde**

Molecular Weight	86.134
Molecular Formula	C ₅ H ₁₀ O
Density	0.785 g/cm ³
Melting Point	-51 °C
Boiling Point	90 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	590-86-3	Methanol-P&T	S-2331


**Isovaleric acid**

Molecular Weight	102.133
Molecular Formula	C ₄ H ₈ O ₂
Density	0.931 g/cm ³
Melting Point	-29 °C
Boiling Point	177 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	503-74-2	DI Water	S-2332


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



Ivermectin

Molecular Weight	875.106
Molecular Formula	C ₄₈ H ₇₄ O ₁₄
Melting Point	155 °C




Kelthane 1.5% o,p'-95% p,p'

Molecular Weight	370.475
Molecular Formula	C ₁₄ H ₉ Cl ₅ O
Density	1.13 g/cm ³
Melting Point	77 to 78 °C
Boiling Point	180 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	70288-86-7	Acetone	S-5457

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	115-32-2	Methanol	S-2335



Kresoxim-methyl

Molecular Weight	313.3
Molecular Formula	C ₁₈ H ₁₉ NO ₄
Density	1.26 g/cm ³
Melting Point	102 °C
Boiling Point	Decomposes




L(+)-Lactic acid

Molecular Weight	90.078
Molecular Formula	C ₃ H ₆ O ₃
Melting Point	17 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	143390-89-0	Methanol	S-4833

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	79-33-4	DI Water	S-2342



Lactose

Molecular Weight	360.312
Molecular Formula	C ₁₂ H ₂₄ O ₁₂




Lidocaine

Molecular Weight	234.343
Molecular Formula	C ₁₄ H ₂₂ N ₂ O
Melting Point	68 °C
Boiling Point	181 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	64044-51-5	HPLC Grade Water	S-4516

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	137-58-6	Methanol	S-2347



(S)-(-)-Limonene

Molecular Weight	136.238
Molecular Formula	C ₁₀ H ₁₆
Melting Point	-90 °C
Boiling Point	177 °C



Linuron


Molecular Weight	249.1
Molecular Formula	C ₉ H ₁₀ Cl ₂ N ₂ O ₂
Density	1.49 g/cm ³
Melting Point	93 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	5989-54-8	Ethanol	S-6409

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	330-55-2	Acetone	S-2350


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Lontrel (Clopyralid)**


Molecular Weight	191.995
Molecular Formula	C ₆ H ₃ Cl ₂ NO ₂
Melting Point	151 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1702-17-6	Methanol-P&T	S-2354

**Malaoxon**


Molecular Weight	314.289
Molecular Formula	C ₁₀ H ₁₉ O ₇ PS
Density	1.235 g/cm ³
Melting Point	68 °C
Boiling Point	237 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1634-78-2	Methanol	S-2356

**Malathion**


Molecular Weight	330.4
Molecular Formula	C ₁₀ H ₁₉ O ₆ PS ₂
Density	1.207 g/cm ³
Melting Point	-20 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	121-75-5	Acetone	S-2355-AC
		Methanol	S-2355

**Malonic acid**


Molecular Weight	104.061
Molecular Formula	C ₃ H ₄ O ₄
Density	1.6 g/cm ³
Melting Point	135 °C
Boiling Point	140 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	141-82-2	Methanol-P&T	S-2361

**Mandelic acid**


Molecular Weight	152.149
Molecular Formula	C ₈ H ₈ O ₃

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	90-64-2	HPLC Acetonitrile	S-5221

**Mannosan**


Molecular Weight	162.141
Molecular Formula	C ₆ H ₁₀ O ₅
Melting Point	182 °C
Boiling Point	384 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	14168-65-1	Methanol	S-5521

**MCPA**

Molecular Weight	200.618
Molecular Formula	C ₉ H ₉ ClO ₃
Density	1.2 g/cm ³
Melting Point	118 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	94-74-6	Methanol	S-4565


**MCPB**

Molecular Weight	228.672
Molecular Formula	C ₁₁ H ₁₃ ClO ₃
Melting Point	100 °C
Boiling Point	280 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	94-81-5	Methanol-P&T	S-2364


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



Mebendazole

Molecular Weight	295.298
Molecular Formula	C ₁₆ H ₁₃ N ₃ O ₃
Density	1.8 g/cm ³
Melting Point	289 °C




Mecarbam

Molecular Weight	329.366
Molecular Formula	C ₁₀ H ₂₀ NO ₅ PS ₂
Density	1.2 g/cm ³
Melting Point	9 °C
Boiling Point	144 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	31431-39-7	Dimethyl Formamide	S-4603

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2595-54-2	Methanol	S-4847



Mecoprop

Molecular Weight	214.645
Molecular Formula	C ₁₀ H ₁₁ ClO ₃
Density	1.28 g/cm ³
Melting Point	94 °C




Melamine

Molecular Weight	126.123
Molecular Formula	C ₃ H ₆ N ₆
Density	1.573 g/cm ³
Melting Point	345 °C
Boiling Point	Sublimes


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	7085-19-0	Methanol	S-2365

Concentration	CAS #	Matrix	Part #
500 µg/mL	108-78-1	Methanol:Acetone (50:50)	S-4806



p-Mentha-1,5-diene

Molecular Weight	136.238
Molecular Formula	C ₁₀ H ₁₆
Density	0.85 g/cm ³




Menthol

Molecular Weight	156.269
Molecular Formula	C ₁₀ H ₂₀ O
Density	0.904 g/cm ³
Melting Point	43 °C
Boiling Point	212 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	99-83-2	Methanol	S-4173

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2216-51-5	Methanol-P&T	S-4669



2-Mercaptobenzothiazole

Molecular Weight	167.244
Molecular Formula	C ₇ H ₅ NS ₂
Density	1.42 g/cm ³
Melting Point	177 to 179 °C
Boiling Point	Decomposes



Mesityl oxide


Molecular Weight	98.145
Molecular Formula	C ₆ H ₁₀ O
Density	0.87 g/cm ³
Melting Point	-42 °C
Boiling Point	130 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	149-30-4	Methanol-P&T	S-2366

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	141-79-7	Methanol-P&T	S-2368


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Metalaxyl**

Molecular Weight	279.3
Molecular Formula	C ₁₅ H ₂₁ NO ₄
Density	1.20 g/cm ³
Melting Point	72 °C
Boiling Point	296 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	57837-19-1	Acetone	S-2369A

**Metalaxyl-M**


Molecular Weight	279.336
Molecular Formula	C ₁₅ H ₂₁ NO ₄

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	70630-17-0	Acetonitrile	S-5511

**Metaldehyde**


Molecular Weight	176.212
Molecular Formula	C ₈ H ₁₆ O ₄
Density	1.27 g/cm ³
Melting Point	246 °C
Boiling Point	115 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-62-3	Methanol	S-5027

**Metazachlor**


Molecular Weight	277.752
Molecular Formula	C ₁₄ H ₁₆ ClN ₃ O

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	67129-08-2	Methanol-P&T	S-2372

**Methabenzthiazuron**


Molecular Weight	221.278
Molecular Formula	C ₁₀ H ₁₁ N ₃ OS

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	18691-97-9	Acetone	S-3948

**Methacrolein**


Molecular Weight	79.091
Molecular Formula	C ₄ H ₆ O
Density	2.4 g/cm ³
Melting Point	-81 °C
Boiling Point	68 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	78-85-3	Methanol-P&T	S-2370

**Methacrylonitrile**

Molecular Weight	67.091
Molecular Formula	C ₄ H ₅ N
Density	0.8 g/cm ³
Melting Point	-35 °C
Boiling Point	90 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	126-98-7	Methanol-P&T	S-2375

**Methamidophos**

Molecular Weight	141.125
Molecular Formula	C ₂ H ₈ NO ₂ PS
Density	1.27 g/cm ³
Melting Point	45 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	10265-92-6	Acetone	S-2377


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



Methane

Molecular Weight	16.043
Molecular Formula	CH ₄
Density	0.422 g/cm ³
Melting Point	-183 °C
Boiling Point	-161 °C



Methanesulfonic acid

Molecular Weight	96.1
Molecular Formula	CH ₄ O ₃ S
Density	1.481 g/cm ³
Melting Point	20 °C
Boiling Point	167 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	74-82-8	Methanol-P&T	S-2379

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-75-2	Methanol-P&T	S-2378



Methanethiol

Molecular Weight	48.103
Molecular Formula	CH ₄ S
Density	0.96 g/cm ³ @ 25 °C
Melting Point	-123 °C
Boiling Point	6 °C




Methanol

Molecular Weight	32.042
Molecular Formula	CH ₄ O
Density	0.81 g/cm ³
Melting Point	-98 °C
Boiling Point	65 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	74-93-1	DI Water	S-2433-W
		Methanol-P&T	S-2433


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	67-56-1	DI Water	S-2380



Methapyrilene HCl

Molecular Weight	297.845
Molecular Formula	C ₁₄ H ₂₀ ClN ₃ S
Melting Point	162 °C
Boiling Point	174 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	135-23-9	Methanol-P&T	S-2450



Methidathion

Molecular Weight	302.3
Molecular Formula	C ₆ H ₁₁ N ₂ O ₄ PS ₃
Density	1.51 g/cm ³
Melting Point	40 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	950-37-8	Methanol	S-2384



Methiocarb

Molecular Weight	225.3
Molecular Formula	C ₁₁ H ₁₅ NO ₂ S
Density	1.25 g/cm ³
Melting Point	118 °C
Boiling Point	311 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2032-65-7	Acetonitrile	S-2385




Methiocarb sulfoxide

Molecular Weight	241.305
Molecular Formula	C ₁₁ H ₁₅ NO ₃ S

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2635-10-1	Methanol	S-4791


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Methomyl**


Molecular Weight	162.207
Molecular Formula	C ₅ H ₁₀ N ₂ O ₂ S
Density	1.32 g/cm ³
Melting Point	80 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	16752-77-5	Acetonitrile	S-2395

**Methoprene**


Molecular Weight	310.478
Molecular Formula	C ₁₉ H ₃₄ O ₃
Boiling Point	100 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	40596-69-8	Methanol	S-2396

**4-Methoxy-m-phenylenediamine**


Molecular Weight	138.17
Molecular Formula	C ₇ H ₁₀ N ₂ O
Melting Point	68 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	615-05-4	Methanol	S-4473

**2-Methoxy-5-methylaniline**


Molecular Weight	137.182
Molecular Formula	C ₈ H ₁₁ NO
Melting Point	52 °C
Boiling Point	235 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	120-71-8	Methanol-P&T	S-2415

**2-Methoxy-5-nitroaniline**


Molecular Weight	168.152
Molecular Formula	C ₇ H ₈ N ₂ O ₃
Density	1.207 g/cm ³
Melting Point	118 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	99-59-2	Methanol-P&T	S-2420

**1-Methoxy-2-propanol**


Molecular Weight	90.122
Molecular Formula	C ₄ H ₁₀ O ₂
Density	0.96 g/cm ³
Melting Point	96 °C
Boiling Point	120 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107-98-2	Methanol-P&T	S-2412

**Methoxychlor**

Molecular Weight	345.644
Molecular Formula	C ₁₆ H ₁₅ Cl ₃ O ₂
Density	1.4 g/cm ³
Melting Point	89 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	72-43-5	Methanol	S-2397


**p,p'-Methoxychlor**

Molecular Weight	345.644
Molecular Formula	C ₁₆ H ₁₅ Cl ₃ O ₂
Density	1.4 g/cm ³
Melting Point	89 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	72-43-5	Methanol-P&T	S-2405

Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



2-Methoxyethanol

Molecular Weight	76.095
Molecular Formula	C ₃ H ₈ O ₂
Density	0.96 g/cm ³
Melting Point	-85 °C
Boiling Point	125 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	109-86-4	Methanol-P&T	S-2407



2-Methoxyethyl ether

Molecular Weight	134.175
Molecular Formula	C ₆ H ₁₄ O ₃
Density	0.95 g/cm ³
Melting Point	68 °C
Boiling Point	162 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	111-96-6	Methanol-P&T	S-3908



bis(2-methoxyethyl) phthalate

Molecular Weight	282.292
Molecular Formula	C ₁₄ H ₁₈ O ₆
Density	1.159 g/cm ³
Melting Point	-45 °C
Boiling Point	340 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	117-82-8	Hexane	S-4156-H



Methoxyfenozide

Molecular Weight	368.477
Molecular Formula	C ₂₂ H ₂₈ N ₂ O ₃
Melting Point	207 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	161050-58-4	Methanol	S-6033-MEOH



2-Methoxyphenol

Molecular Weight	124.139
Molecular Formula	C ₇ H ₈ O ₂
Density	1.129 g/cm ³
Melting Point	28 °C
Boiling Point	204 to 206 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	90-05-1	Methanol-P&T	S-986



Methyl acetate

Molecular Weight	74.079
Molecular Formula	C ₃ H ₆ O ₂
Density	0.93 g/cm ³
Melting Point	-98 °C
Boiling Point	57 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	79-20-9	Methanol-P&T	S-3893



Methyl arachidate

Molecular Weight	326.565
Molecular Formula	C ₂₁ H ₄₂ O ₂
Melting Point	47 °C
Boiling Point	215 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1120-28-1	Methanol-P&T	S-4215




Methyl caprate

Molecular Weight	186.295
Molecular Formula	C ₁₁ H ₂₂ O ₂
Density	0.873 g/cm ³

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	110-42-9	Methanol-P&T	S-4217


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Methyl dacthal**


Molecular Weight	331.954
Molecular Formula	C ₁₀ H ₆ Cl ₄ O ₄
Density	0.05 g/cm ³
Melting Point	155 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1861-32-1	Methanol	S-1065

**Methyl dibromoacetate**

Molecular Weight	231.871
Molecular Formula	C ₃ H ₄ Br ₂ O ₂

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	6482-26-4	Methanol-P&T	S-1221

**Methyl disulfide**

Molecular Weight	94.19
Molecular Formula	C ₂ H ₆ S ₂
Density	1.065 g/cm ³
Melting Point	-85 °C
Boiling Point	110 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	624-92-0	Methanol-P&T	S-2599

**Methyl ether**


Molecular Weight	46.069
Molecular Formula	C ₂ H ₆ O
Melting Point	-142 °C
Boiling Point	-24 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	115-10-6	Methanol-P&T	S-2428

**Methyl ethyl ketone peroxide**


Molecular Weight	210.226
Molecular Formula	C ₈ H ₁₈ O ₆
Density	1.17 g/cm ³
Boiling Point	19 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1338-23-4	Methanol-P&T	S-4343

**Methyl hydrazine**


Molecular Weight	46.073
Molecular Formula	CH ₆ N ₂
Density	0.87 g/cm ³
Melting Point	-52 °C
Boiling Point	88 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	60-34-4	Methanol-P&T	S-4199

**Methyl isocyanate**

Molecular Weight	57.052
Molecular Formula	CH ₃ NCO
Density	0.959 g/cm ³
Melting Point	-80 °C
Boiling Point	39 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	624-83-9	Hexane	S-2431


**Methyl methacrylate**

Molecular Weight	100.117
Molecular Formula	C ₅ H ₈ O ₂
Density	0.94 g/cm ³
Melting Point	-48 °C
Boiling Point	101 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	80-62-6	Methanol-P&T	S-2435

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



Methyl palmitate

Molecular Weight	270.457
Molecular Formula	C ₁₇ H ₃₄ O ₂
Density	0.852 g/cm ³
Melting Point	30 °C
Boiling Point	417 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	112-39-0	Methanol	S-4656



Methyl parathion

Molecular Weight	263.2
Molecular Formula	C ₈ H ₁₀ NO ₅ P
Density	1.36 g/cm ³
Melting Point	35 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	298-00-0	Acetone	S-2445-AC
		Acetonitrile	S-2445-ACN
		Methanol	S-2445



Methyl salicylate

Molecular Weight	152.149
Molecular Formula	C ₈ H ₈ O ₃
Density	1.174 g/cm ³
Melting Point	-9 °C
Boiling Point	222 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	119-36-8	Methanol-P&T	S-2458



Methyl stearate

Molecular Weight	298.511
Molecular Formula	C ₁₉ H ₃₈ O ₂
Density	0.849 g/cm ³
Melting Point	39 °C
Boiling Point	443 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	112-61-8	Methanol-P&T	S-2453



Methyl sulfide

Molecular Weight	62.13
Molecular Formula	C ₂ H ₆ S
Density	0.84 g/cm ³
Melting Point	-98 °C
Boiling Point	37 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-18-3	Methanol-P&T	S-2454



2-Methyl-4,6-bis((octylthio)methyl)phenol

Molecular Weight	424.746
Molecular Formula	C ₂₅ H ₄₄ OS ₂


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	110553-27-0	Methanol-P&T	S-3902



Methyl-2-bromopropionate

Molecular Weight	167.002
Molecular Formula	C ₄ H ₇ BrO ₂

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	57885-43-5	Methyl Tertiary Butyl Ether	S-2598




Methyl-3-methoxypropionate

Molecular Weight	118.132
Molecular Formula	C ₅ H ₁₀ O ₃
Density	1.009 g/cm ³
Boiling Point	142 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	3852-09-3	Methanol-P&T	S-3857


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**2-Methyl-1-butanol**


Molecular Weight	88.15
Molecular Formula	C ₅ H ₁₂ O
Density	0.816 g/cm ³
Melting Point	70 °C
Boiling Point	128 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	137-32-6	Methanol-P&T	S-4238

**3-Methyl-1-butanol**


Molecular Weight	88.15
Molecular Formula	C ₅ H ₁₂ O
Density	0.81 g/cm ³
Melting Point	-117 °C
Boiling Point	132 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	123-51-3	Methanol-P&T	S-2579

**2-Methyl-1,3-dioxolane**


Molecular Weight	88.106
Molecular Formula	C ₄ H ₈ O ₂
Density	0.982 g/cm ³
Boiling Point	83 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	497-26-7	Methanol-P&T	S-2580

**2-Methyl-2,4-pentanediol**


Molecular Weight	118.176
Molecular Formula	C ₆ H ₁₄ O ₂
Density	0.92 g/cm ³
Melting Point	-50 °C
Boiling Point	198 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107-41-5	Methanol-P&T	S-2595

**4-Methyl-2-pentanol**


Molecular Weight	102.177
Molecular Formula	C ₆ H ₁₄ O
Density	0.81 g/cm ³
Melting Point	-90 °C
Boiling Point	132 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-11-2	Methanol-P&T	S-2596

**4-Methyl-2-pentanone**


Molecular Weight	100.161
Molecular Formula	C ₆ H ₁₂ O
Density	0.804 g/cm ³
Melting Point	-84 °C
Boiling Point	117 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-10-1	Methanol-P&T	S-2600

**2-Methyl-1-propanethiol**

Molecular Weight	90.184
Molecular Formula	C ₄ H ₁₀ S
Density	0.831 g/cm ³
Melting Point	-79 °C
Boiling Point	88 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	513-44-0	Methanol-P&T	S-2587


**2-Methyl-2-propanethiol**

Molecular Weight	90.184
Molecular Formula	C ₄ H ₁₀ S
Density	0.794 g/cm ³
Melting Point	0 °C
Boiling Point	64 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-66-1	Methanol-P&T	S-2586

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



2-Methyl-1-propanol

Molecular Weight	74.123
Molecular Formula	C ₄ H ₁₀ O
Density	0.8 g/cm ³
Melting Point	-108 °C
Boiling Point	108 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	78-83-1	Methanol-P&T	S-2585



2-Methyl-2-propanol

Molecular Weight	74.123
Molecular Formula	C ₄ H ₁₀ O
Density	0.775 g/cm ³
Melting Point	25 °C
Boiling Point	82 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-65-0	Methanol-P&T	S-2602



1-Methyl-2-pyrrolidinone

Molecular Weight	99.133
Molecular Formula	C ₅ H ₉ NO
Density	1.03 g/cm ³
Melting Point	-25 °C
Boiling Point	202 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	872-50-4	Methanol-P&T	S-2590



Methyl tertiary-butyl ether

Molecular Weight	88.15
Molecular Formula	C ₅ H ₁₂ O
Density	0.735 g/cm ³
Melting Point	-109 °C
Boiling Point	55 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1634-04-4	Methanol-P&T	S-2455



Methylamine

Molecular Weight	31.058
Molecular Formula	CH ₅ N
Density	0.656 g/cm ³
Melting Point	-93 °C
Boiling Point	-6 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	74-89-5	Methanol-P&T	S-2457



Methylamine hydrochloride

Molecular Weight	67.516
Molecular Formula	CH ₆ ClN
Melting Point	232 °C
Boiling Point	230 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	593-51-1	Methanol-P&T	S-2457A



2-Methylantracene

Molecular Weight	192.261
Molecular Formula	C ₁₅ H ₁₂
Melting Point	205 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	613-12-7	Methanol-P&T	S-2460



2-Methylbenzofuran

Molecular Weight	132.162
Molecular Formula	C ₉ H ₈ O
Density	1.057 g/cm ³
Boiling Point	197 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	4265-25-2	Methanol-P&T	S-2461


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**(S)-(-)-2-Methylbutanol**


Molecular Weight	88.15
Molecular Formula	C ₅ H ₁₂ O

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1565-80-6	Methanol-P&T	S-3958

**3-Methylcholanthrene**


Molecular Weight	268.359
Molecular Formula	C ₂₁ H ₁₆
Density	1.28 g/cm ³
Melting Point	178 °C
Boiling Point	280 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	56-49-5	Methylene Chloride	S-2465

**4-Methylchrysene**


Molecular Weight	242.321
Molecular Formula	C ₁₉ H ₁₄
Density	1.17 g/cm ³
Melting Point	238 to 240 °C
Boiling Point	413 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	3351-30-2	Methylene Chloride	S-2425

**5-Methylchrysene**

Molecular Weight	242.321
Molecular Formula	C ₁₉ H ₁₄
Melting Point	118 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	3697-24-3	Methylene Chloride	S-4811

**6-Methylchrysene**

Molecular Weight	242.321
Molecular Formula	C ₁₉ H ₁₄
Density	1.164 g/cm ³
Boiling Point	449 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1705-85-7	Methylene Chloride	S-2426

**Methylcyclohexane**


Molecular Weight	98.189
Molecular Formula	C ₇ H ₁₄
Density	0.77 g/cm ³
Melting Point	-126 °C
Boiling Point	101 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-87-2	Methanol-P&T	S-2470

**Methylcyclopentane**

Molecular Weight	84.162
Molecular Formula	C ₆ H ₁₂
Density	0.749 g/cm ³
Melting Point	-142 °C
Boiling Point	72 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	96-37-7	Methanol-P&T	S-2422

**4-Methyldibenzothiophene**

Molecular Weight	198.283
Molecular Formula	C ₁₃ H ₁₀ S
Density	1.213 g/cm ³
Melting Point	67 °C
Boiling Point	349 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	7372-88-5	Methylene Chloride	S-6052

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



n-Methyldiethanolamine

Molecular Weight	119.164
Molecular Formula	C ₅ H ₁₃ O ₂ N
Density	1.043 g/cm ³
Melting Point	-21 °C
Boiling Point	247 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	105-59-9	15 mM Ammonium Hydroxide	S-2484



Methylene chloride

Molecular Weight	87.927
Molecular Formula	CH ₂ Cl ₂
Density	1.33 g/cm ³
Melting Point	-97 °C
Boiling Point	40 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-09-2	Methanol-P&T	S-2480



Methylene chloride-d₂

Molecular Weight	86.939
Molecular Formula	CH ₂ Cl ₂


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1665-00-5	Methanol-P&T	S-2481



Methylene di-p-phenyl diisocyanate

Molecular Weight	250.257
Molecular Formula	C ₁₅ H ₁₀ N ₂ O ₂
Density	1.2 g/cm ³
Melting Point	37 °C
Boiling Point	314 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	101-68-8	Methylene Chloride	S-2487-MC



4,4'-Methylene-bis(2-methylaniline)

Molecular Weight	226.323
Molecular Formula	C ₁₅ H ₁₈ N ₂


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	838-88-0	Methanol	S-4474



4,4'-Methylene-bis(2-chloroaniline)

Molecular Weight	267.153
Molecular Formula	C ₁₃ H ₁₂ Cl ₂ N ₂
Density	1.35 g/cm ³
Melting Point	110 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	101-14-4	Methanol-P&T	S-2485



4,4'-Methylenedianiline

Molecular Weight	198.269
Molecular Formula	C ₁₃ H ₁₄ N ₂
Density	0.5 g/cm ³
Melting Point	93 °C
Boiling Point	398 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	101-77-9	Methanol-P&T	S-2486




1-Methylfluorene

Molecular Weight	180.25
Molecular Formula	C ₁₄ H ₁₂
Melting Point	85 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1730-37-6	Methanol-P&T	S-2490


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**n-Methylformamide**


Molecular Weight	59.068
Molecular Formula	C ₂ H ₅ NO
Density	1.003 g/cm ³
Melting Point	-4 °C
Boiling Point	183 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	123-39-7	Methanol-P&T	S-5004

**Methyl formate**


Molecular Weight	60.052
Molecular Formula	C ₂ H ₄ O ₂
Density	0.98 g/cm ³
Melting Point	-100 °C
Boiling Point	32 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107-31-3	Methanol-P&T	S-2495

**2-Methylfuran**


Molecular Weight	82.102
Molecular Formula	C ₅ H ₆ O
Density	0.927 g/cm ³
Melting Point	-88 °C
Boiling Point	64 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	534-22-5	Methanol-P&T	S-2500

**3-Methylfuran**


Molecular Weight	82.102
Molecular Formula	C ₅ H ₆ O

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	930-27-8	Methanol-P&T	S-2501

**5-Methylfurfural**


Molecular Weight	110.112
Molecular Formula	C ₆ H ₆ O ₂
Density	1.107 g/cm ³
Boiling Point	187 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	620-02-0	Methanol-P&T	S-2607

**2-Methylheptane**


Molecular Weight	114.232
Molecular Formula	C ₈ H ₁₈
Density	0.698 g/cm ³
Melting Point	-109 °C
Boiling Point	116 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	592-27-8	Methanol-P&T	S-2505

**3-Methylhexane**

Molecular Weight	100.205
Molecular Formula	C ₇ H ₁₆
Density	0.686 g/cm ³
Melting Point	-119 °C
Boiling Point	92 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	589-34-4	Methanol-P&T	S-2515


**2-Methylhippuric acid**

Molecular Weight	193.202
Molecular Formula	C ₁₀ H ₁₁ NO ₃

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	42013-20-7	HPLC Acetonitrile	S-5218


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



3-Methylhippuric acid

Molecular Weight	193.202
Molecular Formula	C ₁₀ H ₁₁ NO ₃




4-Methylhippuric acid

Molecular Weight	193.202
Molecular Formula	C ₁₀ H ₁₁ NO ₃


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	27115-49-7	HPLC Acetonitrile	S-5219

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	27115-50-0	HPLC Acetonitrile	S-5220



3-Methylindole

Molecular Weight	131.178
Molecular Formula	C ₉ H ₉ N
Melting Point	95 °C
Boiling Point	265 °C




1-Methylnaphthalene

Molecular Weight	142.201
Molecular Formula	C ₁₁ H ₁₀
Density	1 g/cm ³
Melting Point	-22 °C
Boiling Point	245 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	83-34-1	Methanol-P&T	S-2516

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	90-12-0	Methanol-P&T	S-2520



2-Methylnaphthalene

Molecular Weight	142.201
Molecular Formula	C ₁₁ H ₁₀
Density	1.006 g/cm ³
Melting Point	35 °C
Boiling Point	241 °C




4-(Methylnitrosamino)-1-(3-pyridyl)-1-butanone

Molecular Weight	207.233
Molecular Formula	C ₁₀ H ₁₃ N ₃ O ₂
Density	< 1 g/cm ³
Melting Point	64 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	91-57-6	Methanol-P&T	S-2525

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	64091-91-4	Methanol-P&T	S-2526



2-Methylpentane

Molecular Weight	86.178
Molecular Formula	C ₆ H ₁₄
Density	0.655 g/cm ³
Melting Point	153 °C
Boiling Point	60 °C



3-Methylpentane


Molecular Weight	86.178
Molecular Formula	C ₆ H ₁₄
Density	0.664 g/cm ³
Melting Point	-118 °C
Boiling Point	64 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107-83-5	Methanol-P&T	S-2527

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	96-14-0	Methanol-P&T	S-2530


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**1-Methylphenanthrene**

Molecular Weight	192.261
Molecular Formula	C ₁₅ H ₁₂

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	832-69-9	Methanol-P&T	S-2535

**2-Methylphenol**


Molecular Weight	108.14
Molecular Formula	C ₇ H ₈ O
Density	1.05 g/cm ³
Melting Point	31 °C
Boiling Point	191 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	95-48-7	Methanol-P&T	S-2545

**3-Methylphenol**

Molecular Weight	108.14
Molecular Formula	C ₇ H ₈ O
Melting Point	11 °C
Boiling Point	202 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-39-4	Methanol	S-2540

**4-Methylphenol**

Molecular Weight	108.14
Molecular Formula	C ₇ H ₈ O
Density	1.02 g/cm ³
Melting Point	35 °C
Boiling Point	202 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	106-44-5	Methanol-P&T	S-2550

**2-Methylpropene**

Molecular Weight	56.108
Molecular Formula	C ₄ H ₈
Density	0.59 g/cm ³
Melting Point	-140 °C
Boiling Point	-7 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	115-11-7	Methanol-P&T	S-2556

**1-Methylpyrene**


Molecular Weight	216.283
Molecular Formula	C ₁₇ H ₁₂
Density	1.213 g/cm ³
Melting Point	74 °C
Boiling Point	410 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2381-21-7	Methylene Chloride	S-3858

**alpha-Methylstyrene**

Molecular Weight	118.179
Molecular Formula	C ₉ H ₁₀
Density	0.91 g/cm ³
Melting Point	-23 °C
Boiling Point	164 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	98-83-9	Methanol-P&T	S-2560


**n-Methylsuccinimide**

Molecular Weight	113.116
Molecular Formula	C ₅ H ₇ NO ₂
Melting Point	65 °C
Boiling Point	234 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1121-07-9	Methanol-P&T	S-2567

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



4-Methylvaleric acid

Molecular Weight	116.16
Molecular Formula	C ₆ H ₁₂ O ₂
Melting Point	-33 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	646-07-1	Methanol-P&T	S-2284



Metobromuron

Molecular Weight	259.103
Molecular Formula	C ₉ H ₁₁ BrN ₂ O ₂
Density	1.6 g/cm ³
Melting Point	95 to 96 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	3060-89-7	Acetonitrile	S-2574



Metolachlor

Molecular Weight	283.8
Molecular Formula	C ₁₅ H ₂₂ ClNO ₂
Density	1.21 g/cm ³
Melting Point	-62 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	51218-45-2	Methanol	S-2615



Metolachlor ESA (sodium salt)

Molecular Weight	351.393
Molecular Formula	C ₁₅ H ₂₂ NNaO ₅ S


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	947601-85-6	Acetonitrile	S-4634



S-Metolachlor

Molecular Weight	283.796
Molecular Formula	C ₁₅ H ₂₂ ClNO ₂


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	87392-12-9	Acetone	S-5203-AC



Metoxuron

Molecular Weight	228.676
Molecular Formula	C ₁₀ H ₁₃ ClN ₂ O ₂
Melting Point	127 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	19937-59-8	Methanol-P&T	S-3997



Metribuzin

Molecular Weight	214.3
Molecular Formula	C ₈ H ₁₄ N ₄ OS
Density	1.26 g/cm ³
Melting Point	125 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	21087-64-9	Acetone	S-2620-AC
		Methanol	S-2620




Metsulfuron methyl

Molecular Weight	381.363
Molecular Formula	C ₁₄ H ₁₅ N ₅ O ₆ S
Density	1.45 g/cm ³
Melting Point	163 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	74223-64-6	Acetone	S-2621


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Mevinphos**


Molecular Weight	224.149
Molecular Formula	C ₇ H ₁₃ O ₆ P
Density	1.25 g/cm ³
Melting Point	7 °C
Boiling Point	107 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	7786-34-7	Methanol-P&T	S-2625

**MGK 264™ (a=81% b=19%)**


Molecular Weight	275.392
Molecular Formula	C ₁₇ H ₂₅ NO ₂
Density	1.04 g/cm ³
Melting Point	20 °C
Boiling Point	157 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	113-48-4	Methanol-P&T	S-2627

**Mineral oil**


Molecular Weight	452.363
Molecular Formula	C ₁₆ H ₁₀ N ₂ Na ₂ O ₇ S ₂
Melting Point	300 to 375 °C
Boiling Point	218 to 643 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	8042-47-5	Methylene Chloride	S-2630

**Mirex**


Molecular Weight	545.5
Molecular Formula	C ₁₀ Cl ₁₂
Melting Point	485 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2385-85-5	Acetonitrile	S-2635-ACN
		Hexane:Toluene (50:50)	S-2635

**Molinate**


Molecular Weight	187.3
Molecular Formula	C ₉ H ₁₇ NOS
Density	1.06 g/cm ³
Melting Point	-25 °C
Boiling Point	278 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2212-67-1	Methanol	S-2640

**Mono-n-heptyltin trichloride**


Molecular Weight	324.257
Molecular Formula	C ₇ H ₁₅ Cl ₃ Sn

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	59344-47-7	Ethanol	S-5517-ETOH

**Monocrotophos**

Molecular Weight	223.2
Molecular Formula	C ₇ H ₁₄ NO ₅ P
Density	1.22 g/cm ³
Melting Point	54 °C
Boiling Point	125 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	6923-22-4	Acetone	S-2645


**Monolinuron**

Molecular Weight	214.649
Molecular Formula	C ₉ H ₁₁ ClN ₂ O ₂
Melting Point	80 to 83 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1746-81-2	Acetonitrile	S-2642

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



Monomethyl tetrachloroterephthalate

Molecular Weight	317.927
Molecular Formula	C ₉ H ₄ Cl ₄ O ₄
Density	1.694 g/cm ³
Melting Point	169 °C
Boiling Point	352 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	887-54-7	Methylene Chloride	S-1068



Monuron

Molecular Weight	198.65
Molecular Formula	C ₉ H ₁₁ ClN ₂ O
Density	1.27 g/cm ³
Melting Point	170 °C
Boiling Point	192 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	150-68-5	Methanol	S-2647



Morpholine

Molecular Weight	87.122
Molecular Formula	C ₄ H ₉ NO
Density	1.007 g/cm ³
Melting Point	-5 °C
Boiling Point	129 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	110-91-8	Methanol-P&T	S-2648




Motor Oil, SAE 20W

Density	0.88 g/cm ³
Boiling Point	> 280 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	64742-65-0	Methylene Chloride	S-2653


* No Image Available.



trans,trans-Muconic acid

Molecular Weight	142.11
Molecular Formula	C ₆ H ₆ O ₄
Melting Point	301 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	3588-17-8	Acetone:DI Water (50:50)	S-5223



Myclobutanil (Sythane)

Molecular Weight	288.8
Molecular Formula	C ₁₅ H ₁₇ ClN ₄
Density	1.24 g/cm ³
Melting Point	71 °C
Boiling Point	391 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	88671-89-0	Acetone	S-3306



Naphthalene

Molecular Weight	128.174
Molecular Formula	C ₁₀ H ₈
Density	1.16 g/cm ³
Melting Point	80 °C
Boiling Point	218 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	91-20-3	Methanol	S-2655




Naphthalene-d₈

Molecular Weight	136.223
Molecular Formula	C ₁₀ H ₈

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1146-65-2	Methanol-P&T	S-2660


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**1-Naphthol**


Molecular Weight	144.173
Molecular Formula	C ₁₀ H ₈ O
Density	1.095 g/cm ³ @ 98.7 °C
Melting Point	96 °C
Boiling Point	288 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	90-15-3	Acetonitrile	S-2665

**2-Naphthol**


Molecular Weight	144.173
Molecular Formula	C ₁₀ H ₈ O
Density	1.28 g/cm ³
Melting Point	123 °C
Boiling Point	285 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	135-19-3	Acetonitrile	S-2666

**Neburon**


Molecular Weight	275.173
Molecular Formula	C ₁₂ H ₁₆ Cl ₂ N ₂ O

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	555-37-3	Methanol	S-2671

**Nicotine**


Molecular Weight	162.236
Molecular Formula	C ₁₀ H ₁₄ N ₂
Density	1.01 g/cm ³
Melting Point	-80 °C
Boiling Point	247 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	54-11-5	Methanol	S-2680

**2-Nitro-m-xylene**


Molecular Weight	151.165
Molecular Formula	C ₈ H ₉ NO ₂
Density	1.12 g/cm ³
Melting Point	15 °C
Boiling Point	225 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	81-20-9	Methanol-P&T	S-2760

**5-Nitro-o-toluidine**


Molecular Weight	152.153
Molecular Formula	C ₇ H ₈ N ₂ O ₂
Density	1.365 g/cm ³
Melting Point	105 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	99-55-8	Methanol-P&T	S-3862

**2-Nitroaniline**

Molecular Weight	138.126
Molecular Formula	C ₆ H ₆ N ₂ O ₂
Density	1.44 g/cm ³
Melting Point	71 °C
Boiling Point	284 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	88-74-4	Methanol-P&T	S-2690


**3-Nitroaniline**

Molecular Weight	138.126
Molecular Formula	C ₆ H ₆ N ₂ O ₂
Density	1.4 g/cm ³
Melting Point	114 °C
Boiling Point	306 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	99-09-2	Methanol-P&T	S-2695

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



4-Nitroaniline

Molecular Weight	138.126
Molecular Formula	C ₆ H ₆ N ₂ O ₂
Density	1.4 g/cm ³
Melting Point	148 °C
Boiling Point	332 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	100-01-6	Methanol-P&T	S-2700



Nitrobenzene

Molecular Weight	123.111
Molecular Formula	C ₆ H ₅ NO ₂
Density	1.2 g/cm ³
Melting Point	5 °C
Boiling Point	211 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	98-95-3	Methanol-P&T	S-2705



Nitrobenzene-d₅

Molecular Weight	128.142
Molecular Formula	C ₆ H ₅ NO ₂
Density	1.253 g/cm ³
Boiling Point	88 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	4165-60-0	Methanol-P&T	S-2710



2-Nitrodiphenylamine

Molecular Weight	214.224
Molecular Formula	C ₁₂ H ₁₀ N ₂ O ₂


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	119-75-5	Methanol-P&T	S-2717



Nitromethane

Molecular Weight	61.04
Molecular Formula	CH ₃ NO ₂
Density	1.139 g/cm ³
Melting Point	-29 °C
Boiling Point	101 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-52-5	Methanol-P&T	S-2722



2-Nitrophenol

Molecular Weight	139.11
Molecular Formula	C ₆ H ₅ NO ₃
Density	1.49 g/cm ³
Melting Point	45 °C
Boiling Point	216 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	88-75-5	Methanol-P&T	S-2725



4-Nitrophenol

Molecular Weight	139.11
Molecular Formula	C ₆ H ₅ NO ₃
Density	1.5 g/cm ³
Melting Point	114 °C
Boiling Point	279 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	100-02-7	Methanol	S-2730




2-Nitropropane

Molecular Weight	89.094
Molecular Formula	C ₃ H ₇ NO ₂
Density	0.99 g/cm ³
Melting Point	-91 °C
Boiling Point	120 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	79-46-9	Methanol-P&T	S-2732


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**1-Nitropyrene**


Molecular Weight	247.253
Molecular Formula	C ₁₆ H ₉ NO ₂
Density	1.422 g/cm ³
Melting Point	155 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	5522-43-0	Methylene Chloride	S-2737

**n-Nitrosoanabasine**


Molecular Weight	191.234
Molecular Formula	C ₁₀ H ₁₃ N ₃ O

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	37620-20-5	Methanol-P&T	S-2733

**n-Nitrosoanatabine**


Molecular Weight	189.218
Molecular Formula	C ₁₀ H ₁₃ N ₃ O

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	887407-16-1	Methanol-P&T	S-2734

**Nitrosobenzene**


Molecular Weight	107.112
Molecular Formula	C ₆ H ₅ NO
Melting Point	67 °C
Boiling Point	59 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	586-96-9	Methanol-P&T	S-2740

**n-Nitrosodi-n-butylamine**


Molecular Weight	158.245
Molecular Formula	C ₈ H ₁₈ N ₂ O
Density	0.009 g/cm ³

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	924-16-3	Methanol	S-2825

**n-Nitrosodi-n-propylamine**


Molecular Weight	130.191
Molecular Formula	C ₆ H ₁₄ N ₂ O
Density	0.916 g/cm ³
Boiling Point	195 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	621-64-7	Methylene Chloride	S-2835

**n-Nitrosodiethanolamine**

Molecular Weight	134.135
Molecular Formula	C ₄ H ₁₀ N ₂ O ₃
Density	1.28 g/cm ³
Boiling Point	114 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1116-54-7	Methanol-P&T	S-2811


**n-Nitrosodiethylamine**

Molecular Weight	102.137
Molecular Formula	C ₄ H ₁₀ N ₂ O
Density	0.942 g/cm ³
Boiling Point	177 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	55-18-5	Methanol-P&T	S-2810

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



n-Nitrosodimethylamine

Molecular Weight	74.083
Molecular Formula	C ₂ H ₆ N ₂ O
Density	1.005 g/cm ³
Boiling Point	151 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	62-75-9	Methanol-P&T	S-2815



4-Nitrosodiphenylamine

Molecular Weight	198.225
Molecular Formula	C ₁₂ H ₁₀ N ₂ O
Melting Point	145 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	156-10-5	Methanol-P&T	S-2745



n-Nitrosodiphenylamine

Molecular Weight	198.225
Molecular Formula	C ₁₂ H ₁₀ N ₂ O
Density	1.23 g/cm ³
Melting Point	67 °C
Boiling Point	101 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	86-30-6	Methylene Chloride	S-2820



n-Nitrosomethylethylamine

Molecular Weight	88.11
Molecular Formula	C ₃ H ₈ N ₂ O
Density	0.945 g/cm ³
Boiling Point	170 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	10595-95-6	Methanol-P&T	S-2830



n-Nitrosomorpholine

Molecular Weight	116.12
Molecular Formula	C ₄ H ₈ N ₂ O ₂
Melting Point	29 °C
Boiling Point	224 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	59-89-2	Methanol-P&T	S-2749



n'-Nitrosomornicotine (NNN)

Molecular Weight	177.207
Molecular Formula	C ₉ H ₁₁ N ₃ O
Melting Point	47 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	80508-23-2	Methanol	S-5726



n-Nitrosopiperidine

Molecular Weight	114.148
Molecular Formula	C ₅ H ₁₀ N ₂ O
Density	1.063 g/cm ³
Boiling Point	219 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	100-75-4	Methanol-P&T	S-2750




n-Nitrosopropine

Molecular Weight	144.13
Molecular Formula	C ₅ H ₈ N ₂ O ₃

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	7519-36-0	Methanol-P&T	S-2752


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**1-Nitrosopyrrolidine**


Molecular Weight	100.121
Molecular Formula	C ₄ H ₈ N ₂ O
Boiling Point	214 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	930-55-2	Methanol-P&T	S-2755

**2-Nitrotoluene**


Molecular Weight	137.138
Molecular Formula	C ₇ H ₇ NO ₂
Density	1.16 g/cm ³
Melting Point	-10 °C
Boiling Point	222 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	88-72-2	Methanol-P&T	S-2756

**3-Nitrotoluene**


Molecular Weight	137.138
Molecular Formula	C ₇ H ₇ NO ₂
Density	1.16 g/cm ³
Melting Point	16 °C
Boiling Point	231 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	99-08-1	Methanol-P&T	S-2757

**4-Nitrotoluene**


Molecular Weight	137.138
Molecular Formula	C ₇ H ₇ NO ₂
Density	1.16 g/cm ³
Melting Point	16 °C
Boiling Point	231 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	99-99-0	Methanol-P&T	S-2758

**cis-Nonachlor**


Molecular Weight	444.2
Molecular Formula	C ₁₀ H ₅ Cl ₉

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	5103-73-1	Methanol-P&T	S-2765

**trans-Nonachlor**

Molecular Weight	444.2
Molecular Formula	C ₁₀ H ₅ Cl ₉

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	39765-80-5	Methanol	S-2770

**1-Nonadecene**

Molecular Weight	266.513
Molecular Formula	C ₁₉ H ₃₈
Melting Point	23 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	18435-45-5	Methanol-P&T	S-4210


**n-Nonane**

Molecular Weight	128.259
Molecular Formula	C ₉ H ₂₀
Density	0.72 g/cm ³
Melting Point	-51 °C
Boiling Point	151 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	111-84-2	Methanol-P&T	S-2785


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



trans-2-Nonenal

Molecular Weight	140.226
Molecular Formula	C ₉ H ₁₆ O
Density	0.846 g/cm ³
Boiling Point	88 °C




4-n-Nonylphenol

Molecular Weight	220.356
Molecular Formula	C ₁₅ H ₂₄ O
Density	0.94 g/cm ³
Melting Point	42 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	18829-56-6	Methanol-P&T	S-4149

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	104-40-5	Methanol	S-5074



Nonylphenol

Molecular Weight	220.356
Molecular Formula	C ₁₅ H ₂₄ O
Density	0.95 g/cm ³
Melting Point	-8 °C
Boiling Point	290 to 300 °C




4-Nonylphenol (mix of isomers)

Molecular Weight	220.356
Molecular Formula	C ₁₅ H ₂₄ O
Density	0.95 g/cm ³
Melting Point	-8 °C
Boiling Point	290 to 300 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	84852-15-3	Methanol-P&T	S-2795A
		Methylene Chloride	S-2795

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	84852-15-3	Methylene Chloride	S-6162



Norflurazon

Molecular Weight	303.669
Molecular Formula	C ₁₂ H ₉ ClF ₃ N ₃ O
Melting Point	184 °C




Ocimene (mix of isomers)

Molecular Weight	136.238
Molecular Formula	C ₁₀ H ₁₆


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	27314-13-2	Acetone	S-2800

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	13877-91-3	Methanol	S-7515



Octachloronaphthalene

Molecular Weight	403.71
Molecular Formula	C ₁₀ Cl ₈
Density	2 g/cm ³
Melting Point	192 °C
Boiling Point	440 °C



Octachlorostyrene


Molecular Weight	379.668
Molecular Formula	C ₈ Cl ₈

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2234-13-1	Methylene Chloride: Hexane	S-4200

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	29082-74-4	Methylene Chloride	S-2840


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**n-Octacosane**


Molecular Weight	394.772
Molecular Formula	C ₂₈ H ₅₈
Density	0.807 g/cm ³
Melting Point	61 °C
Boiling Point	432 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	630-02-4	Methylene Chloride	S-2845

**n-Octadecane**


Molecular Weight	254.502
Molecular Formula	C ₁₈ H ₃₈
Density	0.77 g/cm ³
Melting Point	28 °C
Boiling Point	316 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	593-45-3	Methanol-P&T	S-2850

**1-Octadecene**


Molecular Weight	252.486
Molecular Formula	C ₁₈ H ₃₆
Density	0.789 g/cm ³
Melting Point	16 °C
Boiling Point	315 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	112-88-9	Methanol-P&T	S-2855

**Octafluoronaphthalene**


Molecular Weight	272.097
Molecular Formula	C ₁₀ F ₈

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	313-72-4	Acetone	S-3863

**Octafluorotoluene**


Molecular Weight	236.064
Molecular Formula	C ₇ F ₈
Density	1.666 g/cm ³
Boiling Point	104 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	434-64-0	Methanol-P&T	S-2861

**Octamethylpyrophosphoramide**

Molecular Weight	286.253
Molecular Formula	C ₈ H ₂₄ N ₄ O ₃ P ₂
Density	1.1 g/cm ³
Melting Point	17 °C
Boiling Point	120 to 125 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	152-16-9	Acetone	S-3265

**Octamethyltrisiloxane**

Molecular Weight	236.533
Molecular Formula	C ₈ H ₂₄ O ₂ Si ₃
Density	0.95 g/cm ³
Melting Point	-50 °C
Boiling Point	153 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107-51-7	Methanol-P&T	S-5942

**n-Octane**

Molecular Weight	114.232
Molecular Formula	C ₈ H ₁₈
Density	0.699 g/cm ³
Melting Point	-57 °C
Boiling Point	126 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	111-65-9	Methanol-P&T	S-2870


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL




1-Octanol	
Molecular Weight	130.231
Molecular Formula	C ₈ H ₁₈ O
Density	0.824 g/cm ³
Melting Point	-16 °C
Boiling Point	195 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	111-87-5	Methanol-P&T	S-2875




2-Octanol	
Molecular Weight	130.231
Molecular Formula	C ₈ H ₁₈ O
Density	0.819 g/cm ³
Melting Point	-39 °C
Boiling Point	179 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	4128-31-8	Methanol-P&T	S-2880




2-Octanone	
Molecular Weight	128.215
Molecular Formula	C ₈ H ₁₆ O
Density	0.82 g/cm ³
Melting Point	-16 °C
Boiling Point	174 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	111-13-7	Methanol-P&T	S-4234




3-Octanone	
Molecular Weight	128.215
Molecular Formula	C ₈ H ₁₆ O
Density	0.822 g/cm ³
Melting Point	-57 °C
Boiling Point	168 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	106-68-3	Methanol-P&T	S-2885




4-Octanone	
Molecular Weight	128.215
Molecular Formula	C ₈ H ₁₆ O
Density	0.82 g/cm ³
Boiling Point	166 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	589-63-9	Methanol-P&T	S-2871




n-Octatriacontane	
Molecular Weight	535.042
Molecular Formula	C ₃₈ H ₇₈

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	7194-85-6	Hexane	S-2886



Octyl aldehyde	
Molecular Weight	128.215
Molecular Formula	C ₈ H ₁₆ O
Density	0.821 g/cm ³
Melting Point	14 °C
Boiling Point	171 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	124-13-0	Methanol-P&T	S-2892




4-Octylphenol	
Molecular Weight	206.329
Molecular Formula	C ₁₄ H ₂₂ O
Melting Point	44 °C
Boiling Point	280 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1806-26-4	Methanol-P&T	S-4177


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Omethoate**


Molecular Weight	213.188
Molecular Formula	C ₅ H ₁₂ NO ₄ PS
Density	1.32 g/cm ³
Melting Point	-28 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1113-02-6	Methanol	S-3864

**Oryzalin**


Molecular Weight	346.358
Molecular Formula	C ₁₂ H ₁₈ N ₄ O ₆ S
Melting Point	141 °C
Boiling Point	265 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	19044-88-3	Methanol-P&T	S-2900

**Oxadiazon**


Molecular Weight	345.22
Molecular Formula	C ₁₅ H ₁₈ Cl ₂ N ₂ O ₃
Density	1.25 mg/L
Melting Point	90 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	19666-30-9	Acetone	S-2912

**Oxamyl**


Molecular Weight	219.3
Molecular Formula	C ₇ H ₁₃ N ₃ O ₃ S
Density	1.31 g/cm ³
Melting Point	99 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	23135-22-0	Acetonitrile	S-2905

**Oxychlordane**


Molecular Weight	423.741
Molecular Formula	C ₁₀ H ₄ Cl ₈ O
Melting Point	144 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	27304-13-8	Methanol	S-2910

**Oxydemeton-methyl**


Molecular Weight	246.3
Molecular Formula	C ₆ H ₁₅ O ₄ PS ₂
Density	1.29 g/cm ³
Melting Point	-49 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	301-12-2	Acetonitrile	S-4828

**Oxyfluorfen**

Molecular Weight	361.701
Molecular Formula	C ₁₅ H ₁₁ ClF ₃ NO ₄
Density	1.49 g/L
Melting Point	85 to 90 °C
Boiling Point	358 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	42874-03-3	Acetone	S-2911


**4-tert-Octylphenol**

Molecular Weight	206.329
Molecular Formula	C ₁₄ H ₂₂ O
Density	0.89 g/cm ³
Melting Point	84 °C
Boiling Point	158 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	140-66-9	Methanol	S-4379


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



d-(cis-trans)-Phenothrin

Molecular Weight	350.458
Molecular Formula	C ₂₃ H ₂₆ O ₃
Density	1.06 g/cm ³
Melting Point	> 290 °C




Paclobutrazol

Molecular Weight	293.8
Molecular Formula	C ₁₅ H ₂₀ ClN ₃ O
Density	1.23 g/cm ³
Melting Point	164 °C
Boiling Point	384 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	26002-80-2	Acetone	S-3041

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	76738-62-0	Acetone	S-4345



Paraoxon

Molecular Weight	275.197
Molecular Formula	C ₁₀ H ₁₄ NO ₆ P
Density	1.268 g/cm ³
Boiling Point	169 to 170 °C




Paraquat dichloride tetrahydrate

Molecular Weight	257.158
Molecular Formula	C ₁₂ H ₁₄ Cl ₂ N ₂
Density	1.25 g/cm ³
Melting Point	175 °C
Boiling Point	300 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	311-45-5	Acetone	S-2914

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1910-42-5	Methanol-P&T	S-2915



Parathion

Molecular Weight	291.3
Molecular Formula	C ₁₀ H ₁₄ NO ₅ PS
Density	1.26 g/cm ³
Melting Point	6 °C
Boiling Point	375 °C




Pebulate

Molecular Weight	203.344
Molecular Formula	C ₁₀ H ₂₁ NOS
Density	0.946 g/cm ³
Boiling Point	142 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	56-38-2	Methanol	S-2920

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1114-71-2	Methanol	S-2925



Pencycuron

Molecular Weight	328.8
Molecular Formula	C ₁₉ H ₂₁ ClN ₂ O
Density	1.22 g/cm ³
Melting Point	132 °C
Boiling Point	286 °C



Pentachloroaniline


Molecular Weight	265.339
Molecular Formula	C ₆ H ₂ Cl ₅ N
Melting Point	235 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	66063-05-6	Acetonitrile	S-5171

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	527-20-8	Acetone	S-4783


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL


**2,3,4,5,6-
Pentachloroanisole**


Molecular Weight	280.35
Molecular Formula	C ₇ H ₃ Cl ₅ O
Melting Point	109 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1825-21-4	Methanol	S-2930


Pentachlorobenzene


Molecular Weight	250.324
Molecular Formula	C ₆ HCl ₅
Density	1.834 g/cm ³
Melting Point	86 °C
Boiling Point	275 to 277 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	608-93-5	Acetone	S-2935-AC
		Methanol-P&T	S-2935


Pentachloroethane


Molecular Weight	202.28
Molecular Formula	C ₂ HCl ₅
Density	1.679 g/cm ³
Melting Point	-29 °C
Boiling Point	162 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	76-01-7	Methanol-P&T	S-2940


**Pentachloronitrobenzene
(Quintozene)**


Molecular Weight	295.321
Molecular Formula	C ₆ Cl ₅ NO ₂
Density	1.72 g/cm ³
Melting Point	143 °C
Boiling Point	328 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	82-68-8	Methanol	S-2945


Pentachlorophenol


Molecular Weight	266.323
Molecular Formula	C ₆ HCl ₅ O
Density	1.98 g/cm ³
Melting Point	174 °C
Boiling Point	309 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	87-86-5	Methanol	S-2950


Pentachlorophenol-13C6


Molecular Weight	272.277
Molecular Formula	C ₆ HCl ₅ O

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	85380-74-1	Methanol-P&T	S-4202


Pentachlorophenyl

Molecular Weight	296.411
Molecular Formula	C ₇ H ₃ Cl ₅ S

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1825-19-0	Methanol	S-5505


**2,3,4,5,6-
Pentachlorotoluene**

Molecular Weight	264.351
Molecular Formula	C ₇ H ₃ Cl ₅
Density	1.597 g/cm ³
Boiling Point	301 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	877-11-2	Methylene Chloride	S-2952

Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



n-Pentacontane

Molecular Weight	703.366
Molecular Formula	$\text{C}_{50}\text{H}_{102}$



n-Pentadecane

Molecular Weight	212.421
Molecular Formula	$\text{C}_{15}\text{H}_{32}$
Density	0.769 g/cm ³
Melting Point	10 °C
Boiling Point	270 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	6596-40-3	Carbon Disulfide:Pentane:Methylene Chloride	S-2953

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	629-62-9	Methanol-P&T	S-2960



n-Pentadecene

Molecular Weight	210.405
Molecular Formula	$\text{C}_{15}\text{H}_{30}$
Melting Point	-3 °C
Boiling Point	58 °C



1,4-Pentanediol

Molecular Weight	104.149
Molecular Formula	$\text{C}_5\text{H}_{12}\text{O}_2$

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	13360-61-7	Methanol-P&T	S-4212

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	626-95-9	Methanol-P&T	S-2965



1,5-Pentanediol

Molecular Weight	104.149
Molecular Formula	$\text{C}_5\text{H}_{12}\text{O}_2$
Density	0.994 g/cm ³
Melting Point	-18 °C
Boiling Point	242 °C




1-Pentanol

Molecular Weight	88.15
Molecular Formula	$\text{C}_5\text{H}_{12}\text{O}$
Density	0.815 g/cm ³
Melting Point	-79 °C
Boiling Point	138 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	111-29-5	Methanol-P&T	S-2974

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	71-41-0	Methanol-P&T	S-2980



2-Pentanol

Molecular Weight	88.15
Molecular Formula	$\text{C}_5\text{H}_{12}\text{O}$
Density	0.812 g/cm ³
Melting Point	-73 °C
Boiling Point	119 °C



2-Pentanone


Molecular Weight	86.134
Molecular Formula	$\text{C}_5\text{H}_{10}\text{O}$
Density	0.809 g/cm ³
Melting Point	-78 °C
Boiling Point	102 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	6032-29-7	Methanol-P&T	S-2985

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107-87-9	Methanol-P&T	S-2986


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**3-Pentanone**

Molecular Weight	86.134
Molecular Formula	C ₅ H ₁₀ O
Density	0.99 g/cm ³
Melting Point	-42 °C
Boiling Point	102 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	96-22-0	Methanol-P&T	S-3932

**n-Pentatriacontane**


Molecular Weight	492.961
Molecular Formula	C ₃₅ H ₇₂

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	630-07-9	Hexane	S-2990

**1-Pentene**


Molecular Weight	70.135
Molecular Formula	C ₅ H ₁₀
Density	0.641 g/cm ³
Melting Point	-165 °C
Boiling Point	30 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	109-67-1	Methanol-P&T	S-2995

**Perfluorooctanesulfonic acid**


Molecular Weight	500.126
Molecular Formula	C ₈ HF ₁₇ O ₃ S
Boiling Point	133 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1763-23-1	Methanol	S-5059

**Perfluorooctanoic acid**


Molecular Weight	414.07
Molecular Formula	C ₈ HF ₁₅ O ₂
Density	1.8 g/cm ³
Melting Point	45 °C
Boiling Point	189 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	335-67-1	Methanol	S-4460-MEOH

**Perfluorotributylamine**


Molecular Weight	671.096
Molecular Formula	C ₁₂ F ₂₇ N
Density	1.884 g/cm ³
Melting Point	-50 °C
Boiling Point	178 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	311-89-7	Methanol-P&T	S-2997

**cis-Permethrin**

Molecular Weight	391.288
Molecular Formula	C ₂₁ H ₂₀ Cl ₂ O ₃
Density	1.19 to 1.27 g/cm ³
Melting Point	< 20 °C
Boiling Point	> 290 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	61949-76-6	Methanol-P&T	S-3001


**trans-Permethrin**

Molecular Weight	391.228
Molecular Formula	C ₂₁ H ₂₀ Cl ₂ O ₃

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	51877-74-8	Methanol	S-3003


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



trans-Permethrin (isomeric mix)

Molecular Weight	391.228
Molecular Formula	$C_{21}H_{20}Cl_2O_3$




Perylene

Molecular Weight	252.316
Molecular Formula	$C_{20}H_{12}$
Density	1.35 g/cm ³
Melting Point	273 to 274 °C
Boiling Point	350 to 400 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	61949-77-7	Acetone	S-5732

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	198-55-0	Methylene Chloride	S-3005



Perylene-d₁₂

Molecular Weight	264.389
Molecular Formula	$C_{20}H_{12}$
Density	1.348 g/cm ³
Melting Point	277 to 279 °C
Boiling Point	468 °C




Phenamiphos

Molecular Weight	303.357
Molecular Formula	$C_{13}H_{22}NO_3PS$
Density	1.15 g/cm ³
Melting Point	49 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1520-96-3	Methylene Chloride	S-3010

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	22224-92-6	Methanol	S-3014



Phenanthrene

Molecular Weight	178.234
Molecular Formula	$C_{14}H_{10}$
Density	1.179 g/cm ³
Melting Point	100 °C
Boiling Point	340 °C




Phenanthrene-d₁₀

Molecular Weight	188.295
Molecular Formula	$C_{14}H_{10}$
Density	1.194 g/cm ³
Melting Point	100 to 101 °C
Boiling Point	337 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	85-01-8	Methylene Chloride	S-3015

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1517-22-2	Methylene Chloride	S-3020



Phenol

Molecular Weight	94.113
Molecular Formula	C_6H_6O
Density	1.071 g/cm ³
Melting Point	41 °C
Boiling Point	182 °C



Phenol-d₆


Molecular Weight	100.15
Molecular Formula	C_6H_6O

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-95-2	DI Water	S-3030-W
		Methanol-P&T	S-3030

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	13127-88-3	Methanol-P&T	S-3035


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Phenothiazine**


Molecular Weight	199.271
Molecular Formula	C ₁₂ H ₉ NS
Density	1.34 g/cm ³
Melting Point	185 °C
Boiling Point	371 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	92-84-2	Methanol-P&T	S-3040

**3-Phenoxybenzoic acid**


Molecular Weight	214.22
Molecular Formula	C ₁₃ H ₁₀ O ₃
Melting Point	149 to 150 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	3739-38-6	Hexane:Methylene Chloride (90:10)	S-5946-H

**Phenthoate**


Molecular Weight	320.4
Molecular Formula	C ₁₂ H ₁₇ O ₄ PS ₂
Density	1.23 g/cm ³
Melting Point	17 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2597-03-7	Methanol-P&T	S-4250

**Phenyl ether**


Molecular Weight	170.211
Molecular Formula	C ₁₂ H ₁₀ O
Density	0.018 g/cm ³
Melting Point	28 °C
Boiling Point	257 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	101-84-8	Methanol-P&T	S-3055

**2-Phenyl-2-propanol**


Molecular Weight	136.194
Molecular Formula	C ₉ H ₁₂ O
Density	0.973 g/cm ³
Melting Point	36 °C
Boiling Point	202 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	617-94-7	Methanol-P&T	S-3076

**Phenylacetaldehyde**


Molecular Weight	120.151
Molecular Formula	C ₈ H ₈ O
Density	1.079 g/cm ³
Melting Point	-10 °C
Boiling Point	195 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	122-78-1	Methanol-P&T	S-3062

**4-Phenylazoaniline**

Molecular Weight	197.241
Molecular Formula	C ₆ H ₅ N
Density	1.05 g/cm ³
Melting Point	128 °C
Boiling Point	360 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	60-09-3	Methanol-P&T	S-3065


**1-Phenyldodecane**

Molecular Weight	246.438
Molecular Formula	C ₁₈ H ₃₀
Density	0.86 g/cm ³
Melting Point	3 °C
Boiling Point	328 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	123-01-3	Methanol-P&T	S-3933

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



1,3-Phenylenediamine

Molecular Weight	108.144
Molecular Formula	C ₆ H ₈ N ₂
Density	1.14 g/cm ³
Melting Point	62 to 63 °C
Boiling Point	284 to 287 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-45-2	Methanol	S-3072



p-Phenylenediamine

Molecular Weight	108.144
Molecular Formula	C ₆ H ₈ N ₂
Density	> 1 g/cm ³
Melting Point	139 to 147 °C
Boiling Point	267 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	106-50-3	Methanol-P&T	S-3070



2-Phenylphenol

Molecular Weight	170.211
Molecular Formula	C ₁₂ H ₁₀ O
Density	1.213 g/cm ³
Melting Point	56 °C
Boiling Point	286 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	90-43-7	Methanol-P&T	S-3075



Phorate

Molecular Weight	260.4
Molecular Formula	C ₇ H ₁₇ O ₂ PS ₃
Density	1.17 g/cm ³
Melting Point	-15 °C
Boiling Point	75 to 78 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	298-02-2	Acetone	S-3080-AC
		Methanol	S-3080



Phorate sulfone

Molecular Weight	292.363
Molecular Formula	C ₇ H ₁₇ O ₄ PS ₃


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2588-04-7	Methanol-P&T	S-4256



Phorate sulfoxide

Molecular Weight	276.364
Molecular Formula	C ₇ H ₁₇ O ₃ PS ₃


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2588-03-6	Acetonitrile	S-5777-ACN



Phosalone

Molecular Weight	367.8
Molecular Formula	C ₁₂ H ₁₅ ClNO ₄ PS ₂
Density	1.49 g/cm ³
Melting Point	50 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2310-17-0	Methanol	S-3085




Phosmet (Imidan)

Molecular Weight	317.3
Molecular Formula	C ₁₁ H ₁₂ NO ₄ PS ₂
Density	1.44 g/cm ³
Melting Point	72 °C
Boiling Point	Decomposes


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	732-11-6	Methanol	S-2245

Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Phosmet oxon**

Molecular Weight	301.253
Molecular Formula	C ₁₁ H ₁₂ NO ₅ PS
Density	1.45 g/cm ³
Boiling Point	110 °C


**Phosphamidon**

(33.4% E; 64.6% Z)


Molecular Weight	299.688
Molecular Formula	C ₁₀ H ₁₉ ClNO ₅ P
Density	1.21 g/cm ³
Melting Point	120 °C
Boiling Point	162 °C

Concentration	CAS #	Matrix	Part #
100 µg/mL	3735-33-9	Toluene	S-4182

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	13171-21-6	Methanol-P&T	S-3090

**Phthalic acid**


Molecular Weight	166.132
Molecular Formula	C ₈ H ₆ O ₄
Density	1.593 g/cm ³
Melting Point	230 °C
Boiling Point	Decomposes

**Phthalic acid, n-pentyl-isopentyl ester
(mix of isomers)**


Molecular Weight	306.402
Molecular Formula	C ₁₈ H ₂₆ O ₄

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	88-99-3	Methyl Tertiary Butyl Ether	S-3095

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	84777-06-0	Methanol	S-6147

**Phthalic anhydride**


Molecular Weight	148.117
Molecular Formula	C ₈ H ₄ O ₃
Density	1.53 g/cm ³
Melting Point	131 °C
Boiling Point	284 to 285 °C

**Phytane**


Molecular Weight	282.556
Molecular Formula	C ₂₀ H ₄₂
Density	288.5 g/cm ³

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	85-44-9	Methanol	S-3100

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	638-36-8	Methylene Chloride	S-3105

**Picloram**

Molecular Weight	241.452
Molecular Formula	C ₆ H ₃ Cl ₃ N ₂ O ₂
Melting Point	218 °C

**Picoxystrobin**


Molecular Weight	367.324
Molecular Formula	C ₁₈ H ₁₆ F ₃ NO ₄

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1918-02-1	Methanol	S-3110

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	117428-22-5	Methanol	S-5467


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



Piperonyl butoxide

Molecular Weight	338.4
Molecular Formula	C ₁₉ H ₃₀ O ₅
Density	1.06 g/cm ³




Pirimicarb

Molecular Weight	238.3
Molecular Formula	C ₁₁ H ₁₈ N ₄ O ₂
Density	1.18 g/cm ³
Melting Point	92 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	51-03-6	Methanol-P&T	S-3117

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	23103-98-2	Methanol	S-3118



Pirimiphos-ethyl

Molecular Weight	333.387
Molecular Formula	C ₁₁ H ₂₀ N ₃ O ₃ PS
Density	1.147 g/cm ³
Melting Point	17 °C




Pirimiphos-methyl

Molecular Weight	305.3
Molecular Formula	C ₁₁ H ₂₀ N ₃ O ₃ PS
Density	1.17 g/cm ³
Melting Point	21 °C
Boiling Point	Decomposes


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	23505-41-1	Methanol-P&T	S-3120

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	29232-93-7	Methanol-P&T	S-3119



Poly(propylene glycol) - 1000

Molecular Weight	134.175
Molecular Formula	C ₆ H ₁₄ O ₃
Density	1.012 g/cm ³
Melting Point	-50 °C




Polyethylene glycol - 200

Molecular Formula	H(OCH ₂ CH ₂) _n OH
Density	1.27 g/cm ³
Melting Point	64 to 66 °C
Boiling Point	> 250 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	25322-69-4	Methanol-P&T	S-3131

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	25322-68-3	Methanol-P&T	S-3126



Polyethylene glycol - 400

Molecular Formula	H(OCH ₂ CH ₂) _n OH
Density	1.27 g/cm ³
Melting Point	64 to 66 °C
Boiling Point	> 250 °C



Polyethylene glycol - 600

Molecular Formula	H(OCH ₂ CH ₂) _n OH
Density	1.27 g/cm ³
Melting Point	64 to 66 °C
Boiling Point	> 250 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	25322-68-3	Methanol-P&T	S-3127

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	25322-68-3	Methanol-P&T	S-3128

Volume for all Organic Singles is 1 mL



Molecular Weight	376.7
Molecular Formula	$C_{15}H_{16}Cl_3N_3O_2$
Density	1.42 g/cm ³
Melting Point	48 °C
Boiling Point	Decomposes



Molecular Weight	284.136
Molecular Formula	C ₁₃ H ₁₁ Cl ₂ NO ₂

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	32809-16-8	Methanol-P&T	S-3871



Molecular Weight	373.626
Molecular Formula	C ₁₁ H ₁₅ BrClO ₃ PS
Density	1.46 g/cm ³



Molecular Weight	314.469
Molecular Formula	C ₂₁ H ₃₀ O ₂
Density	1.166 g/cm ³
Melting Point	121 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	57-83-0	Methanol	S-5543



Molecular Weight	207.273
Molecular Formula	C ₁₂ H ₁₇ NO ₂
Melting Point	87 °C
Boiling Point	117 °C



Molecular Weight	225.296
Molecular Formula	C ₁₀ H ₁₉ N ₅ O
Density	1.088 g/cm ³
Melting Point	91 to 92 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1610-18-0	Acetone	S-3130



Molecular Weight	241.357
Molecular Formula	C ₁₀ H ₁₉ N ₅ S
Density	1.157 g/cm ³
Melting Point	119 °C




Molecular Weight	211.689
Molecular Formula	C ₁₁ H ₁₄ ClNO
Density	1.242 g/cm ³
Melting Point	77 °C
Boiling Point	110 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1918-16-7	Acetone	S-3140

Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



Propanil

Molecular Weight	218.077
Molecular Formula	C ₉ H ₉ Cl ₂ NO
Density	1.25 g/cm ³
Melting Point	92 °C
Boiling Point	351 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	709-98-8	Acetone	S-3155-AC
		Methanol-P&T	S-3155



1-Propanol

Molecular Weight	60.096
Molecular Formula	C ₃ H ₈ O
Density	0.803 g/cm ³
Melting Point	-127 °C
Boiling Point	97 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	71-23-8	Methanol-P&T	S-3160



2-Propanol

Molecular Weight	60.096
Molecular Formula	C ₃ H ₈ O
Density	0.779 g/cm ³
Melting Point	-89 °C
Boiling Point	82 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	67-63-0	Methanol-P&T	S-3167



Propazine

Molecular Weight	229.7
Molecular Formula	C ₉ H ₁₆ ClN ₅
Density	1.16 g/cm ³
Melting Point	213 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	139-40-2	Methanol	S-3170



Propene

Molecular Weight	42.081
Molecular Formula	C ₃ H ₆
Density	0.514 g/cm ³
Melting Point	-185 °C
Boiling Point	-48 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	115-07-1	Methanol-P&T	S-3175



Prophos

Molecular Weight	242.332
Molecular Formula	C ₈ H ₁₉ O ₂ PS ₂
Density	1.094 g/cm ³
Melting Point	-13 °C
Boiling Point	86 to 91 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	13194-48-4	Acetone	S-3185



Propiconazole (Tilt)

Molecular Weight	342.2
Molecular Formula	C ₁₅ H ₁₇ Cl ₂ N ₃ O ₂
Density	1.09 g/cm ³
Melting Point	-23 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	60207-90-1	Acetone	S-3186




Propionaldehyde

Molecular Weight	58.08
Molecular Formula	C ₃ H ₆ O
Density	0.81 g/cm ³
Melting Point	92 °C
Boiling Point	49 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	123-38-6	Methanol-P&T	S-3190


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Propionic acid**


Molecular Weight	74.079
Molecular Formula	C ₃ H ₆ O ₂
Density	0.99 g/cm ³
Melting Point	-21 °C
Boiling Point	141 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	79-09-4	DI Water	S-3192

**Propionitrile**


Molecular Weight	55.08
Molecular Formula	C ₃ H ₅ N
Density	0.78 g/cm ³
Melting Point	-92 °C
Boiling Point	97 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107-12-0	Methanol-P&T	S-3195

**Propyl acetate**


Molecular Weight	102.133
Molecular Formula	C ₅ H ₁₀ O ₂
Density	0.89 g/cm ³
Melting Point	-95 °C
Boiling Point	102 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	109-60-4	Methanol-P&T	S-3204

**Propyl paraben**


Molecular Weight	180.203
Molecular Formula	C ₁₀ H ₁₂ O ₃
Density	1.06 g/cm ³
Melting Point	97 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	94-13-3	Methanol-P&T	S-3202

**Propylamine**


Molecular Weight	59.112
Molecular Formula	C ₃ H ₉ N
Density	0.719 g/cm ³
Melting Point	-83 °C
Boiling Point	48 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107-10-8	Methanol-P&T	S-3205

**n-Propylbenzene**


Molecular Weight	120.195
Molecular Formula	C ₉ H ₁₂
Density	0.862 g/cm ³
Melting Point	-99 °C
Boiling Point	159 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	103-65-1	Methanol-P&T	S-3210

**Propylene glycol**

Molecular Weight	76.095
Molecular Formula	C ₃ H ₈ O ₂
Density	1.04 g/cm ³
Melting Point	-60 °C
Boiling Point	188 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	57-55-6	Methanol-P&T	S-3212


**Propylene glycol methyl ether acetate**

Molecular Weight	132.159
Molecular Formula	C ₆ H ₁₂ O ₃
Density	0.969 g/cm ³
Boiling Point	146 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-65-6	Methanol-P&T	S-3213


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



Propylene oxide

Molecular Weight	58.08
Molecular Formula	C ₃ H ₆ O
Density	0.859 g/cm ³
Melting Point	-112 °C
Boiling Point	34 °C




2-n-Propylphenol

Molecular Weight	136.194
Molecular Formula	C ₉ H ₁₂ O
Density	0.989 g/cm ³
Boiling Point	225 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-56-9	Methanol-P&T	S-3214

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	644-35-9	Methanol-P&T	S-4301



Propyzamide

Molecular Weight	256.126
Molecular Formula	C ₁₂ H ₁₁ Cl ₂ NO
Melting Point	155 °C




Prosulfocarb

Molecular Weight	251.388
Molecular Formula	C ₁₄ H ₂₁ NOS


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	23950-58-5	Methanol-P&T	S-3220

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	52888-80-9	Methanol	S-3223



Prowl (Pendimethalin)

Molecular Weight	281.3
Molecular Formula	C ₁₃ H ₁₉ N ₃ O ₄
Density	1.17 g/cm ³
Melting Point	56 °C
Boiling Point	246 °C




(+)-Pulegone

Molecular Weight	152.237
Molecular Formula	C ₁₀ H ₁₆ O
Density	0.932 g/cm ³
Boiling Point	224 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	40487-42-1	Methanol-P&T	S-3230

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	89-82-7	Methanol	S-5136



Pyraclostrobin

Molecular Weight	387.8
Molecular Formula	C ₁₉ H ₁₈ ClN ₃ O ₄
Density	1.37 g/cm ³
Melting Point	64 °C
Boiling Point	Decomposes



Pyrazophos

Molecular Weight	373.364
Molecular Formula	C ₁₄ H ₂₀ N ₃ O ₅ PS
Density	1.348 g/cm ³
Melting Point	51 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	175013-18-0	Methanol	S-4968

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	13457-18-6	Methanol-P&T	S-3234


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Pyrene**


Molecular Weight	202.256
Molecular Formula	C ₁₆ H ₁₀
Density	1.271 g/cm ³
Melting Point	151 °C
Boiling Point	404 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	129-00-0	Methylene Chloride	S-3235

**Pyrene-d₁₀**


Molecular Weight	212.317
Molecular Formula	C ₁₆ H ₁₀
Melting Point	146 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1718-52-1	Methanol-P&T	S-3236

**Pyrethrins**
(mix of isomers)


Molecular Weight	328.4
Molecular Formula	C ₂₁ H ₂₈ O ₃
Density	0.85 g/cm ³
Melting Point	142 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	8003-34-7	Acetone	S-5506-AC
		Methanol	S-5506

**Pyrethrins**
(mix of isomers)

Molecular Weight	700.913
Molecular Formula	C ₄₃ H ₅₆ O ₈
Density	0.84 to 0.90 g/cm ³

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	8003-34-7	Methanol-P&T	S-3872A

**Pyridaben**


Molecular Weight	364.9
Molecular Formula	C ₁₉ H ₂₅ ClN ₂ OS
Density	1.20 g/cm ³
Melting Point	109 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	96489-71-3	Acetone	S-5779-AC

**Pyridine**


Molecular Weight	79.102
Molecular Formula	C ₅ H ₅ N
Density	0.98 g/cm ³
Melting Point	-42 °C
Boiling Point	115 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	110-86-1	Methanol-P&T	S-3240
		Toluene	S-3240-TOL

**Pyriproxyfen**

Molecular Weight	321.376
Molecular Formula	C ₂₀ H ₁₉ NO ₃
Density	1.24 g/cm ³
Melting Point	47 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	95737-68-1	Acetonitrile	S-4969


**Pyruvic acid**

Molecular Weight	88.06
Molecular Formula	C ₃ H ₄ O ₃
Density	1.25 g/cm ³
Melting Point	14 °C
Boiling Point	54 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	127-17-3	DI Water	S-3242


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



Quinalphos

Molecular Weight	298.3
Molecular Formula	C ₁₂ H ₁₅ N ₂ O ₃ PS
Density	1.24 g/cm ³
Melting Point	31 °C




Quinchlorac

Molecular Weight	242.055
Molecular Formula	C ₁₀ H ₅ Cl ₂ NO ₂


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	13593-03-8	Acetone	S-3246

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	84087-01-4	Methanol-P&T	S-3950



Quinoline

Molecular Weight	129.162
Molecular Formula	C ₉ H ₇ N
Density	1.095 g/cm ³
Melting Point	-15 °C
Boiling Point	238 °C




Quinoline-d₇

Molecular Weight	136.205
Molecular Formula	C ₉ H ₇ N
Density	1.151 g/cm ³
Melting Point	-15 °C
Boiling Point	237 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	91-22-5	Methanol-P&T	S-3245
		Methylene Chloride	S-3245-MC

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	34071-94-8	Methanol	S-4310



Quinomethionate

Molecular Weight	234.291
Molecular Formula	C ₁₀ H ₆ N ₂ OS ₂
Density	1.556 g/cm ³
Melting Point	171 °C




Quizalofop-p-ethyl

Molecular Weight	372.805
Molecular Formula	C ₁₉ H ₁₇ ClN ₂ O ₄
Density	1.35 g/cm ³
Melting Point	92 °C
Boiling Point	220 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2439-01-2	Toluene	S-3247

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	100646-51-3	Acetonitrile	S-5037



RDX

Molecular Weight	222.117
Molecular Formula	C ₃ H ₆ N ₆ O ₆
Density	1.82 g/cm ³
Melting Point	206 °C
Boiling Point	276 to 280 °C



Reserpine


Molecular Weight	608.688
Molecular Formula	C ₃₃ H ₄₀ N ₂ O ₉
Melting Point	265 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	121-82-4	Acetonitrile: Methanol	S-3251

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	50-55-5	Methanol:Acetone (50:50)	S-3249


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Resmethrin**


Molecular Weight	338.4
Molecular Formula	C ₂₂ H ₂₆ O ₃
Density	0.96 g/cm ³
Melting Point	56 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	10453-86-8	Acetone	S-3252

**Resorcinol**


Molecular Weight	110.112
Molecular Formula	C ₆ H ₆ O ₂
Density	1.28 g/cm ³
Melting Point	111 °C
Boiling Point	280 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-46-3	Methanol-P&T	S-3250

**Retene**


Molecular Weight	234.342
Molecular Formula	C ₁₈ H ₁₈
Density	1.04 g/cm ³
Melting Point	99 °C
Boiling Point	208 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	483-65-8	Methylene Chloride	S-4436

**Rotenone**


Molecular Weight	394.423
Molecular Formula	C ₂₃ H ₂₂ O ₆
Density	1.27 g/cm ³
Melting Point	163 °C
Boiling Point	215 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	83-79-4	Methanol-P&T	S-3248

**Sabinene**


Molecular Weight	136.238
Molecular Formula	C ₁₀ H ₁₆

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	3387-41-5	Methanol	S-6645

**Safrotin**


Molecular Weight	281.307
Molecular Formula	C ₁₀ H ₂₀ NO ₄ PS
Density	1.129 g/cm ³
Boiling Point	88 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	31218-83-4	Methanol-P&T	S-3260

**Sebuthylazine**

Molecular Weight	229.712
Molecular Formula	C ₉ H ₁₆ ClN ₅

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	7286-69-3	Methanol	S-4003


**Sethoxydim**

Molecular Weight	327.483
Molecular Formula	C ₁₇ H ₂₉ NO ₃ S
Density	1.043 g/cm ³
Boiling Point	> 90 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	74051-80-2	Acetone	S-3266
		Acetonitrile	S-3266-ACN

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



Silvex methyl ester

Molecular Weight	283.529
Molecular Formula	C ₁₀ H ₉ Cl ₃ O ₃


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	4841-20-7	Methanol-P&T	S-3270



Simazine

Molecular Weight	201.7
Molecular Formula	C ₇ H ₁₂ ClN ₅
Density	1.30 g/cm ³
Melting Point	Decomposes
Boiling Point	Decomposes


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	122-34-9	Acetone	S-3280



Sodium fluoroacetate

Molecular Weight	100.024
Molecular Formula	C ₂ H ₂ FNaO ₂
Density	< 1 g/cm ³
Melting Point	200-202 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	62-74-8	DI Water	S-3291



Sonar/Fluridone

Molecular Weight	329.332
Molecular Formula	C ₁₉ H ₁₄ F ₃ NO
Density	0.358 g/cm ³
Melting Point	154 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	59756-60-4	Methanol-P&T	S-3290



Spinosad

Molecular Weight	732.0
Molecular Formula	C ₄₁ H ₆₅ NO ₁₀
Density	0.51 g/cm ³
Melting Point	92 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	131929-60-7	Acetonitrile	S-5672



Spiromesifen

Molecular Weight	370.5
Molecular Formula	C ₂₃ H ₃₀ O ₄
Density	1.13 g/cm ³
Melting Point	98 °C
Boiling Point	Decomposes


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	283594-90-1	Acetone	S-5296



Spirotetramat

Molecular Weight	373.4
Molecular Formula	C ₂₁ H ₂₇ NO ₅
Density	1.22 g/cm ³
Melting Point	142 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	203313-25-1	HPLC Acetonitrile	S-5873




Spiroxamine

Molecular Weight	297.483
Molecular Formula	C ₁₈ H ₃₅ NO ₂

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	118134-30-8	Methanol	S-5469


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL


Stirophos
(Tetrachlorvinphos)


Molecular Weight	365.952
Molecular Formula	C ₁₀ H ₉ Cl ₄ O ₄ P
Melting Point	97 to 98 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	961-11-5	Acetone	S-3425


Strychnine


Molecular Weight	334.419
Molecular Formula	C ₂₁ H ₂₂ N ₂ O ₂
Density	1.36 g/cm ³
Melting Point	275 to 285 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	57-24-9	Methanol	S-3295


Styrene


Molecular Weight	104.152
Molecular Formula	C ₈ H ₈
Density	0.902 g/cm ³
Melting Point	-33 °C
Boiling Point	145 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	100-42-5	Methanol-P&T	S-3300


Sucrose


Molecular Weight	342.297
Molecular Formula	C ₁₂ H ₂₂ O ₁₁
Density	1.587 g/cm ³

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	57-50-1	Methanol-P&T	S-3308


Sulfometuromethyl

Molecular Weight	364.376
Molecular Formula	C ₁₅ H ₁₆ N ₄ O ₅ S
Density	1.48 g/cm ³
Melting Point	202 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	74222-97-2	Methanol-P&T	S-3302


Sulfosulfuron


Molecular Weight	470.475
Molecular Formula	C ₁₆ H ₁₈ N ₆ O ₇ S ₂
Density	1.519 g/cm ³
Melting Point	201 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	141776-32-1	Methanol	S-4997


Sulfur

Molecular Weight	32.06
Molecular Formula	S
Density	2.1 g/cm ³
Melting Point	120 °C
Boiling Point	445 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	7704-34-9	Methylene Chloride	S-3875



TCMTB

Molecular Weight	238.341
Molecular Formula	C ₉ H ₆ N ₂ S ₃
Density	1.05 g/cm ³
Melting Point	-10 °C
Boiling Point	> 120 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	21564-17-0	Methanol	S-3359

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



Tebuconazole (Folicur)

Molecular Weight	307.8
Molecular Formula	C ₁₆ H ₂₂ ClN ₃ O
Density	1.25 g/cm ³
Melting Point	105 °C
Boiling Point	Decomposes


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107534-96-3	Methanol	S-2056



Tebufenpyrad

Molecular Weight	333.9
Molecular Formula	C ₁₈ H ₂₄ ClN ₃ O
Density	1.17 g/cm ³
Melting Point	65 °C
Boiling Point	Decomposes


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	119168-77-3	Methanol	S-5226



Tebuthiuron

Molecular Weight	228.314
Molecular Formula	C ₉ H ₁₆ N ₄ OS
Melting Point	162 to 164 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	34014-18-1	Acetone	S-3310



Teflubenzuron

Molecular Weight	381.108
Molecular Formula	C ₁₄ H ₆ Cl ₂ F ₄ N ₂ O ₂


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	83121-18-0	Acetonitrile	S-5458-ACN



Tefluthrin

Molecular Weight	418.736
Molecular Formula	C ₁₇ H ₁₄ ClF ₇ O ₂
Density	1.48 g/cm ³
Melting Point	45 °C
Boiling Point	156 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	79538-32-2	Acetone	S-4281-AC



TEPP

Molecular Weight	290.189
Molecular Formula	C ₈ H ₂₀ O ₇ P ₂
Density	1.18 g/cm ³
Melting Point	0 °C
Boiling Point	124 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	107-49-3	Methanol	S-3315



Terbacil

Molecular Weight	216.665
Molecular Formula	C ₉ H ₁₃ ClN ₂ O ₂
Density	1.34 g/cm ³
Melting Point	176 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	5902-51-2	Methanol-P&T	S-3320




Terbufos

Molecular Weight	288.4
Molecular Formula	C ₉ H ₂₁ O ₂ PS
Density	1.11 g/cm ³
Melting Point	-29 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	13071-79-9	Methanol	S-3325


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Terbutylazine**


Molecular Weight	229.712
Molecular Formula	C ₉ H ₁₆ ClN ₅
Density	1.122 g/cm ³

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	5915-41-3	Methanol	S-3330

**Terbutylazine-desethyl**


Molecular Weight	201.658
Molecular Formula	C ₇ H ₁₂ ClN ₅

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	30125-63-4	HPLC Acetonitrile	S-5591

**Terbutryne**


Molecular Weight	241.357
Molecular Formula	C ₁₀ H ₁₉ N ₅ S
Density	1.115 g/cm ³
Melting Point	104 °C
Boiling Point	157 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	886-50-0	Methanol-P&T	S-3335

**o-Terphenyl**


Molecular Weight	230.31
Molecular Formula	C ₁₈ H ₁₄
Density	1.1 g/cm ³
Melting Point	56 °C
Boiling Point	332 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	84-15-1	Methanol	S-3345

**p-Terphenyl**


Molecular Weight	230.31
Molecular Formula	C ₁₈ H ₁₄
Density	1.23 g/cm ³
Melting Point	210 °C
Boiling Point	376 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	92-94-4	Methylene Chloride	S-3350

**p-Terphenyl-d₁₄**


Molecular Weight	244.395
Molecular Formula	C ₁₈ H ₁₄

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1718-51-0	Methylene Chloride	S-3355

**alpha-Terpineol**

Molecular Weight	154.253
Molecular Formula	C ₁₀ H ₁₈ O
Density	0.935 g/cm ³
Melting Point	36 °C
Boiling Point	81 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	10482-56-1	Acetone	S-3356-AC


**alpha-Terpineol**

Molecular Weight	154.253
Molecular Formula	C ₁₀ H ₁₈ O
Density	0.93 g/cm ³
Melting Point	-30 °C
Boiling Point	215 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	98-55-5	Methanol-P&T	S-4145

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



Terrazole

Molecular Weight	247.518
Molecular Formula	C ₅ H ₅ Cl ₃ N ₂ OS
Density	1.497 g/cm ³
Melting Point	22 °C
Boiling Point	95 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2593-15-9	Methanol-P&T	S-3360



Tetrabromo bisphenol A

Molecular Weight	543.875
Molecular Formula	C ₁₅ H ₁₂ Br ₄ O ₂
Melting Point	179 °C
Boiling Point	316 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	79-94-7	Methanol-P&T	S-4311



2,2',5,5'-Tetrabromo-biphenyl

Molecular Weight	469.796
Molecular Formula	C ₁₂ H ₆ Br ₄


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	59080-37-4	Methanol	S-4144



2,2',4,4'-Tetrabromo-diphenyl ether

Molecular Weight	485.795
Molecular Formula	C ₁₂ H ₆ Br ₄ O
Melting Point	82 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	5436-43-1	Methanol	S-4376



2,4,5,6-Tetrachloro-m-xylene

Molecular Weight	243.936
Molecular Formula	C ₈ H ₆ Cl ₄


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	877-09-8	Acetone	S-3420



1,2,4,5-Tetrachloro-3-nitrobenzene

Molecular Weight	260.879
Molecular Formula	C ₆ HCl ₄ NO ₂
Density	1.744 g/cm ³
Melting Point	100 °C
Boiling Point	Decomposes


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	117-18-0	Methanol-P&T	S-3415



2,3,5,6-Tetrachloro-aniline

Molecular Weight	230.897
Molecular Formula	C ₆ H ₃ Cl ₄ N
Melting Point	107 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	3481-20-7	Methanol	S-4924




2,3,4,6-Tetrachloroanisole

Molecular Weight	245.908
Molecular Formula	C ₇ H ₄ Cl ₄ O
Melting Point	65 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	938-22-7	Methanol	S-3405B


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**2,3,5,6-Tetrachloroanisole**


Molecular Weight	245.908
Molecular Formula	C ₇ H ₄ Cl ₄ O

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	6936-40-9	Methanol	S-4465

**1,2,3,4-Tetrachlorobenzene**


Molecular Weight	215.882
Molecular Formula	C ₆ H ₂ Cl ₄
Melting Point	48 °C
Boiling Point	254 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	634-66-2	Methanol-P&T	S-3370

**1,2,3,5-Tetrachlorobenzene**


Molecular Weight	215.882
Molecular Formula	C ₆ H ₂ Cl ₄
Melting Point	51 °C
Boiling Point	246 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	634-90-2	Methanol-P&T	S-3375

**1,2,4,5-Tetrachlorobenzene**


Molecular Weight	215.882
Molecular Formula	C ₆ H ₂ Cl ₄
Melting Point	139 °C
Boiling Point	246 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	95-94-3	Methanol-P&T	S-3380

**1,1,2,2-Tetrachloroethane**


Molecular Weight	167.838
Molecular Formula	C ₂ H ₂ Cl ₄
Density	1.59 g/cm ³
Melting Point	-42 °C
Boiling Point	146 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	79-34-5	Methanol-P&T	S-3390

**Tetrachloroethene**


Molecular Weight	165.822
Molecular Formula	C ₂ Cl ₄
Density	1.62 g/cm ³
Melting Point	-22 °C
Boiling Point	121 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	127-18-4	Methanol-P&T	S-3395

**2,3,4,5-Tetrachlorophenol**

Molecular Weight	231.881
Molecular Formula	C ₆ H ₂ Cl ₄ O
Density	1.6 g/cm ³
Melting Point	117 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	4901-51-3	Methanol-P&T	S-3400


**2,3,5,6-Tetrachlorophenol**

Molecular Weight	231.881
Molecular Formula	C ₆ H ₂ Cl ₄ O
Density	1.6 g/cm ³
Melting Point	115 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	935-95-5	Methanol	S-3410

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



Tetrachloroterephthalic acid

Molecular Weight	303.9
Molecular Formula	C ₈ H ₂ Cl ₄ O ₄
Melting Point	343 to 345 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2136-79-0	Acetone	S-1067



n-Tetracontane

Molecular Weight	563.096
Molecular Formula	C ₄₀ H ₈₂


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	4181-95-7	Hexane	S-3430



n-Tetracosane

Molecular Weight	338.664
Molecular Formula	C ₂₄ H ₅₀
Density	0.799 g/cm ³
Melting Point	50 °C
Boiling Point	391 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	646-31-1	Freon 113	S-3435



n-Tetradecane

Molecular Weight	198.394
Molecular Formula	C ₁₄ H ₃₀
Density	0.763 g/cm ³
Melting Point	6 °C
Boiling Point	253 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	629-59-4	Methylene Chloride	S-3440



1-Tetradecanol

Molecular Weight	214.393
Molecular Formula	C ₁₄ H ₃₀ O
Density	0.823 g/cm ³
Melting Point	212 °C
Boiling Point	296 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	112-72-1	Methanol-P&T	S-3943



1-Tetradecene

Molecular Weight	196.378
Molecular Formula	C ₁₄ H ₂₈
Density	0.771 g/cm ³
Melting Point	-12 °C
Boiling Point	252 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1120-36-1	Methanol-P&T	S-3445



Tetradifon

Molecular Weight	356.038
Molecular Formula	C ₁₂ H ₆ Cl ₄ O ₂ S
Density	1.151 g/cm ³
Melting Point	148 to 149 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	116-29-0	Acetone	S-3450-AC




Tetraethyl lead

Molecular Weight	323.448
Molecular Formula	C ₈ H ₂₀ Pb
Melting Point	136 °C
Boiling Point	200 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	78-00-2	Methanol	S-4871

Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Tetraethyldithio
Pyrophosphate/Sulfotepp**

Molecular Weight	322.311
Molecular Formula	$C_8H_{20}O_5P_2S_2$
Boiling Point	138 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	3689-24-5	Methanol	S-3455

**1,1,1,2-Tetrafluoroethane**


Molecular Weight	102.032
Molecular Formula	CH_2FCF_3
Density	1.207 g/cm ³
Melting Point	-101 °C
Boiling Point	-26 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	811-97-2	Methanol-P&T	S-3386

**Tetrahydrofuran**


Molecular Weight	72.107
Molecular Formula	C_4H_8O
Density	0.89 g/cm ³
Melting Point	-109 °C
Boiling Point	66 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	109-99-9	Methanol-P&T	S-3460

**Tetrahydrofuran-d₈**


Molecular Weight	80.156
Molecular Formula	C_4H_8O
Density	0.985 g/cm ³
Melting Point	-106 °C
Boiling Point	66 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1693-74-9	Methanol-P&T	S-3461

**1,2,3,4-Tetrahydro-
naphthalene**


Molecular Weight	132.206
Molecular Formula	$C_{10}H_{12}$
Density	0.719 g/cm ³
Melting Point	-36 °C
Boiling Point	208 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	119-64-2	Methanol-P&T	S-3464

**Tetrahydrothiophene**


Molecular Weight	88.168
Molecular Formula	C_4H_8S
Density	0.997 g/cm ³
Melting Point	-96 °C
Boiling Point	121 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	110-01-0	Methanol-P&T	S-3470

**Tetramethrin**

Molecular Weight	331.4
Molecular Formula	$C_{19}H_{25}NO_4$
Density	1.11 g/cm ³
Melting Point	69 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	7696-12-0	Acetone	S-4251-AC
		Methanol-P&T	S-4251


**Tetramethylammonium
hydroxide**

Molecular Weight	91.154
Molecular Formula	$C_4H_{13}NO$
Density	1.015 g/cm ³
Melting Point	63 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-59-2	Methanol-P&T	S-3476

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



1,2,3,4-Tetramethylbenzene

Molecular Weight	134.222
Molecular Formula	C ₁₀ H ₁₄


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	488-23-3	Methanol-P&T	S-3472



Tetramethylene sulfone

Molecular Weight	120.166
Molecular Formula	C ₄ H ₈ O ₂ S
Density	1.26 g/cm ³
Melting Point	28 °C
Boiling Point	285 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	126-33-0	Methanol-P&T	S-3877



2,6,10,14-Tetramethylpentadecane

Molecular Weight	268.529
Molecular Formula	C ₁₉ H ₄₀
Density	0.775 g/cm ³
Melting Point	100 °C
Boiling Point	296 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1921-70-6	Methylene Chloride	S-3125



Tetrapropylene glycol

Molecular Weight	250.335
Molecular Formula	C ₁₂ H ₂₆ O ₅


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	30242-05-8	Methanol-P&T	S-3471



n-Tetratetracontane

Molecular Weight	619.204
Molecular Formula	C ₄₄ H ₉₀


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	7098-22-8	Cyclohexane: Methylene Chloride (50:50)	S-3480



n-Tetratriacontane

Molecular Weight	478.934
Molecular Formula	C ₃₄ H ₇₀


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	14167-59-0	Methylene Chloride	S-3485



Thiabendazole

Molecular Weight	201.247
Molecular Formula	C ₁₀ H ₇ N ₃ S
Density	1.103 g/cm ³
Melting Point	300 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	148-79-8	Methanol	S-3490




Thiacloprid

Molecular Weight	252.72
Molecular Formula	C ₁₀ H ₉ ClN ₄ S
Density	1.46 g/cm ³
Melting Point	136 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	111988-49-9	Acetonitrile	S-5723


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Thiamethoxam**


Molecular Weight	291.7
Molecular Formula	$C_8H_{10}ClN_5O_3S$
Density	1.57 g/cm ³
Melting Point	139 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	153719-23-4	Acetonitrile	S-5173

**Thidiazuron**


Molecular Weight	220.25
Molecular Formula	$C_9H_8N_4OS$

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	51707-55-2	Methanol-P&T	S-3978

**4,4'-Thiobisbenzeneamine**


Molecular Weight	216.302
Molecular Formula	$C_{12}H_{12}N_2S$
Melting Point	108 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	139-65-1	Methanol	S-4475

**Thiodiglycol**


Molecular Weight	122.182
Molecular Formula	$C_4H_{10}O_2S$
Density	1.179 g/cm ³
Melting Point	-10 °C
Boiling Point	282 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	111-48-8	Acetonitrile: Methanol	S-4010

**Thiofanox**


Molecular Weight	218.315
Molecular Formula	$C_9H_{18}N_2O_2S$
Melting Point	57 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	39196-18-4	Methanol-P&T	S-3492

**Thiophanate-methyl**


Molecular Weight	342.4
Molecular Formula	$C_{12}H_{14}N_4O_4S_2$
Density	1.45 g/cm ³
Melting Point	Decomposes
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	23564-05-8	Methanol	S-3494

**Thiophene**

Molecular Weight	84.136
Molecular Formula	C_4H_4S
Density	1.05 g/cm ³
Melting Point	-38 °C
Boiling Point	84 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	110-02-1	Methanol-P&T	S-3496


**TNT**

Molecular Weight	227.132
Molecular Formula	$C_7H_5N_3O_6$
Density	1.65 g/cm ³
Melting Point	80 °C
Boiling Point	240 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	118-96-7	Methanol: Acetonitrile (90:10)	S-3501

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



Tokuthion/Prothiophos

Molecular Weight	345.233
Molecular Formula	C ₁₁ H ₁₅ Cl ₂ O ₂ PS ₂


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	34643-46-4	Acetone	S-3225



Tolclofos-methyl

Molecular Weight	301.118
Molecular Formula	C ₉ H ₁₁ Cl ₂ O ₃ PS
Melting Point	78 to 80 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	57018-04-9	Methanol	S-4835



o-Tolidine

Molecular Weight	212.296
Molecular Formula	C ₁₄ H ₁₆ N ₂
Density	1.234 g/cm ³
Melting Point	131 to 132 °C
Boiling Point	300 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	119-93-7	Methylene Chloride	S-3500



Toluene

Molecular Weight	92.141
Molecular Formula	C ₆ H ₅ CH ₃
Density	0.867 g/cm ³
Melting Point	-95 °C
Boiling Point	111 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-88-3	Methanol-P&T	S-3505



Toluene-2,4-diisocyanate

Molecular Weight	174.159
Molecular Formula	C ₉ H ₆ N ₂ O ₂
Density	1.22 g/cm ³
Melting Point	21 °C
Boiling Point	251 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	584-84-9	Methanol-P&T	S-3530



Toluene-d₈

Molecular Weight	100.19
Molecular Formula	C ₇ H ₈
Density	0.943 g/cm ³
Melting Point	-84 °C
Boiling Point	110 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2037-26-5	Methanol-P&T	S-3510



m-Toluidine

Molecular Weight	107.156
Molecular Formula	C ₇ H ₉ N
Density	0.989 g/cm ³
Melting Point	-30 °C
Boiling Point	203 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-44-1	Methanol-P&T	S-3515




o-Toluidine

Molecular Weight	107.156
Molecular Formula	C ₇ H ₉ N
Density	0.998 g/cm ³
Melting Point	-16 °C
Boiling Point	200 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	95-53-4	Methanol-P&T	S-3520


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**p-Toluidine**


Molecular Weight	107.156
Molecular Formula	C ₇ H ₉ N
Density	0.962 g/cm ³
Melting Point	44 °C
Boiling Point	200 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	106-49-0	Methanol-P&T	S-3525

**Tolyene-2,6-diisocyanate**


Molecular Weight	174.159
Molecular Formula	C ₉ H ₆ N ₂ O ₂
Density	1.22 g/cm ³
Melting Point	18 °C
Boiling Point	129 to 133 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	91-08-7	Methylene Chloride	S-5870

**Tolyfluand**


Molecular Weight	347.244
Molecular Formula	C ₁₀ H ₁₃ Cl ₂ FN ₂ O ₂ S ₂
Density	1.52 g/cm ³
Melting Point	93 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	731-27-1	Methanol-P&T	S-3531

**Toxaphene**


Molecular Weight	413.79
Molecular Formula	C ₁₀ H ₁₀ Cl ₈
Density	1.65 g/cm ³
Melting Point	65 to 90 °C
Boiling Point	Decomposes

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	8001-35-2	Hexane	S-3535

**2,4,5 TP (Silvex)**


Molecular Weight	269.502
Molecular Formula	C ₉ H ₇ Cl ₃ O ₃
Density	1.21 g/cm ³
Melting Point	180 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	93-72-1	Methanol-P&T	S-3275

**Transfluthrin**


Molecular Weight	371.153
Molecular Formula	C ₁₅ H ₁₂ Cl ₂ F ₄ O ₂

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	118712-89-3	Acetonitrile	S-6375

**Tri-allate**

Molecular Weight	304.654
Molecular Formula	C ₁₀ H ₁₆ Cl ₃ NOS
Density	1.273 g/cm ³
Melting Point	29 to 30 °C
Boiling Point	117 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2303-17-5	Methanol	S-3550


**n-Triacontane**

Molecular Weight	422.826
Molecular Formula	C ₃₀ H ₆₂
Density	0.809 g/cm ³
Melting Point	66 °C
Boiling Point	451 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	638-68-6	Methylene Chloride	S-3540

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



Triadimefon

Molecular Weight	293.751
Molecular Formula	C ₁₄ H ₁₆ ClN ₃ O ₂
Density	1.22 g/cm ³
Melting Point	82 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	43121-43-3	Methanol-P&T	S-3545



Triazophos

Molecular Weight	313.312
Molecular Formula	C ₁₂ H ₁₆ N ₃ O ₃ PS
Density	1.251 g/cm ³
Melting Point	5 °C
Boiling Point	Decomposes


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	24017-47-8	Acetonitrile	S-4160-ACN
		Methanol	S-4160



Tribromoacetic acid

Molecular Weight	296.74
Molecular Formula	C ₂ HBr ₃ O ₂
Melting Point	129 to 135 °C
Boiling Point	245 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-96-7	Methanol-P&T	S-3879
		Methyl Tertiary Butyl Ether	S-3879-MTBE



2,4,6-Tribromoanisole

Molecular Weight	344.828
Molecular Formula	C ₇ H ₅ Br ₃ O
Density	2.491 g/cm ³
Melting Point	88 °C
Boiling Point	298 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	607-99-8	Methanol	S-4309



2,4,6-Tribromophenol

Molecular Weight	330.801
Molecular Formula	C ₆ H ₃ Br ₃ O
Density	2.55 g/cm ³
Melting Point	95 °C
Boiling Point	286 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	118-79-6	Methanol-P&T	S-3555



Tributylamine

Molecular Weight	185.355
Molecular Formula	C ₁₂ H ₂₇ N
Density	0.778 g/cm ³
Melting Point	-70 °C
Boiling Point	207 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	102-82-9	Methanol-P&T	S-3556



Tributylphosphorotrithioite

Molecular Weight	298.502
Molecular Formula	C ₁₂ H ₂₇ PS ₃
Density	1 g/cm ³
Boiling Point	115 to 134 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	150-50-5	Acetone	S-3565



S.S.S.-Tributylphosphorotrithioate

Molecular Weight	314.501
Molecular Formula	C ₁₂ H ₂₇ OPS ₃
Density	1.057 g/cm ³
Melting Point	-25 °C
Boiling Point	210 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	78-48-8	Methanol-P&T	S-3564


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Tributyltin chloride**


Molecular Weight	325.508
Molecular Formula	$C_{12}H_{27}ClSn$
Density	1.20 g/cm ³
Boiling Point	171 to 173 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1461-22-9	Acetone	S-4638

**Tributyltin hydride**


Molecular Weight	290.058
Molecular Formula	$C_{12}H_{27}Sn$
Density	1.103 g/cm ³
Boiling Point	112 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	688-73-3	Methanol	S-4418

**Trichloroacetic acid**


Molecular Weight	163.378
Molecular Formula	$C_2HCl_3O_2$
Density	1.62 g/cm ³
Melting Point	58 °C
Boiling Point	198 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	76-03-9	Methyl Tertiary Butyl Ether	S-3575

**2,3,4-Trichloroanisole**


Molecular Weight	211.466
Molecular Formula	$C_7H_5Cl_3O$

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	54135-80-7	Methanol	S-3584

**2,4,5-Trichloroanisole**


Molecular Weight	211.466
Molecular Formula	$C_7H_5Cl_3O$
Melting Point	78 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	6130-75-2	Methanol	S-3578

**2,4,6-Trichloroanisole**


Molecular Weight	211.466
Molecular Formula	$C_7H_5Cl_3O$
Melting Point	62 °C
Boiling Point	140 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	87-40-1	Methanol	S-3586

**2,4,6-Trichloroanisole-d₅**

Molecular Weight	216.497
Molecular Formula	$C_7H_5Cl_3O$

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	352439-08-8	Methanol-P&T	S-4336


**1,2,3-Trichlorobenzene**

Molecular Weight	181.44
Molecular Formula	$C_6H_3Cl_3$
Density	1.45 g/cm ³
Melting Point	51 °C
Boiling Point	219 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	87-61-6	Methanol-P&T	S-3580

Single-Component Organic Standards


Volume for all Organic Singles is 1 mL



1,2,4-Trichlorobenzene

Molecular Weight	181.44
Molecular Formula	C ₆ H ₃ Cl ₃
Density	1.45 g/cm ³
Melting Point	17 °C
Boiling Point	213 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	120-82-1	Methanol-P&T	S-3585



1,3,5-Trichlorobenzene

Molecular Weight	181.44
Molecular Formula	C ₆ H ₃ Cl ₃
Density	1.456 g/cm ³
Melting Point	63 °C
Boiling Point	208 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-70-3	Methanol-P&T	S-3590



2,3,6-Trichlorobenzoic acid

Molecular Weight	225.449
Molecular Formula	C ₇ H ₃ Cl ₃ O ₂
Melting Point	126 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	50-31-7	Methanol-P&T	S-3965



1,1,1-Trichloroethane

Molecular Weight	133.396
Molecular Formula	C ₂ H ₃ Cl ₃
Density	1.34 g/cm ³
Melting Point	-30 °C
Boiling Point	74 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	71-55-6	Methanol-P&T	S-3605



1,1,2-Trichloroethane

Molecular Weight	133.396
Molecular Formula	C ₂ H ₃ Cl ₃
Density	1.44 g/cm ³
Melting Point	-36 °C
Boiling Point	114 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	79-00-5	Methanol-P&T	S-3610



Trichloroethene

Molecular Weight	131.38
Molecular Formula	C ₂ HCl ₃
Density	1.46 g/cm ³
Melting Point	-86 °C
Boiling Point	87 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	79-01-6	Methanol-P&T	S-3615



Trichlorofluoromethane

Molecular Weight	137.359
Molecular Formula	CCl ₃ F
Density	1.49 g/cm ³
Melting Point	-111 °C
Boiling Point	24 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-69-4	Methanol-P&T	S-3620




Trichloronate

Molecular Weight	333.588
Molecular Formula	C ₁₀ H ₁₂ Cl ₃ O ₂ PS
Density	1.365 g/cm ³
Boiling Point	108 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	327-98-0	Acetone	S-3570


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**2,3,4-Trichlorophenol**


Molecular Weight	197.439
Molecular Formula	C ₆ H ₃ Cl ₃ O
Density	1.5 g/cm ³
Melting Point	57 °C
Boiling Point	252 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	15950-66-0	Methanol-P&T	S-3625

**2,3,5-Trichlorophenol**


Molecular Weight	197.439
Molecular Formula	C ₆ H ₃ Cl ₃ O
Melting Point	62 °C
Boiling Point	250 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	933-78-8	Methanol-P&T	S-3630

**2,3,6-Trichlorophenol**


Molecular Weight	197.439
Molecular Formula	C ₆ H ₃ Cl ₃ O
Melting Point	58 °C
Boiling Point	272 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	933-75-5	Methanol-P&T	S-3635

**2,4,5-Trichlorophenol**


Molecular Weight	197.439
Molecular Formula	C ₆ H ₃ Cl ₃ O
Density	1.68 g/cm ³
Melting Point	67 °C
Boiling Point	253 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	95-95-4	Methanol-P&T	S-3640

**2,4,6-Trichlorophenol**


Molecular Weight	197.439
Molecular Formula	C ₆ H ₃ Cl ₃ O
Density	1.7 g/cm ³
Melting Point	69 °C
Boiling Point	246 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	88-06-2	Methanol-P&T	S-3645

**3,4,5-Trichlorophenol**


Molecular Weight	197.439
Molecular Formula	C ₆ H ₃ Cl ₃ O
Melting Point	101 °C
Boiling Point	275 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	609-19-8	Methanol-P&T	S-3647

**2,4,5-Trichlorophenoxy
acetic acid**

Molecular Weight	255.475
Molecular Formula	C ₈ H ₅ Cl ₃ O ₃
Density	1.803 g/cm ³
Melting Point	153 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	93-76-5	Methyl Tertiary Butyl Ether	S-3655


**2,4,5-Trichlorophenoxy
acetic acid methyl ester**

Molecular Weight	269.502
Molecular Formula	C ₉ H ₇ Cl ₃ O ₃

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1928-37-6	Methanol-P&T	S-3650


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



1,2,3-Trichloropropane

Molecular Weight	147.423
Molecular Formula	C ₃ H ₅ Cl ₃
Density	1.39 g/cm ³
Melting Point	-14 °C
Boiling Point	156 °C




1,1,2-Trichlorotrifluoroethane

Molecular Weight	187.367
Molecular Formula	C ₂ Cl ₃ F ₃
Density	1.56 g/cm ³
Melting Point	-36 °C
Boiling Point	48 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	96-18-4	Methanol-P&T	S-3665
		Methyl Tertiary Butyl Ether	S-3665-MTBE

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	76-13-1	Methanol-P&T	S-3675



Triclopyr

Molecular Weight	256.463
Molecular Formula	C ₇ H ₄ Cl ₃ NO ₃
Density	1.85 g/cm ³
Melting Point	150 °C
Boiling Point	290 °C




Triclosan

Molecular Weight	289.536
Molecular Formula	C ₁₂ H ₇ Cl ₃ O ₂
Melting Point	56 °C
Boiling Point	120 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	55335-06-3	Methanol	S-3680

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	3380-34-5	Methanol	S-4382



Tricresyl phosphate

Molecular Weight	368.36
Molecular Formula	C ₂₁ H ₂₁ O ₄ P
Density	1.143 g/cm ³
Melting Point	< -40 °C
Boiling Point	265 °C




Triethanolamine

Molecular Weight	149.19
Molecular Formula	C ₆ H ₁₅ NO ₃
Density	1.13 g/cm ³
Melting Point	21 °C
Boiling Point	350 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1330-78-5	Methanol-P&T	S-3880

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	102-71-6	Methanol-P&T	S-3695



Triethyl phosphate

Molecular Weight	182.156
Molecular Formula	C ₆ H ₁₅ O ₄ P
Density	1.07 g/cm ³
Melting Point	-57 °C
Boiling Point	215 °C



Triethylamine

Molecular Weight	101.193
Molecular Formula	C ₆ H ₁₅ N
Density	0.73 g/cm ³
Melting Point	-115 °C
Boiling Point	89 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	78-40-0	Methanol-P&T	S-3700

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	121-44-8	Methanol-P&T	S-3702


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Triethylene glycol**


Molecular Weight	150.174
Molecular Formula	C ₆ H ₁₄ O ₄
Density	1.125 g/cm ³
Melting Point	-7 °C
Boiling Point	285 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	112-27-6	Methanol-P&T	S-3703

**Triethylene glycol dimethacrylate**


Molecular Weight	286.324
Molecular Formula	C ₁₄ H ₂₂ O ₆
Density	1.072 g/cm ³
Boiling Point	155 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	109-16-0	Methanol-P&T	S-3704

**o,o,o-Triethylphosphorothioate**


Molecular Weight	198.217
Molecular Formula	C ₆ H ₁₅ O ₃ PS
Density	1.11 g/cm ³
Boiling Point	231 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	126-68-1	Methanol	S-3705

**Trifloxystrobin**


Molecular Weight	408.4
Molecular Formula	C ₂₀ H ₁₉ F ₃ N ₂ O ₄
Density	1.36 g/cm ³
Melting Point	73 °C
Boiling Point	312 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	141517-21-7	Acetonitrile	S-4836

**alpha, alpha, alpha-Trifluorotoluene**


Molecular Weight	146.112
Molecular Formula	C ₇ H ₅ F ₃
Density	1.181 g/cm ³
Melting Point	-29 °C
Boiling Point	102 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	98-08-8	Methanol-P&T	S-3710

**Trifluralin**


Molecular Weight	335.283
Molecular Formula	C ₁₃ H ₁₆ F ₃ N ₃ O ₄
Density	1.36 g/cm ³
Melting Point	49 °C
Boiling Point	139 to 140 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1582-09-8	Methanol	S-3715

**Triflusulfuron-methyl**

Molecular Weight	492.43
Molecular Formula	C ₁₇ H ₁₉ F ₃ N ₃ O ₆ S

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	126535-15-7	Acetonitrile	S-3929-ACN


**Triisopropyl naphthalene-sulfonic acid sodium salt**

Molecular Weight	356.45
Molecular Formula	C ₁₉ H ₂₅ NaO ₃ S

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1323-19-9	Methanol-P&T	S-3881


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



Trimethoprim

Molecular Weight	290.323
Molecular Formula	C ₁₄ H ₁₈ N ₄ O ₃
Melting Point	200 °C



Trimethyl phosphate

Molecular Weight	140.075
Molecular Formula	C ₃ H ₉ O ₄ P
Density	1.214 g/cm ³
Melting Point	-46 °C
Boiling Point	107 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	738-70-5	Methanol-P&T	S-4594

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	512-56-1	Methanol-P&T	S-3740



Trimethylamine

Molecular Weight	59.112
Molecular Formula	C ₃ H ₉ N
Density	0.671 g/cm ³
Melting Point	-117 °C
Boiling Point	30 °C




2,4,5-Trimethylaniline

Molecular Weight	135.21
Molecular Formula	C ₉ H ₁₃ N
Density	0.957 g/cm ³
Melting Point	68 °C
Boiling Point	235 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-50-3	Methanol-P&T	S-3716

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	137-17-7	Methanol-P&T	S-3718



1,2,3-Trimethylbenzene

Molecular Weight	120.195
Molecular Formula	C ₉ H ₁₂
Density	0.89 g/cm ³
Melting Point	-25 °C
Boiling Point	176 °C




1,2,4-Trimethylbenzene

Molecular Weight	120.195
Molecular Formula	C ₉ H ₁₂
Density	0.88 g/cm ³
Melting Point	-44 °C
Boiling Point	169 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	526-73-8	Methanol-P&T	S-3717

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	95-63-6	Methanol-P&T	S-3720



1,3,5-Trimethylbenzene

Molecular Weight	120.195
Molecular Formula	C ₉ H ₁₂
Density	0.86 g/cm ³
Melting Point	-45 °C
Boiling Point	165 °C



2,3,5-Trimethylnaphthalene


Molecular Weight	170.255
Molecular Formula	C ₁₃ H ₁₄
Density	1.007 g/cm ³
Boiling Point	285 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-67-8	Methanol-P&T	S-3725

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2245-38-7	Methanol-P&T	S-3728

Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Trimethylolpropane propoxylate triacrylate**

Molecular Weight 470.559

Molecular Formula $C_{24}H_{38}O_9$

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	53879-54-2	Methanol-P&T	S-4107

**2,2,4-Trimethylpentane**


Molecular Weight 114.232

Molecular Formula C_8H_{18} Density 0.69 g/cm³

Melting Point -107 °C

Boiling Point 99 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	540-84-1	Methanol-P&T	S-3730

**2,3,5-Trimethylphenol**


Molecular Weight 136.194

Molecular Formula $C_9H_{12}O$

Melting Point 94 °C

Boiling Point 230 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	697-82-5	Methanol-P&T	S-3733

**2,3,6-Trimethylphenol**


Molecular Weight 136.194

Molecular Formula $C_9H_{12}O$

Melting Point 58 °C

Boiling Point 226 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2416-94-6	Methanol	S-4764

**2,4,6-Trimethylphenol**


Molecular Weight 136.194

Molecular Formula $C_9H_{12}O$

Melting Point 73 °C

Boiling Point 220 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	527-60-6	Methanol-P&T	S-3735

**n-Trimethylsilyl-n-methyl trifluoroacetamide (MSTFA)**

Molecular Weight 199.248

Molecular Formula $C_6H_{12}F_3NOSi$

Concentration	CAS #	Matrix	Part #
5.2 mL	24589-78-4	N/A	NEAT-4419

**1,3,5-Trinitrobenzene**


Molecular Weight 213.105

Molecular Formula $C_6H_3N_3O_6$ Density 1.688 g/cm³

Melting Point 121 °C

Boiling Point 315 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	99-35-4	Methanol-P&T	S-3760

**Triphenyl phosphate**

Molecular Weight 326.288


Molecular Formula $C_{18}H_{15}O_4P$ Density 1.18 g/cm³

Boiling Point 370 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	115-86-6	Methanol-P&T	S-3765

Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



Triphenyl phosphorothionate

Molecular Weight	342.349
Molecular Formula	C ₁₈ H ₁₅ O ₃ PS
Density	1.3 g/cm ³
Boiling Point	423 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	597-82-0	Methanol	S-6040



Triphenylene

Molecular Weight	228.294
Molecular Formula	C ₁₈ H ₁₂


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	217-59-4	Methylene Chloride	S-3764



Triphenyltin chloride

Molecular Weight	385.478
Molecular Formula	C ₁₈ H ₁₅ ClSn
Melting Point	108 °C
Boiling Point	240 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	639-58-7	Methanol	S-4642



Tripropylene glycol

Molecular Weight	192.25
Density	1.021 g/cm ³
Boiling Point	273 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	24800-44-0	Methanol-P&T	S-3766



Tris(2,3-dibromopropyl) phosphate

Molecular Weight	697.613
Molecular Formula	C ₉ H ₁₅ Br ₆ O ₄ P
Density	2.27 g/cm ³
Melting Point	6 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	126-72-7	Methylene Chloride	S-3773



Tris(2,3-Epoxypropyl) isocyanurate

Molecular Weight	297.267
Molecular Formula	C ₁₂ H ₁₅ N ₃ O ₆
Melting Point	95 °C
Boiling Point	501 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2451-62-9	HPLC Acetone	S-5930



n-Undecane

Molecular Weight	156.313
Molecular Formula	C ₁₁ H ₂₄
Melting Point	25 °C
Boiling Point	196 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1120-21-4	Methanol-P&T	S-3780




Urethane

Molecular Weight	89.094
Molecular Formula	C ₃ H ₇ NO ₂
Density	0.986 g/cm ³
Melting Point	49 °C
Boiling Point	185 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	51-79-6	Methanol-P&T	S-1926
			S-3785


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL

**Valeraldehyde**


Molecular Weight	86.134
Molecular Formula	C ₅ H ₁₀ O
Density	0.811 g/cm ³
Melting Point	-92 °C
Boiling Point	103 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	110-62-3	Methanol-P&T	S-3788

**Valeric acid**


Molecular Weight	102.133
Molecular Formula	C ₅ H ₁₀ O ₂
Density	0.939 g/cm ³
Melting Point	-34 °C
Boiling Point	186 to 187 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	109-52-4	DI Water	S-3787

**Vamidothion**


Molecular Weight	287.329
Molecular Formula	C ₈ H ₁₈ NO ₄ PS ₂
Melting Point	43 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	2275-23-2	Acetonitrile	S-4695-ACN
		Methanol	S-4695

**Vamidothion-sulfoxide**


Molecular Weight	303.328
Molecular Formula	C ₈ H ₁₈ NO ₅ PS ₂

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	20300-00-9	HPLC Acetonitrile	S-5931

**Velpar**


Molecular Weight	252.318
Molecular Formula	C ₁₂ H ₂₀ N ₄ O ₂
Density	1.25 g/cm ³
Melting Point	117 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	51235-04-2	Methanol	S-3790

**Vernolate**


Molecular Weight	203.344
Molecular Formula	C ₁₀ H ₂₁ NOS
Density	0.952 g/cm ³
Boiling Point	150 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1929-77-7	Methanol	S-3795

**Vinclozolin**

Molecular Weight	286.108
Molecular Formula	C ₁₂ H ₉ Cl ₂ NO ₃
Density	1.51 g/cm ³
Melting Point	108 °C
Boiling Point	131 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	50471-44-8	Acetone	S-3796-AC
		Methanol	S-3796


**Vinyl acetate**

Molecular Weight	86.09
Molecular Formula	C ₄ H ₆ O ₂
Density	0.93 g/cm ³
Melting Point	-100 °C
Boiling Point	72 °C

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-05-4	Methanol-P&T	S-3800


Single-Component Organic Standards

Volume for all Organic Singles is 1 mL



Vinyl bromide

Molecular Weight	106.95
Molecular Formula	C ₂ H ₃ Br
Density	1.525 g/cm ³
Melting Point	-138 °C
Boiling Point	16 °C




Vinyl chloride

Molecular Weight	62.496
Molecular Formula	C ₂ H ₃ Cl
Density	1.41 g/cm ³
Melting Point	-154 °C
Boiling Point	-13 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	593-60-2	Methanol-P&T	S-4049

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	75-01-4	Methanol-P&T	S-3805



4-Vinyl-1-cyclohexene

Molecular Weight	108.184
Molecular Formula	C ₈ H ₁₂
Density	0.829 g/cm ³
Melting Point	-109 °C
Boiling Point	130 °C




Vinyltoluene

Molecular Weight	118.179
Molecular Formula	C ₉ H ₁₀
Density	0.91 g/cm ³
Boiling Point	172 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	100-40-3	Methanol-P&T	S-3813

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	25013-15-4	Methanol-P&T	S-3810



Vitamin D3

Molecular Weight	384.648
Molecular Formula	C ₂₇ H ₄₄ O
Melting Point	85 °C




Vitamin-A-alcohol

Molecular Weight	286.459
Molecular Formula	C ₂₀ H ₃₀ O
Density	1.04 g/cm ³
Melting Point	64 °C
Boiling Point	122 °C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	67-97-0	Methanol-P&T	S-3815

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	68-26-8	Toluene	S-3820



Warfarin

Molecular Weight	308.333
Molecular Formula	C ₁₉ H ₁₆ O ₄
Melting Point	161 °C




Xylenes (mixed)

Molecular Weight	318.504
Molecular Formula	C ₂₄ H ₃₀
Density	0.864 g/cm ³

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	81-81-2	Methanol-P&T	S-3825


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	1330-20-7	Methanol-P&T	S-3845

Volume for all Organic Singles is 1 mL


Cc1ccccc1C


Concentration	CAS #	Matrix	Part #
1,000 µg/mL	108-38-3	Methanol-P&T	S-3830

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	95-47-6	Methanol-P&T	S-3835



Concentration	CAS #	Matrix	Part #
1,000 µg/mL	56004-61-6	Methanol-P&T	S-3888

Concentration	CAS #	Matrix	Part #
1,000 µg/mL	106-42-3	Methanol-P&T	S-3840



Concentration	CAS #	Matrix	Part #
1,000 µg/mL	297-97-2	Methanol-P&T	S-3850

Volatiles

Single & Multi-Component Standards for GC & GC/MS

Volatiles

US EPA Methods

US EPA Volatiles - Method 500 Series

Method 502.1 is a general analytical method for the monitoring of halogenated, portable VOCs in drinking water and raw water sources by GC with a Hall Detector.

Method 502.2 is a general analytical method for the monitoring of halogenated, purgeable VOCs in drinking water and raw water sources by GC megabore capillary column techniques and Hall and Photoionization Detectors (PID).

Method 504 is an analytical method for the monitoring of 1,2-Dibromomethane (EDB), 1,2-Dibromo-3-Chloropropane (DBCP), and 1,2,3-Trichloropropane (123TCP) in water by micro-extraction and either GC/ECD or GC/MS techniques.

Method 524.3 is a GC/MS method for the analysis of purgeable VOCs in finished drinking water. Analytes added to Methanol 524.3 in Revision 4 are supplied in a 24-component mix.

Method 551 is an analytical method for the determination of chlorinated disinfectant by-products, chlorinated solvents and halogenated pesticides and herbicides in drinking water and raw source water using MTBE extraction and GC/ECD techniques.

US EPA Volatiles - Method 600 Series

Method 601 is a general analytical method for the monitoring of halogenated VOCs in municipal and industrial wastewater by GC with a Hall Detector.

Method 602 is a general analytical method for the monitoring of halogenated aromatic compounds in municipal and industrial wastewater by GC/PID.

Method 603 is a general analytical method for the separation of acrolein and acrylonitrile in municipal and industrial wastewater by GC/FID.

Method 624 is a general analytical method for the monitoring of VOCs in municipal and industrial wastewater by GC/MS.

US EPA Volatiles - Method 8000 Series

Method 8011 is an analytical method for the monitoring of EDB and DBCP in drinking water and ground water by GC/MS.

Method 8015 is a general analytical method for the monitoring of certain non-halogenated VOCs and SVOCs by GC/FID.

Method 8021 is a general analytical method for the monitoring of VOCs by GC megabore capillary column techniques and Hall and Photoionization Detectors (PID).

Method 8260 is a general analytical method for the monitoring VOCs by GC/MS.

CLP Series

The US EPA retains analytical services through the Contract Laboratory Program (CLP). The CLP follows detailed SOPs derived from EPA methods and SW-846. The CLP Volatile Organic Analysis Method is an analytical method for the analysis of aqueous or solid samples for VOCs by GC/MS.

Volume for all Volatiles is 1 mL

Applicable Methods: US EPA Methods 502.1, 502.2, 601, 624, 8021, 8260, and CLP Series (see page 169 for details).

Purgeable Gases, Mix B in Methanol-P&T			
Components	CAS #	Components	CAS #
Bromomethane	74-83-9	Dichlorodifluoromethane	75-71-8
Chloroethane	75-00-3	Trichlorofluoromethane	75-69-4
Chloromethane	74-87-3	Vinyl chloride	75-01-4
Concentration	Part #	Concentration	Part #
200 µg/mL	5022-B	2,000 µg/mL	5022-BH

Applicable Methods: US EPA Method 502.2 (see page 169 for details).

Trihalomethanes in Methanol-P&T			
Components	CAS #	Components	CAS #
Bromodichloromethane	75-27-4	Chloroform	67-66-3
Bromoform	75-25-2	Dibromochloromethane	124-48-1
Concentration	Part #	Concentration	Part #
200 µg/mL	THM-X	2,000 µg/mL	THM-XH

Applicable Methods: US EPA Methods 502.2 and 8021 (see page 169 for details).

Internal Standard in Methanol-P&T			
Components	CAS #	Components	CAS #
2-Bromo-1-chloropropane	3017-95-6	Fluorobenzene	462-06-6
Concentration		Part #	
1,000 µg/mL		5022-I	

Applicable Methods: US EPA Methods 504 and 8011 (see page 169 for details).

EDB/DBCP Analytes Mix (High Level) in Methanol-P&T			
Components	CAS #	Components	CAS #
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	1,2-Dibromoethane (EDB)	106-93-4
Concentration		Part #	
2,000 µg/mL		504-AH	

Applicable Methods: US EPA Method 504 (see page 169 for details).

Method 504.1 Analytes Mix (High Level) in Methanol-P&T			
Components	CAS #	Components	CAS #
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	1,2,3-Trichloropropane	96-18-4
1,2-Dibromoethane (EDB)	106-93-4		
Concentration		Part #	
2,000 µg/mL		5041-AH	

Volatiles

Volume for all Volatiles is 1 mL

Applicable Methods: US EPA Methods 502.2, 524 and 8260 (see page 169 for details).

Analyte Mix C (High Level) in Methanol-P&T					
Components	CAS #	Components	CAS #	Components	CAS #
Bromobenzene	108-86-1	1,2-Dichlorobenzene	95-50-1	Isopropylbenzene	98-82-8
Bromochloromethane	74-97-5	1,3-Dichlorobenzene	541-73-1	Styrene	100-42-5
Bromodichloromethane	75-27-4	cis-1,2-Dichloroethene	156-59-2	1,1,1,2-Tetrachloroethane	630-20-6
n-Butylbenzene	104-51-8	1,3-Dichloropropane	142-28-9	1,1,1-Trichloroethane	71-55-6
2-Chlorotoluene	95-49-8	1,1-Dichloropropene	563-58-6	1,2,3-Trichloropropane	96-18-4
4-Chlorotoluene	106-43-4	cis-1,3-Dichloropropene	10061-01-5	p-Xylene	106-42-3
1,2-Dibromoethane	106-93-4	trans-1,3-Dichloropropene	10061-02-6		
Dibromomethane	74-95-3	Ethylbenzene	100-41-4		
		Concentration	Part #		
		2,000 µg/mL	5242-CH		

Applicable Methods: US EPA Method 524.2 (see page 169 for details).

Fortification Solution in Methanol-P&T			
Components	CAS #	Components	CAS #
4-Bromofluorobenzene	460-00-4	Fluorobenzene	462-06-6
1,2-Dichlorobenzene-d ₄	2199-69-1		
		Concentration	Part #
		1,000 µg/mL	5242-F

Applicable Methods: US EPA Methods 524.3 (see page 169 for details).

Internal Standard in Methanol-P&T	
Component	CAS #
Fluorobenzene	462-06-6
Concentration	Part #
2,000 µg/mL	5242-I

Internal/Alternate Internal Standards

Additional Internal and Alternate Internal Standards are available for US EPA Method 502.2. Parts include S-935, S-580, S-1365, and S-2040 (see pages 9-167 for individual component details).

Volume for all Volatiles is 1 mL

Applicable Methods: US EPA Methods 502.2, 524, 8021, and 8260 (see page 169 for details).

Volatile Organics Combination Mix in Methanol-P&T

Components	CAS #	Components	CAS #	Components	CAS #
Benzene	71-43-2	1,2-Dichlorobenzene	95-50-1	Naphthalene	91-20-3
Bromobenzene	108-86-1	1,3-Dichlorobenzene	541-73-1	n-Propylbenzene	103-65-1
Bromochloromethane	74-97-5	1,4-Dichlorobenzene	106-46-7	Styrene	100-42-5
Bromodichloromethane	75-27-4	Dichlorodifluoromethane *	75-71-8	1,1,1,2-Tetrachloroethane	630-20-6
Bromoform	75-25-2	1,1-Dichloroethane	75-34-3	1,1,2,2-Tetrachloroethane	79-34-5
Bromomethane *	74-83-9	1,2-Dichloroethane	107-06-2	Tetrachloroethene	127-18-4
n-Butylbenzene	104-51-8	1,1-Dichloroethene	75-35-4	Toluene	108-88-3
sec-Butylbenzene	135-98-8	cis-1,2-Dichloroethene	156-59-2	1,2,3-Trichlorobenzene	87-61-6
tert-Butylbenzene	98-06-6	trans-1,2-Dichloroethene	156-60-5	1,2,4-Trichlorobenzene	120-82-1
Carbon tetrachloride	56-23-5	1,2-Dichloropropane	78-87-5	1,1,1-Trichloroethane	71-55-6
Chlorobenzene	108-90-7	1,3-Dichloropropane	142-28-9	1,1,2-Trichloroethane	79-00-5
Chloroethane *	75-00-3	2,2-Dichloropropane	594-20-7	Trichloroethene	79-01-6
Chloroform	67-66-3	1,1-Dichloropropene	563-58-6	Trichlorofluoromethane *	75-69-4
Chloromethane *	74-87-3	cis-1,3-Dichloropropene	10061-01-5	1,2,3-Trichloropropane	96-18-4
2-Chlorotoluene	95-49-8	trans-1,3-Dichloropropene	10061-02-6	1,2,4-Trimethylbenzene	95-63-6
4-Chlorotoluene	106-43-4	Ethylbenzene	100-41-4	1,3,5-Trimethylbenzene	108-67-8
1,2-Dibromo-3-chloropropane	96-12-8	Hexachlorobutadiene	87-68-3	Vinyl chloride *	75-01-4
Dibromochloromethane	124-48-1	Isopropylbenzene	98-82-8	m-Xylene **	108-38-3
1,2-Dibromoethane	106-93-4	p-Isopropyltoluene	99-87-6	o-Xylene	95-47-6
Dibromomethane	74-95-3	Methylene chloride	75-09-2	p-Xylene **	106-42-3

Concentration	Part #
200 µg/mL	5242-VCX-200

Concentration	Part #
200 µg/mL	5242-VCX-200G

Concentration	Part #
2,000 µg/mL	5242-VCX

Concentration	Part #
2,000 µg/mL	HICAL-VOC

* Component is only included in part # 5242-VCX-200G and are only applicable to method 524.

** NOTE: HICAL-VOC components m-Xylene and p-Xylene are at 1,000 µg/mL concentration and are applicable only for methods 502.2 and 524.

Volatiles

Volume for all Volatiles is 1 mL

Applicable Methods: US EPA Method 524.2 (see page 169 for details).

Method 524.2 Revision 4 Mix in Methanol-P&T					
Components	CAS #	Components	CAS #	Components	CAS #
Acetone	67-64-1	1,1-Dichloropropanone	513-88-2	Methyl acrylate	96-33-3
Acrylonitrile	107-13-1	Ether	60-29-7	Methyl methacrylate	80-62-6
Allyl chloride	107-05-1	Ethyl methacrylate	97-63-2	Methyl tertiary-butyl ether	1634-04-4
2-Butanone	78-93-3	Hexachloroethane	67-72-1	Nitrobenzene	98-95-3
Carbon disulfide	75-15-0	2-Hexanone	591-78-6	2-Nitropropane	79-46-9
Chloroacetonitrile	107-14-2	Iodomethane	74-88-4	Pentachloroethane	76-01-7
1-Chlorobutane	109-69-3	Methacrylonitrile	126-98-7	Propionitrile	107-12-0
trans-1,4-Dichloro-2-butene	110-57-6	4-Methyl-2-pentanone	108-10-1	Tetrahydrofuran	109-99-9
Concentration		Part #		Concentration	
200 µg/mL		5242-R4200		2,000 µg/mL	
				5242-R4	

Applicable Methods: US EPA Method 524.3 (see page 169 for details).

Surrogate Standard in Methanol-P&T			
Components	CAS #	Components	CAS #
4-Bromofluorobenzene	460-00-4	1,2-Dichlorobenzene-d ₄	2199-69-1
		Concentration	Part #
		1,000 µg/mL	5242-S

UCMR-3

This GC/MS standard covers the nine volatile organic compounds included in the Unregulated Contaminant Monitoring Rule 3 (UCMR 3), which requires monitoring of all public drinking water systems with 10,000 or more customers.

Applicable Methods: US EPA Method 524.3 (see page 169 for details).

UCMR-3 in Methanol-P&T					
Components	CAS #	Concentration	Components	CAS #	Concentration
Bromochloromethane	74-97-5	600 µg/mL	Chloromethane	74-87-3	2,000 µg/mL
Bromomethane	74-83-9	2,000 µg/mL	1,1-Dichloroethane	75-34-3	300 µg/mL
1,3-Butadiene	106-99-0	1,000 µg/mL	n-Propylbenzene	103-65-1	300 µg/mL
sec-Butylbenzene	135-98-8	400 µg/mL	1,2,3-Trichloropropane	96-18-4	300 µg/mL
Chlorodifluoromethane	75-45-6	800 µg/mL			
		Part #			
		UCMR-3			

524.3 Internal Standard Singles

Additional Organic Singles are available for US EPA Method 524.3. Parts include S-815 and S-1310 (see pages 9-167 for individual component details).

Volume for all Volatiles is 1 mL

Applicable Methods: US EPA Method 551 (see page 169 for details).

Chlorinated Disinfectant By-Products Mix in Acetone					
Components		CAS #	Components		CAS #
Bromodichloromethane	75-27-4	1,2-Dibromo-3-chloropropane	96-12-8	Dichloroacetonitrile	3018-12-0
Bromoform	75-25-2	Dibromoacetonitrile	3252-43-5	Tetrachloroethene	127-18-4
Carbon tetrachloride	56-23-5	Dibromochloromethane	124-48-1	Trichloroacetonitrile	545-06-2
Chloroform	67-66-3	1,2-Dibromoethane (EDB)	106-93-4	1,1,1-Trichloroethane	71-55-6
Chloropicrin	76-06-2	1,1-Dichloroacetone	513-88-2	Trichloroethene	79-01-6
		Concentration		Part #	
		2,000 µg/mL		5511-A	

Applicable Methods: US EPA Method 551 (see page 169 for details).

Internal Standard in Acetone	
Component	CAS #
1-Bromo-4-fluorobenzene	460-00-4

Concentration	Part #
10,000 µg/mL	5511-I

Applicable Methods: US EPA Method 551 (see page 169 for details).

Laboratory Performance Check Standard in Methyl Tertiary-Butyl Ether							
Components		CAS #	Concentration	Components		CAS #	Concentration
Alachlor		15972-60-8	83 µg/mL	Endrin		72-20-8	30 µg/mL
gamma-BHC (Lindane)		58-89-9	0.2 µg/mL	Hexachlorocyclopentadiene		77-47-4	20 µg/mL
Bromacil		314-40-9	83 µg/mL	Trichloroethene		79-01-6	30 µg/mL
Bromodichloromethane		75-27-4	30 µg/mL				
		Part #					
		5511-PC					

Applicable Methods: US EPA Method 551 (see 169 for details).

Surrogate Standard in Methanol					
Component	CAS #				
Decafluorobiphenyl	434-90-2				
	<table><tr><th>Concentration</th><th>Part #</th></tr><tr><td>1,000 µg/mL</td><td>S-1103</td></tr></table>	Concentration	Part #	1,000 µg/mL	S-1103
	Concentration	Part #			
1,000 µg/mL	S-1103				

Volatiles

Volume for all Volatiles is 1 mL

Applicable Methods: US EPA Method 601 (see page 169 for details).

Volatile Organics Combination Mix in Methanol-P&T					
Components	CAS #	Components	CAS #	Components	CAS #
Bromodichloromethane	75-27-4	1,3-Dichlorobenzene	541-73-1	trans-1,3-Dichloropropene	10061-02-6
Bromoform	75-25-2	1,4-Dichlorobenzene	106-46-7	Methylene chloride	75-09-2
Carbon tetrachloride	56-23-5	1,1-Dichloroethane	75-34-3	1,1,2,2-Tetrachloroethane	79-34-5
Chlorobenzene	108-90-7	1,2-Dichloroethane	107-06-2	Tetrachloroethene	127-18-4
2-Chloroethyl vinyl ether	110-75-8	1,1-Dichloroethene	75-35-4	1,1,1-Trichloroethane	71-55-6
Chloroform	67-66-3	trans-1,2-Dichloroethene	156-60-5	1,1,2-Trichloroethane	79-00-5
Dibromochloromethane	124-48-1	1,2-Dichloropropane	78-87-5	Trichloroethene	79-01-6
1,2-Dichlorobenzene	95-50-1	cis-1,3-Dichloropropene	10061-01-5		
		Concentration	Part #		
		200 µg/mL	601-A		

Applicable Methods: US EPA Method 602 (see page 169 for details).

BTEX Standard in Methanol-P&T			
Components	CAS #	Components	CAS #
Benzene	71-43-2	m-Xylene	108-38-3
Ethylbenzene	100-41-4	o-Xylene	95-47-6
Toluene	108-88-3	p-Xylene	106-42-3
Concentration	Part #	Concentration	Part #
200 µg/mL	BTEX	2,000 µg/mL	BTEX-H

Applicable Methods: US EPA Method 602 (see page 169 for details).

Alternate BTEX Standard in Methanol-P&T					
Components	CAS #	Concentration	Components	CAS #	Concentration
Benzene	71-43-2	2,000 µg/mL	m-Xylene	108-38-3	1,000 µg/mL
Ethylbenzene	100-41-4	2,000 µg/mL	o-Xylene	95-47-6	2,000 µg/mL
Toluene	108-88-3	2,000 µg/mL	p-Xylene	106-42-3	1,000 µg/mL
		Part #			
		BTEX-2-1H			

Need Larger Quantities?

Volume discounts are available.
Call us at 1.800.LAB.SPEX or 732.549.7144 for more information.

Volume for all Volatiles is 1 mL

Applicable Methods: US EPA Method 602 (see page 169 for details).

Purgeable Aromatics for Gasoline Identification in Methanol-P&T					
Components	CAS #	Components	CAS #	Components	CAS #
Benzene	71-43-2	1,4-Dichlorobenzene	106-46-7	m-Xylene	108-38-3
Chlorobenzene	108-90-7	Ethylbenzene	100-41-4	o-Xylene	95-47-6
1,2-Dichlorobenzene	95-50-1	Methyl tertiary-butyl ether	1634-04-4	p-Xylene	106-42-3
1,3-Dichlorobenzene	541-73-1	Toluene	108-88-3		
		Concentration	Part #		
		2,000 µg/mL	P-GAS		

Applicable Methods: US EPA Method 603 (see page 169 for details).

Acrolein and Acrylonitrile in Methanol-P&T			
Components	CAS #	Components	CAS #
Acrolein	107-02-8	Acrylonitrile	107-13-1
		Concentration	Part #
		2,000 µg/mL	603-XM

Applicable Methods: US EPA Method 624 (see page 169 for details).

Volatile Organics Combination Analyte Mix in Methanol-P&T					
Components	CAS #	Components	CAS #	Components	CAS #
Benzene	71-43-2	1,3-Dichlorobenzene	541-73-1	Ethylbenzene	100-41-4
Bromodichloromethane	75-27-4	1,4-Dichlorobenzene	106-46-7	Methylene chloride	75-09-2
Bromoform	75-25-2	1,1-Dichloroethane	75-34-3	1,1,2,2-Tetrachloroethane	79-34-5
Carbon tetrachloride	56-23-5	1,2-Dichloroethane	107-06-2	Tetrachloroethene	127-18-4
2-Chloroethyl vinyl ether	110-75-8	1,1-Dichloroethene	75-35-4	Toluene	108-88-3
Chlorobenzene	108-90-7	trans-1,2-Dichloroethene	156-60-5	1,1,1-Trichloroethane	71-55-6
Chloroform	67-66-3	1,2-Dichloropropane	78-87-5	1,1,2-Trichloroethane	79-00-5
Dibromochloromethane	124-48-1	cis-1,3-Dichloropropene	10061-01-5	Trichloroethene	79-01-6
1,2-Dichlorobenzene	95-50-1	trans-1,3-Dichloropropene	10061-02-6		
		Concentration	Part #		
		2,000 µg/mL	624-A		

Volatiles

Volume for all Volatiles is 1 mL

Applicable Methods: US EPA Method 624 (see page 169 for details).

Purgeable Gases, Mix B in Methanol-P&T			
Components	CAS #	Components	CAS #
Bromomethane	74-83-9	Trichlorofluoromethane	75-69-4
Chloroethane	75-00-3	Vinyl chloride	75-01-4
Chloromethane	74-87-3		
Concentration	Part #	Concentration	Part #
200 µg/mL	624-B	2,000 µg/mL	624-BH

Applicable Methods: US EPA Method 624 (see page 169 for details).

Volatiles Mix C in Methanol-P&T			
Components	CAS #	Components	CAS #
Benzene	71-43-2	trans-1,3-Dichloropropene	10061-02-6
Bromodichloromethane	75-27-4	Ethylbenzene	100-41-4
2-Chloroethyl vinyl ether	110-75-8	Toluene	108-88-3
cis-1,3-Dichloropropene	10061-01-5	1,1,1-Trichloroethane	71-55-6
Concentration	Part #	Concentration	Part #
200 µg/mL	624-C	2,000 µg/mL	624-CH

Applicable Methods: US EPA Method 624 (see page 169 for details).

Volatiles Mix D in Methanol-P&T			
Components	CAS #	Components	CAS #
1,2-Dichlorobenzene	95-50-1	1,4-Dichlorobenzene	106-46-7
1,3-Dichlorobenzene	541-73-1		
Concentration	Part #	Concentration	Part #
200 µg/mL	624-D	2,000 µg/mL	624-DH

Applicable Methods: US EPA Method 624 (see page 169 for details).

Internal Standard in Methanol-P&T			
Components	CAS #	Components	CAS #
2-Bromo-1-chloropropane	3017-95-6	1,4-Difluorobenzene	540-36-3
Bromochloromethane	74-97-5		
Concentration		Part #	
1,000 µg/mL		624-I	

624 Alternate Internal/Surrogate Standard Singles

Additional Alternate Internal/Surrogate Standards are available for US EPA Method 624. Parts include S-550 and S-1385 (see pages 9-167 for individual component details).

Volume for all Volatiles is 1 mL

Applicable Methods: US EPA Method 624 (see page 169 for details).

Surrogate Standard in Methanol-P&T			
Components	CAS #	Components	CAS #
4-Bromofluorobenzene	460-00-4	Pentafluorobenzene	363-72-4
Fluorobenzene	462-06-6		
		Concentration	Part #
		1,000 µg/mL	624-S

Applicable Methods: US EPA Method 8015 (see page 169 for details).

Alcohols Mix in DI Water			
Components	CAS #	Components	CAS #
Allyl alcohol	107-18-6	Methanol	67-56-1
1-Butanol	71-36-3	2-Methyl-1-propanol	78-83-1
tert-Butyl alcohol	75-65-0	1-Propanol	71-23-8
Ethanol	64-17-5	2-Propanol	67-63-0
Ethylene glycol	107-21-1		
		Concentration	Part #
		2,000 µg/mL	8015B-A

Applicable Methods: US EPA Method 8015 (see page 169 for details).

Internal Standard for GC/FID in DI Water			
Components	CAS #	Components	CAS #
2-Chloroacrylonitrile	920-37-6	1,1,1,3,3,3-Hexafluoro-2-propanol	920-66-1
1,1,1,3,3,3-Hexafluoro-2-methyl-2-propanol	1515-14-6		
		Concentration	Part #
		5,000 µg/mL	8015B-I

Applicable Methods: US EPA Method 8015 (see page 169 for details).

8015-OX Mix in Methanol-P&T			
Components	CAS #	Components	CAS #
tert-Amyl methyl ether	994-05-8	2-Methyl-2-propanol	75-65-0
tert-Butyl ethyl ether	637-92-3	Methyl tertiary-butyl ether	1634-04-4
Isopropyl ether	108-20-3		
		Concentration	Part #
		2,000 µg/mL	8015-OX

Volatiles

Volume for all Volatiles is 1 mL

Applicable Methods: US EPA Method 8015 (see page 169 for details).

8015 Singles in Methanol-P&T			
Components	CAS #	Concentration	Part #
tert-Amyl alcohol	75-85-4	1,000 µg/mL	S-260
Triethylamine	121-44-8	1,000 µg/mL	S-3702

Applicable Methods: US EPA Method 8015 (see page 169 for details).

Diesel Range Organics Mix in Methylene Chloride			
Components	CAS #	Components	CAS #
n-Decane	124-18-5	n-Hexadecane	544-76-3
n-Docosane	629-97-0	n-Octacosane	630-02-4
n-Dodecane	112-40-3	n-Octadecane	593-45-3
n-Eicosane	112-95-8	n-Tetracosane	646-31-1
n-Hexacosane	630-01-3	n-Tetradecane	629-59-4
		Concentration	Part #
		1,000 µg/mL	DRO-1000

Applicable Methods: US EPA Method 8015 (see page 169 for details).

Gasoline Range Organics Mix in Methanol-P&T			
Components	CAS #	Components	CAS #
Benzene	71-43-2	1,2,4-Trimethylbenzene	95-63-6
Ethylbenzene	100-41-4	2,2,4-Trimethylpentane	540-84-1
3-Methylpentane	96-14-0	m-Xylene	108-38-3
Naphthalene	91-20-3	o-Xylene	95-47-6
Toluene	108-88-3		
		Concentration	Part #
		1,000 µg/mL	GRO-1000

Applicable Methods: US EPA Method 8021 (see page 169 for details).

Mix A for GC/PID in Methanol-P&T			
Components	CAS #	Components	CAS #
Benzene	71-43-2	Ethylbenzene	100-41-4
Chlorobenzene	108-90-7	Toluene	108-88-3
1,2-Dichlorobenzene	95-50-1	m-Xylene	108-38-3
1,3-Dichlorobenzene	541-73-1	o-Xylene	95-47-6
1,4-Dichlorobenzene	106-46-7	p-Xylene	106-42-3
		Concentration	Part #
		2,000 µg/mL	8020-A

Volume for all Volatiles is 1 mL

Applicable Methods: US EPA Method 8260 (see page 169 for details).

Volatile Organics Combination Mix in Methanol-P&T					
Components	CAS #	Components	CAS #	Components	CAS #
Benzene	71-43-2	1,1-Dichloroethene	75-35-4	Tetrachloroethene	127-18-4
Bromodichloromethane	75-27-4	trans-1,2-Dichloroethene	156-60-5	Toluene	108-88-3
Bromoform	75-25-2	1,2-Dichloropropane	78-87-5	Trichloroethene	79-01-6
Carbon tetrachloride	56-23-5	cis-1,3-Dichloropropene	10061-01-5	1,1,1-Trichloroethane	71-55-6
Chlorobenzene	108-90-7	trans-1,3-Dichloropropene	10061-02-6	1,1,2-Trichloroethane	79-00-5
Chloroform	67-66-3	Ethylbenzene	100-41-4	m-Xylene	108-38-3
Dibromochloromethane	124-48-1	Methylene chloride	75-09-2	o-Xylene	95-47-6
1,1-Dichloroethane	75-34-3	Styrene	100-42-5	p-Xylene	106-42-3
1,2-Dichloroethane	107-06-2	1,1,2,2-Tetrachloroethane	79-34-5		
		Concentration	Part #		
		2,000 µg/mL	8240-25		

Applicable Methods: US EPA Method 8260 (see page 169 for details).

Alternate Internal Standard in Methanol-P&T			
Components	CAS #	Components	CAS #
Chlorobenzene-d ₅	3114-55-4	Fluorobenzene	462-06-6
1,4-Dichlorobenzene-d ₄	3855-82-1		
		Concentration	Part #
		2,000 µg/mL	8260A-I

Applicable Methods: US EPA Method 8260 (see page 169 for details).

Alternate Surrogate Standard in Methanol-P&T			
Components	CAS #	Components	CAS #
4-Bromofluorobenzene	460-00-4	1,2-Dichloroethane-d ₄	17060-07-0
Dibromofluoromethane	1868-53-7	Toluene-d ₈	2037-26-5
		Concentration	Part #
		2,000 µg/mL	8260A-S

Applicable Methods: US EPA Method 8260 (see page 169 for details).

Internal Standard in Methanol-P&T			
Components	CAS #	Components	CAS #
Chlorobenzene-d ₅	3114-55-4	1,4-Difluorobenzene	540-36-3
1,4-Dichlorobenzene-d ₄	3855-82-1	Pentafluorobenzene	363-72-4
		Concentration	Part #
		2,000 µg/mL	8260-I

Volume for all Volatiles is 1 mL

Surrogate Standard in Methanol P&T				
Components		CAS #	Components	CAS #
4-Bromofluorobenzene		460-00-4	Toluene-d ₈	2037-26-5
Dibromofluoromethane		1868-53-7		
		Concentration	Part #	
		2,000 µg/mL	8260-S	

Mix E in Methanol-P&T				
Components		CAS #	Components	CAS #
Acetone	67-64-1	2-Hexanone	591-78-6	
2-Butanone	78-93-3	4-Methyl-2-pentanone	108-10-1	
Carbon disulfide	75-15-0	Vinyl acetate	108-05-4	
2-Chloroethyl vinyl ether	110-75-8			
Concentration	Part #	Concentration	Part #	
200 µg/mL	8260-E	2,000 µg/mL	8260-EH	

[illegible]

Vinyl Acetate Standard in Methanol-P&T					
Component	CAS #				
Vinyl acetate	108-05-4				
<table><tr><th>Concentration</th><th>Part #</th></tr><tr><td>1,000 µg/mL</td><td>S-3800</td></tr></table>		Concentration	Part #	1,000 µg/mL	S-3800
Concentration	Part #				
1,000 µg/mL	S-3800				

Volume for all Volatiles is 1 mL

“Long List” Appendix IX Compounds for 8260B (cont’d)

Applicable Methods: US EPA Method 8260B and CLP Series (see page 169 for details).

2-Chloroethyl Vinyl Ether Standard in Methanol-P&T		
Component		CAS #
2-Chloroethyl vinyl ether		110-75-8
Concentration		Part #
1,000 µg/mL		S-855

Applicable Methods: US EPA Method 8260B (see page 169 for details).

Chloroprene Standard in Methanol-P&T			
Component		CAS #	
Chloroprene (2-chloro-1,3-butadiene)		126-99-8	
Concentration	Part #	Concentration	Part #
1,000 µg/mL	S-930	2,000 µg/mL	S-930-2K

CLPV Series Volatiles

Applicable Methods: US EPA Methods 502.1, 502.2, 524, 624, 8260, and CLP Series (see page 169 for details).

Volatile Analyte Mix A in Methanol-P&T					
Components	CAS #	Components	CAS #	Components	CAS #
Bromoform	75-25-2	1,1-Dichloroethane	75-34-3	Methylene Chloride	75-09-2
Carbon tetrachloride	56-23-5	1,2-Dichloroethane	107-06-2	1,1,2,2-Tetrachloroethane	79-34-5
Chlorobenzene	108-90-7	1,1-Dichloroethene	75-35-4	Tetrachloroethene	127-18-4
Chloroform	67-66-3	trans-1,2-Dichloroethene	156-60-5	1,1,2-Trichloroethane	79-00-5
Dibromochloromethane	124-48-1	1,2-Dichloropropane	78-87-5	Trichloroethene	79-01-6
Concentration		Part #		Concentration	
200 µg/mL		CLPV-A		2,000 µg/mL	
				CLPV-AH	

Applicable Methods: CLP Series (see page 169 for details).

Volatiles Mix D for CLP SOW 2/88 & 3/90 (High Level) in Methanol-P&T					
Components	CAS #	Components	CAS #	Components	CAS #
Acetone	67-64-1	cis-1,2-Dichloroethene	156-59-2	Styrene	100-42-5
2-Butanone	78-93-3	2-Hexanone	591-78-6	Vinyl acetate	108-05-4
Carbon disulfide	75-15-0	4-Methyl-2-pentanone	108-10-1	p-Xylene	106-42-3
Concentration		Part #			
2,000 µg/mL		CLPV-DH			

Volatiles

Volume for all Volatiles is 1 mL

CLP Series Volatiles (cont'd)

Applicable Methods: CLP Series (see page 169 for details).

Volatiles Mix D (High Level) in Methanol-P&T			
Components	CAS #	Components	CAS #
Acetone	67-64-1	2-Hexanone	591-78-6
2-Butanone	78-93-3	4-Methyl-2-pentanone	108-10-1
Carbon disulfide	75-15-0	Styrene	100-42-5
cis-1,2-Dichloroethene	156-59-2	p-Xylene	106-42-3
Concentration		Part #	
2,000 µg/mL		CLPV-D90H	

Applicable Methods: US EPA Method 8260 and CLP Series (see page 169 for details).

Volatile Matrix Spike in Methanol-P&T			
Components	CAS #	Components	CAS #
Benzene	71-43-2	Toluene	108-88-3
Chlorobenzene	108-90-7	Trichloroethene	79-01-6
1,1-Dichloroethene	75-35-4		
Concentration		Part #	
2,000 µg/mL		CLPV-MH	

Applicable Methods: US EPA Method 8260 and CLP Series (see page 169 for details).

Surrogate Standard (High Level) in Methanol-P&T			
Components	CAS #	Components	CAS #
1-Bromo-4-fluorobenzene	460-00-4	Toluene-d ₈	2037-26-5
1,2-Dichloroethane-d ₄	17060-07-0		
Concentration		Part #	
2,500 µg/mL		CLPV-SH	

Applicable Methods: US EPA Methods 524.2, 8260, and CLP Series (see page 169 for details).

GC/MS Tuning Standard in Methanol-P&T			
Component		CAS #	
4-Bromofluorobenzene		460-00-4	
Concentration		Part #	
1,000 µg/mL		S-550	
Concentration		Part #	
2,500 µg/mL		CLPV-TH	

Volume for all Volatiles is 1 mL

CLP Series Volatiles (cont'd)

Applicable Methods: CLP Series (see page 169 for details).

Supplementary Volatiles Mix for CLP OLM 04.1 in Methanol-P&T					
Components	CAS #	Components	CAS #	Components	CAS #
Methyl tertiary-butyl ether	1634-04-4	1,2-Dichlorobenzene	95-50-1	Methyl acetate	79-20-9
Cyclohexane	110-82-7	1,3-Dichlorobenzene	541-73-1	Methylcyclohexane	108-87-2
1,2-Dibromo-3-chloropropane	96-12-8	1,4-Dichlorobenzene	106-46-7	1,2,4-Trichlorobenzene	120-82-1
1,2-Dibromoethane	106-93-4	Isopropylbenzene	98-82-8	1,1,2-Trichlorotrifluoroethane	76-13-1
		Concentration		Part #	
		200 µg/mL		CLPV-041X	

Applicable Methods: CLP Series (see page 169 for details).

Volatiles Mix for CLM 04.1 in Methanol-P&T					
Components	CAS #	Components	CAS #	Components	CAS #
Acetone	67-64-1	1,3-Dichlorobenzene	541-73-1	Methylene Chloride	75-09-2
Benzene	71-43-2	1,4-Dichlorobenzene	106-46-7	4-Methyl-2-pentanone	108-10-1
Bromodichloromethane	75-27-4	1,1-Dichloroethane	75-34-3	Styrene	100-42-5
Bromoform	75-25-2	1,2-Dichloroethane	107-06-2	1,1,2,2-Tetrachloroethane	79-34-5
2-Butanone	78-93-3	1,1-Dichloroethene	75-35-4	Tetrachloroethene	127-18-4
Methyl tertiary-butyl ether	1634-04-4	cis-1,2-Dichloroethene	156-59-2	Toluene	108-88-3
Carbon disulfide	75-15-0	trans-1,2-Dichloroethene	156-60-5	1,2,4-Trichlorobenzene	120-82-1
Carbon tetrachloride	56-23-5	1,2-Dichloropropane	78-87-5	1,1,1-Trichloroethane	71-55-6
Chlorobenzene	108-90-7	cis-1,3-Dichloropropene	10061-01-5	1,1,2-Trichloroethane	79-00-5
Chloroform	67-66-3	trans-1,3-Dichloropropene	10061-02-6	Trichloroethene	79-01-6
Cyclohexane	110-82-7	Ethylbenzene	100-41-4	1,1,2-Trichlorotrifluoroethane	76-13-1
1,2-Dibromo-3-chloropropane	96-12-8	2-Hexanone	591-78-6	m-Xylene	108-38-3
Dibromochloromethane	124-48-1	Isopropylbenzene	98-82-8	o-Xylene	95-47-6
1,2-Dibromoethane	106-93-4	Methyl acetate	79-20-9	p-Xylene	106-42-3
1,2-Dichlorobenzene	95-50-1	Methylcyclohexane	108-87-2		
		Concentration		Part #	
		2,000 µg/mL		CLPV-43CH	

Applicable Methods: US EPA Method 8260B and CLP Series (see page 169 for details).

Combined Stock Standard in Methanol-P&T			
Components	CAS #	Components	CAS #
2-Chloroethyl vinyl ether	110-75-8	Vinyl acetate	108-05-4
		Concentration	
		2,000 µg/mL	
		Part #	
		CNVA	

Volatiles

Volume for all Volatiles is 1 mL

CLP Series Volatiles (cont'd)

Applicable Methods: CLP Series (see page 169 for details).

Volatiles Organics Combination Standard in Methanol-P&T					
Components	CAS #	Components	CAS #	Components	CAS #
Acetone	67-64-1	1,2-Dichloroethane	107-06-2	Styrene	100-42-5
Benzene	71-43-2	1,1-Dichloroethene	75-35-4	1,1,2,2-Tetrachloroethane	79-34-5
Bromodichloromethane	75-27-4	cis-1,2-Dichloroethene	156-59-2	Tetrachloroethene	127-18-4
Bromoform	75-25-2	trans-1,2-Dichloroethene	156-60-5	Toluene	108-88-3
2-Butanone	78-93-3	1,2-Dichloropropane	78-87-5	1,1,1-Trichloroethane	71-55-6
Carbon disulfide	75-15-0	cis-1,3-Dichloropropene	10061-01-5	1,1,2-Trichloroethane	79-00-5
Carbon tetrachloride	56-23-5	trans-1,3-Dichloropropene	10061-02-6	Trichloroethene	79-01-6
Chlorobenzene	108-90-7	Ethylbenzene	100-41-4	m-Xylene	108-38-3
Chloroform	67-66-3	2-Hexanone	591-78-6	o-Xylene	95-47-6
Dibromochloromethane	124-48-1	4-Methyl-2-pentanone	108-10-1	p-Xylene	106-42-3
1,1-Dichloroethane	75-34-3	Methylene chloride	75-09-2		
		Concentration	Part #		
		2,000 µg/mL	CLPV-32CH		

TCLP Series Volatiles

Applicable Methods: TCLP Series

TCLP Volatiles Spike in Methanol-P&T					
Components	CAS #	Components	CAS #	Components	CAS #
Benzene	71-43-2	Chloroform	67-66-3	Tetrachloroethene	127-18-4
2-Butanone	78-93-3	1,4-Dichlorobenzene	106-46-7	Trichloroethene	79-01-6
Carbon tetrachloride	56-23-5	1,2-Dichloroethane	107-06-2	Vinyl chloride	75-01-4
Chlorobenzene	108-90-7	1,1-Dichloroethene	75-35-4		
		Concentration	Part #		
		2,000 µg/mL	TCLP-VX		

Applicable Methods: TCLP Series

TCLP Volatiles Spike without Vinyl Chloride in Methanol-P&T			
Components	CAS #	Components	CAS #
Benzene	71-43-2	1,4-Dichlorobenzene	106-46-7
2-Butanone*	78-93-3	1,2-Dichloroethane	107-06-2
Carbon tetrachloride	56-23-5	1,1-Dichloroethene	75-35-4
Chlorobenzene	108-90-7	Tetrachloroethene	127-18-4
Chloroform	67-66-3	Trichloroethene	79-01-6
		Concentration	Part #
		2,000 µg/mL	TCLP-V

* 2-Butanone is at 10,000 µg/mL concentration.

Volume for all Volatiles is 1 mL

TCLP Series Volatiles (cont'd)

Applicable Methods: TCLP Series

Chlorofluorocarbon Refrigerant Standard Singles in Methanol-P&T at 1,000 µg/mL					
Component	CAS #	Part #	Components	CAS #	Part #
Chlorodifluoromethane	75-45-6	S-840	Dichlorofluoromethane	75-43-4	S-1405
2-Chloro-1,1,1-trifluoroethane	75-88-7	S-958	1,2-Dichlorotetrafluoroethane	76-14-2	S-1470
1,2-Dichloro-1,1-difluoroethane	1649-08-7	S-1477	1,2-Dichlorotrifluoroethane	354-23-4	S-1479
Dichlorodifluoromethane	75-71-8	S-1370	Trichlorofluoromethane	75-69-4	S-3620
1,1-Dichloro-1-fluoroethane	1717-00-6	S-1480	1,1,2-Trichlorotrifluoroethane	76-13-1	S-3675

60 BIG MIX

Applicable Methods: US EPA Methods 502.2 and 8260 (see page 169 for details).

Big Mix in Methanol-P&T Volatile Organics Mix with 60 Certified Components					
Components	CAS #	Components	CAS #	Components	CAS #
Benzene	71-43-2	1,2-Dichlorobenzene	95-50-1	Naphthalene	91-20-3
Bromobenzene	108-86-1	1,3-Dichlorobenzene	541-73-1	n-Propylbenzene	103-65-1
Bromochloromethane	74-97-5	1,4-Dichlorobenzene	106-46-7	Styrene	100-42-5
Bromodichloromethane	75-27-4	Dichlorodifluoromethane	75-71-8	1,1,1,2-Tetrachloroethane	630-20-6
Bromoform	75-25-2	1,1-Dichloroethane	75-34-3	1,1,2,2-Tetrachloroethane	79-34-5
Bromomethane	74-83-9	1,2-Dichloroethane	107-06-2	Tetrachloroethene	127-18-4
n-Butylbenzene	104-51-8	1,1-Dichloroethene	75-35-4	Toluene	108-88-3
sec-Butylbenzene	135-98-8	cis-1,2-Dichloroethene	156-59-2	1,2,3-Trichlorobenzene	87-61-6
tert-Butylbenzene	98-06-6	trans-1,2-Dichloroethene	156-60-5	1,2,4-Trichlorobenzene	120-82-1
Carbon tetrachloride	56-23-5	1,2-Dichloropropane	78-87-5	1,1,1-Trichloroethane	71-55-6
Chlorobenzene	108-90-7	1,1-Dichloropropene	563-58-6	1,1,2-Trichloroethane	79-00-5
Chloroethane	75-00-3	cis-1,3-Dichloropropene	10061-01-5	Trichloroethene	79-01-6
Chloroform	67-66-3	trans-1,3-Dichloropropene	10061-02-6	Trichlorofluoromethane	75-69-4
Chloromethane	74-87-3	1,3-Dichloropropane	142-28-9	1,2,3-Trichloropropane	96-18-4
2-Chlorotoluene	95-49-8	2,2-Dichloropropane	594-20-7	1,2,4-Trimethylbenzene	95-63-6
4-Chlorotoluene	106-43-4	Ethylbenzene	100-41-4	1,3,5-Trimethylbenzene	108-67-8
1,2-Dibromo-3-chloropropane	96-12-8	Hexachlorobutadiene	87-68-3	Vinyl chloride	75-01-4
Dibromochloromethane	124-48-1	Isopropylbenzene	98-82-8	m-Xylene	108-38-3
1,2-Dibromoethane	106-93-4	p-Isopropyltoluene	99-87-6	o-Xylene	95-47-6
Dibromomethane	74-95-3	Methylene chloride	75-09-2	p-Xylene	106-42-3
Concentration	Part #	Concentration	Part #	Concentration	Part #
200 µg/mL	60-BIG-MIX-200	1,000 µg/mL	60-BIG-MIX	2,000 µg/mL	60-BIG-MIX-2000

Volume for all Volatiles is 1 mL

Applicable Methods: US EPA Method 8260 and CLP Series (see page 169 for details).

187

Semivolatiles

Single & Multi-Component Standards
for GC, GC/MS, LC & LC/MS

Semivolatiles

US EPA Methods

US EPA Semivolatiles - Method 500 Series

Method 506 is an analytical method for the monitoring of phthalate and adipate esters in drinking water by GC/PID.

Method 525 is an analytical method for the monitoring of semivolatiles in drinking water and raw water sources by GC/MS.

Method 535 is an analytical method for the monitoring of chloroacetanilide and other acetamide herbicide degradates in drinking water by SPE followed by LC/MS/MS.

Methods 550 and 550.1 are analytical methods for the monitoring of Polynuclear Aromatic Hydrocarbons (PAH) in drinking water by HPLC with UV and fluorescence detectors.

Method 552 is an analytical method for the monitoring of haloacetic acids and phenolic disinfectant by-products in drinking water by GC/ECD.

US EPA Semivolatiles - Method 600 Series

Method 604 is an analytical method for the monitoring of phenols in municipal and industrial wastewater by GC/FID.

Method 605 is an analytical method for the monitoring of benzidine in municipal and industrial wastewater by HPLC and an Electrochemical Detector.

Method 606 is an analytical method for the monitoring of phthalate esters in municipal and industrial wastewater by GC/ECD.

Method 612 is an analytical method for the monitoring of chlorinated hydrocarbons in municipal and industrial wastewater by GC/ECD.

Method 625 is an analytical method for the monitoring of acid and base neutral extractable fractions in municipal and industrial wastewater by GC/MS.

US EPA Semivolatiles - Method 8000 Series

Method 8041 is a general analytical method for the monitoring of phenols by GC/FID or GC/ECD.

Method 8061 is an analytical method for the monitoring of phthalate esters in aqueous and solid samples by GC/MS or GC/ECD.

Method 8100 is an analytical method for the monitoring of PNA hydrocarbons in aqueous and solid samples by GC/FID.

Method 8121 is an analytical method for the monitoring of chlorinated hydrocarbons in environmental and waste samples by GC/ECD.

Method 8270 is a general analytical method for the monitoring of semivolatiles in environmental and waste samples by GC/MS.

Method 8310 is an analytical method for the monitoring of PNA hydrocarbons in groundwater and waste samples by HPLC using UV and fluorescence detectors.

CLP Series

The US EPA retains analytical services through the Contract Laboratory Program (CLP). The CLP follows detailed SOPs derived from EPA methods and SW-846. The CLP Semivolatile Organic Analysis Method is an analytical method for the analysis of aqueous or solid samples for SVOCs by GC/MS.

TCLP Series

EPA methods 1311 and 1312 are analytical methods for the monitoring of a wide range of compounds in various samples using the Toxicity Characteristic Leaching Procedure (TCLP).

Volume for all Semivolatiles is 1 mL

Applicable Methods: US EPA Method 506 (see page 189 for details).

Method 506 Analyte Mix (High Level) in Isooctane			
Components	CAS #	Components	CAS #
Butylbenzene phthalate	85-68-7	Dimethyl phthalate	131-11-3
Di-n-butyl phthalate	84-74-2	bis(2-Ethylhexyl)adipate	103-23-1
Di-n-octyl phthalate	117-84-0	bis(2-Ethylhexyl)phthalate	117-81-7
Diethyl phthalate	84-66-2		
		Concentration	Part #
		2,000 µg/mL	506-AH

Applicable Methods: US EPA Method 525 (see page 189 for details).

Semivolatile Organics Mix A in Acetone					
Components	CAS #	Components	CAS #	Components	CAS #
Acenaphthylene	208-96-8	Chlorobenzilate	510-15-6	Fluorene	86-73-7
Anthracene	120-12-7	Chrysene	218-01-9	Hexachlorobenzene	118-74-1
Benz(a)anthracene	56-55-3	Di-n-butyl phthalate	84-74-2	Hexachlorocyclopentadiene	77-47-4
Benzo(a)pyrene	50-32-8	Diethyl phthalate	84-66-2	Indeno(1,2,3-cd)pyrene	193-39-5
Benzo(b)fluoranthene	205-99-2	Dimethyl phthalate	131-11-3	Isophorone	78-59-1
Benzo(g,h,i)perylene	191-24-2	Dibenz(a,h)anthracene	53-70-3	Pentachlorophenol*	87-65-5
Benzo(k)fluoranthene	207-08-9	bis(2-Ethylhexyl)adipate	103-23-1	Phenanthrene	85-01-8
Butylbenzyl phthalate	85-68-7	bis(2-Ethylhexyl)phthalate	117-81-7	Pyrene	129-00-0
		Concentration	Part #		
		500 µg/mL	5252-A		

* Pentachlorophenol is at 2,000 µg/mL concentration.

Applicable Methods: US EPA Method 525 (see page 189 for details).

Fortification Solution in Methylene Chloride	
Component	CAS #
p-Terphenyl-d ₁₄	1718-51-0
Concentration	Part #
500 µg/mL	5252-FS

Applicable Methods: US EPA Method 525 (see page 189 for details).

Internal Standard in Acetone			
Components	CAS #	Components	CAS #
Acenaphthene-d ₁₀	15067-26-2	Phenanthrene-d ₁₀	1517-22-2
Chrysene-d ₁₂	1719-03-5		
		Concentration	Part #
		500 µg/mL	5252-I

Semivolatiles

Volume for all Semivolatiles is 1 mL

Applicable Methods: US EPA Method 525 (see page 189 for details).**Organochlorine Pesticides Mix A in Acetone**

Components	CAS #	Components	CAS #	Components	CAS #
Aldrin	309-00-2	p,p'-DDE	72-55-9	Endrin	72-20-8
alpha-BHC	319-84-6	p,p'-DDT	50-29-3	Endrin aldehyde	7421-93-4
beta-BHC	319-85-7	Dieldrin	60-57-1	Endrin ketone	53494-70-5
delta-BHC	319-86-8	Endosulfan I	959-98-8	Heptachlor	76-44-8
gamma-BHC	58-89-9	Endosulfan II	33213-65-9	Heptachlor epoxide (Isomer B)	1024-57-3
p,p'-DDD	72-54-8	Endosulfan sulfate	1031-07-8	Methoxychlor	72-43-5
		Concentration	Part #		
		200 µg/mL	5252-PA		

Applicable Methods: US EPA Method 525 (see page 189 for details).**Organochlorine Pesticides Mix B in Acetone**

Components	CAS #	Components	CAS #	Components	CAS #
Alachlor	15972-60-8	Chloroneb	2675-77-6	trans-Nonachlor	39765-80-5
Bladex	21725-46-2	Chlorothalonil	1897-45-6	Permethrin (cis & trans)	52645-53-1
alpha-Chlordane	5103-71-9	Chlorpyrifos	2921-88-2	Propachlor	1918-16-7
gamma-Chlordane	5103-74-2	Hexachlorobenzene	118-74-1	Terrazole	2593-15-9
Chlorobenzilate	510-15-6	Methyl dacthal	1861-32-1	Trifluralin	1582-09-8
		Concentration	Part #		
		200 µg/mL	5252-PB		

Applicable Methods: US EPA Method 525 (see page 189 for details).**Nitrogen-Phosphorus Pesticides Mix C in Methylene Chloride**

Components	CAS #	Components	CAS #	Components	CAS #
Ametryn	834-12-8	Diphenamid	957-51-7	Prometryn	7287-19-6
Atraton	1610-17-9	Disulfoton sulfone	2497-06-5	Propazine	139-40-2
Atrazine	1912-24-9	EPTC	759-94-4	Prophos	13194-48-4
Bromacil	314-40-9	Metolachlor	51218-45-2	Propyzamide	23590-58-5
Butachlor	23184-66-9	Metribuzin	21087-64-9	Simazine	122-34-9
Butylate	2008-41-5	Mevinphos	7786-34-7	Simetryn	1014-70-6
Chlorpropham	101-21-3	MGK 264™	113-48-4	Terbacil	5902-51-2
Cycloate	1134-23-2	Molinate	2212-67-1	Terbufos	13071-79-9
Diazinon	333-41-5	Napropamide (Devrinol)	15299-99-7	Terbutryn	886-50-0
Dichlorvos	62-73-7	Pebulate	1114-71-2	Tributylphosphoro-trithioite	150-50-5
Dimethyl-p-nitrophenyl phosphate	950-35-6	Prometon	1610-18-0	Vernolate	1929-77-7
		Concentration	Part #		
		200 µg/mL	5252-PC		

Volume for all Semivolatiles is 1 mL

Applicable Methods: US EPA Method 525 (see page 189 for details).

Performance Check Solution in Methylene Chloride			
Components	CAS #	Components	CAS #
p,p'-DDT	50-29-3	bis(Pentafluorophenyl)phenylphosphine	5074-71-5
Endrin	72-20-8		
		Concentration	Part #
		500 µg/mL	5252-PCS

Applicable Methods: US EPA Method 525 (see page 189 for details).

Surrogate Standard in Acetone			
Components	CAS #	Components	CAS #
2-Nitro-m-xylene	81-20-9	Triphenyl phosphate	115-86-6
Perylene-d ₁₂	1520-96-3		
		Concentration	Part #
		500 µg/mL	5252-S

Applicable Methods: US EPA Method 525 (see page 189 for details).

Method 525.3 PCB Mix in Acetone					
Components	CAS #	Components	CAS #	Components	CAS #
2-Chlorobiphenyl	2051-60-7	2,2',3,4,5',6'-Hexachlorobiphenyl	38380-04-0	2,2',5,5'-Tetrachlorobiphenyl	35693-99-3
4-Chlorobiphenyl	2051-62-9	2,2',4,4',5,5'-Hexachlorobiphenyl	35065-27-1	2,3',4',5-Tetrachlorobiphenyl	32598-11-1
2,4'-Dichlorobiphenyl	34883-43-7	2,3,3',4',6-Pentachlorobiphenyl	38380-03-9	2,2',5-Trichlorobiphenyl	37680-65-2
2,2',3,4,4',5,5'-Heptachlorobiphenyl	35065-29-3	2,3',4,4',5-Pentachlorobiphenyl	31508-00-6	2,4,4'-Trichlorobiphenyl	7012-37-5
2,2',3,4,4',5'-Hexachlorobiphenyl	35065-28-2	2,2',3,5'-Tetrachlorobiphenyl	41464-39-5		
		Concentration	Part #		
		200 µg/mL	5253-PCB		

Applicable Methods: US EPA Method 525 (see page 189 for details).

525.3 Standard in Acetone			
Components	CAS #	Components	CAS #
Benzo(a)pyrene-d ₁₂	63466-71-7	Triphenyl phosphate	115-86-6
2-Nitro-m-xylene	81-20-9		
		Concentration	Part #
		500 µg/mL	5253-S

Volume for all Semivolatiles is 1 mL

Chloroacetanilide and Acetamide Herbicide Degradates Standard in Methanol			
Components		CAS #	
Acetochlor ESA	187022-11-3	Alachlor OA	171262-17-2
Acetochlor OA	194992-44-4	Metolachlor ESA	947601-85-6
Alachlor ESA	140939-15-7	Metolachlor OA	152019-73-3
		Concentration	Part #
		500 µg/mL	535-A

Butachlor ESA Standard in Methanol					
Component	CAS #				
Butachlor ESA	23184-66-9				
	<table><tr><th>Concentration</th><th>Part #</th></tr><tr><td>500 µg/mL</td><td>535-I</td></tr></table>	Concentration	Part #	500 µg/mL	535-I
	Concentration	Part #			
500 µg/mL	535-I				

Dimethachlor Standard in Methanol					
Component	CAS #				
Dimethachlor ESA	N/A				
	<table><tr><th>Concentration</th><th>Part #</th></tr><tr><td>500 µg/mL</td><td>535-S</td></tr></table>	Concentration	Part #	500 µg/mL	535-S
	Concentration	Part #			
500 µg/mL	535-S				

PAH Analyte Mix in Acetonitrile					
Components	CAS #	Concentration	Components	CAS #	Concentration
Acenaphthene	83-32-9	1,000 µg/mL	Chrysene	218-01-9	50 µg/mL
Acenaphthylene	208-96-8	1,000 µg/mL	Dibenz(a,h)anthracene	53-70-3	10 µg/mL
Anthracene	120-12-7	50 µg/mL	Fluoranthene	206-44-0	5 µg/mL
Benzo(a)anthracene	56-55-3	1 µg/mL	Fluorene	86-73-7	100 µg/mL
Benzo(a)pyrene	50-32-8	5 µg/mL	Indeno(1,2,3-cd)pyrene	193-39-5	10 µg/mL
Benzo(b)fluoranthene	205-99-2	1 µg/mL	Naphthalene	91-20-3	1,000 µg/mL
Benzo(g,h,i)perylene	191-24-2	5 µg/mL	Phenanthrene	85-01-8	50 µg/mL
Benzo(k)fluoranthene	207-08-9	1 µg/mL	Pyrene	129-00-0	50 µg/mL
		Part #			
		550-A			

Volume for all Semivolatiles is 1 mL

Applicable Methods: US EPA Method 550 (see page 189 for details).

Internal Standard in Acetonitrile			
Component		CAS #	
4,4'-Dichlorobiphenyl		2050-68-2	
		Concentration	Part #
		100 µg/mL	550-I

Applicable Methods: US EPA Method 552 (see page 189 for details).

Free Acids in Methyl Tertiary-Butyl Ether			
Components	CAS #	Components	CAS #
Bromoacetic acid	79-08-3	Dichloroacetic acid	79-43-6
Bromochloroacetic acid	5589-96-8	2,4-Dichlorophenol	120-83-2
Chloroacetic acid	79-11-8	Trichloroacetic acid	76-03-9
Dibromoacetic acid	631-64-1	2,4,6-Trichlorophenol	88-06-2
		Concentration	Part #
		200 µg/mL	552-A

Applicable Methods: US EPA Method 552 (see page 189 for details).

Methyl Esters Mix in Methyl Tertiary-Butyl Ether			
Components	CAS #	Components	CAS #
Methyl bromoacetate	96-32-2	Methyl dibromoacetate	6482-26-4
Methyl bromochloroacetate	20428-74-4	Methyl dichloroacetate	116-54-1
Methyl chloroacetate	96-34-4	Methyl trichloroacetate	598-99-2
		Concentration	Part #
		200 µg/mL	552-MEO

Applicable Methods: US EPA Method 552 (see page 189 for details).

Analyte Mix A in Methyl Tertiary-Butyl Ether			
Components	CAS #	Components	CAS #
Bromoacetic acid	79-08-3	Dibromoacetic acid	631-64-1
Bromochloroacetic acid	5589-96-8	Dichloroacetic acid	79-43-6
Chloroacetic acid	79-11-8	Trichloroacetic acid	76-03-9
Dalapon	75-99-0		
		Concentration	Part #
		200 µg/mL	5521-A

Semivolatiles

Volume for all Semivolatiles is 1 mL

Applicable Methods: US EPA Method 552 (see page 189 for details).

Free Acids Analyte Mix in Methyl Tertiary-Butyl Ether					
Components	CAS #	Concentration	Components	CAS #	Concentration
Bromoacetic acid	79-08-3	400 µg/mL	Dibromoacetic acid	631-64-1	200 µg/mL
Bromochloroacetic acid	5589-96-8	400 µg/mL	2,3-Dibromopropionic acid*	600-05-5	1,000 µg/mL
Bromodichloroacetic acid	71133-14-7	400 µg/mL	Dichloroacetic acid	79-43-6	600 µg/mL
Chloroacetic acid	79-11-8	600 µg/mL	Tribromoacetic acid	75-96-7	2,000 µg/mL
Chlorodibromoacetic acid	5278-95-5	1,000 µg/mL	Trichloroacetic acid	76-03-9	200 µg/mL
Dalapon	75-99-0	400 µg/mL			
Part #			Part #		
5522-AS			5522-A*		

* 5522-A is the same as 5522-AS but without 2,3-Dibromopropionic acid

Applicable Methods: US EPA Method 552 (see page 189 for details).

Methyl Esters Mix in Methyl Tertiary-Butyl Ether					
Components	CAS #	Concentration	Components	CAS #	Concentration
Dalapon methyl ester	17640-02-7	400 µg/mL	Methyl dibromoacetate	6482-26-4	200 µg/mL
Methyl bromoacetate	96-32-2	400 µg/mL	Methyl 2,3-dibromopropionate*	1729-67-5	1,000 µg/mL
Methyl bromochloroacetate	20428-74-4	400 µg/mL	Methyl dichloroacetate	116-54-1	600 µg/mL
Methyl bromodichloroacetate	20428-76-6	400 µg/mL	Methyl tribromoacetate	3222-05-7	2,000 µg/mL
Methyl chloroacetate	96-34-4	600 µg/mL	Methyl trichloroacetate	598-99-2	200 µg/mL
Methyl chlorodibromoacetate	20428-75-5	1,000 µg/mL			
Part #			Part #		
5522-MEOS			5522-MEO*		

* 5522-MEO is the same as 5522-MEOS but without Methyl 2,3-dibromopropionate.

Applicable Methods: US EPA Methods 605, 8270 and CLP Series (see page 189 for details).

Benzidine Analytes Mix in Methanol			
Components	CAS #	Components	CAS #
Benzidine	92-87-5	3,3'-Dichlorobenzidine	91-94-1
		Concentration	Part #
		2,000 µg/mL	605-X

Applicable Methods: US EPA Methods 606 and 8061 (see page 189 for details).

Analyte Mix (High Level) in Isooctane			
Components	CAS #	Components	CAS #
Butylbenzyl phthalate	85-68-7	Dimethyl phthalate	131-11-3
Di-n-butyl phthalate	84-74-2	Di-n-Octyl phthalate	117-84-0
Diethyl phthalate	84-66-2	bis(2-Ethylhexyl) phthalate	117-81-7
		Concentration	Part #
		2,000 µg/mL	606-XH

Volume for all Semivolatiles is 1 mL

Applicable Methods: US EPA Methods 612 and 8121 (see page 189 for details).

Chlorinated Hydrocarbons Mix in Isooctane			
Components	CAS #	Components	CAS #
2-Chloronaphthalene	91-58-7	Hexachlorobutadiene	87-68-3
1,2-Dichlorobenzene	95-50-1	Hexachlorocyclopentadiene	77-47-4
1,3-Dichlorobenzene	541-73-1	Hexachloroethane	67-72-1
1,4-Dichlorobenzene	106-46-7	1,2,4-Trichlorobenzene	120-82-1
Hexachlorobenzene	118-74-1		
Concentration		Part #	
2,000 µg/mL		612-X	

Applicable Methods: US EPA Method 625 (see page 189 for details).

3,3'-Dichlorobenzidine Standard in Methanol	
Component	CAS #
3,3'-Dichlorobenzidine	91-94-1
Concentration	
2,000 µg/mL	
Part #	
625-E	

Applicable Methods: US EPA Method 625 (see page 189 for details).

Additional Analytes Mix in Methanol			
Components	CAS #	Components	CAS #
Benzidine	92-87-5	n-Nitrosodimethylamine	62-75-9
Concentration		Part #	
2,000 µg/mL		625-F	

Applicable Methods: US EPA Methods 625 and 8270 (see page 189 for details).

Organochlorine Pesticides Mix in Benzene					
Components	CAS #	Components	CAS #	Components	CAS #
Aldrin	309-00-2	p,p'-DDE	72-55-9	Endrin	72-20-8
alpha-BHC	319-84-6	p,p'-DDT	50-29-3	Endrin aldehyde	7421-93-4
beta-BHC	319-85-7	Dieldrin	60-57-1	Endrin ketone	53494-70-5
delta-BHC	319-86-8	Endosulfan I	959-98-8	Heptachlor	76-44-8
gamma-BHC	58-89-9	Endosulfan II	33213-65-9	Heptachlor epoxide (Isomer B)	1024-57-3
p,p'-DDD	72-54-8	Endosulfan sulfate	1031-07-8	Methoxychlor	72-43-5
Concentration		Part #			
2,000 µg/mL		625-PH			

Semivolatiles

Volume for all Semivolatiles is 1 mL

Applicable Methods: US EPA Method 625 (see page 189 for details).

GC/MS Test Mix in Methylene Chloride			
Components	CAS #	Components	CAS #
bis(pentafluorophenyl)phenylphosphine	5074-71-5	Pentachlorophenol	87-86-5
Concentration		Part #	
250 µg/mL		625-T2	

Applicable Methods: US EPA Method 8041 (see page 189 for details).

Phenolics Mix B in Isopropanol			
Components	CAS #	Components	CAS #
2,6-Dichlorophenol	87-65-0	4-Methylphenol	106-44-5
Dinoseb	88-85-7	2,3,4,6-Tetrachlorophenol	58-90-2
2-Methylphenol	95-48-7	2,4,5-Trichlorophenol	95-95-4
3-Methylphenol	108-39-4		
Concentration		Part #	
2,000 µg/mL		8040-B	

Applicable Methods: US EPA Method 8041 (see page 189 for details).

Internal Standard in Isopropanol			
Components	CAS #	Components	CAS #
2,5-Dibromotoluene	615-59-8	2,2',5,5'-Tetrabromobiphenyl	59080-37-4
Concentration		Part #	
1,000 µg/mL		8041-I	

Applicable Methods: US EPA Method 8061 (see page 189 for details).

Internal Standard in Hexane	
Component	CAS #
Benzyl benzoate	120-51-4
Concentration	
5,000 µg/mL	
Part #	
8060-I	

Applicable Methods: US EPA Method 8061 (see page 189 for details).

Surrogate Standard in Hexane			
Components	CAS #	Components	CAS #
Dibenzyl phthalate	523-31-9	Diphenyl phthalate	84-62-8
Diphenyl isophthalate	744-45-6		
Concentration		Part #	
500 µg/mL		8060-S	

Volume for all Semivolatiles is 1 mL

Applicable Methods: US EPA Method 8100 (see page 189 for details).

PAH Surrogate Standard in Methylene Chloride			
Components	CAS #	Components	CAS #
2-Fluorobiphenyl	321-60-8	1-Fluoronaphthalene	321-38-0
Concentration		Part #	
2,000 µg/mL		8100-S	

Applicable Methods: US EPA Method 8121 (see page 189 for details).

Method 8121 Chlorinated Hydrocarbons QC Mix in Acetone					
Components	CAS #	Components	CAS #	Components	CAS #
alpha-BHC	319-84-6	1,4-Dichlorobenzene	106-46-7	1,2,3,5-Tetrachlorobenzene	634-90-2
beta-BHC	319-85-7	alpha,alpha-Dichlorotoluene	98-87-3	1,2,4,5-Tetrachlorobenzene	95-94-3
delta-BHC	319-86-8	Hexachlorobenzene	118-74-1	1,2,3-Trichlorobenzene	87-61-6
gamma-BHC	58-89-9	Hexachlorobutadiene	87-68-3	1,2,4-Trichlorobenzene	120-82-1
Benzyl chloride	100-44-7	Hexachlorocyclopentadiene	77-47-4	1,3,5-Trichlorobenzene	108-70-3
2-Chloronaphthalene	91-58-7	Hexachloroethane	67-72-1	alpha,alpha,alpha-Trichlorotoluene	98-07-7
1,2-Dichlorobenzene	95-50-1	Pentachlorobenzene	608-93-5		
1,3-Dichlorobenzene	541-73-1	1,2,3,4-Tetrachlorobenzene	634-66-2		
Concentration		Part #			
100 µg/mL		8121-B			

Applicable Methods: US EPA Method 8270 (see page 189 for details).

Chlorinated Hydrocarbons Mix in Methylene Chloride					
Components	CAS #	Components	CAS #	Components	CAS #
2-Chloronaphthalene	91-58-7	Hexachlorobutadiene	87-68-3	Pentachloroethane	76-01-7
1,2-Dichlorobenzene	95-50-1	Hexachlorocyclopentadiene	77-47-4	1,2,4,5-Tetrachlorobenzene	95-94-3
1,3-Dichlorobenzene	541-73-1	Hexachloroethane	67-72-1	1,2,4-Trichlorobenzene	120-82-1
1,4-Dichlorobenzene	106-46-7	Hexachloropropene	1888-71-7		
Hexachlorobenzene	118-74-1	Pentachlorobenzene	608-93-5		
Concentration		Part #			
2,000 µg/mL		8270-AF-B			

Semivolatiles

Volume for all Semivolatiles is 1 mL

Applicable Methods: US EPA Method 8270 (see page 189 for details).

Nitrosamines Mix in Methylene Chloride			
Components	CAS #	Components	CAS #
n-Nitrosodi-n-butylamine	924-16-3	n-Nitrosomethylethylamine	10595-95-6
n-Nitrosodiethylamine	55-18-5	n-Nitrosomorpholine	59-89-2
n-Nitrosodimethylamine	62-75-9	n-Nitrosopiperidine	100-75-4
n-Nitrosodiphenylamine	86-30-6	n-Nitrosopyrrolidine	930-55-2
n-Nitrosodi-n-propylamine	621-64-7		
		Concentration	Part #
		2,000 µg/mL	8270-AF-C

Applicable Methods: US EPA Method 8270 (see page 189 for details).

Organophosphorus Pesticides Mix in Methylene Chloride			
Components	CAS #	Components	CAS #
Dimethoate	60-51-5	Phorate	298-02-2
Disulfoton	298-04-4	Tetraethyldithio pyrophosphate/Sulfotepp	3689-24-5
Famphur	52-85-7	Thionazin (Zinophos)	297-97-2
Methyl parathion	298-00-0	o,o,o-Triethylphosphorothioate	126-68-1
Parathion	56-38-2		
		Concentration	Part #
		2,000 µg/mL	8270-AF-I

Applicable Methods: US EPA Method 8270 (see page 189 for details).

Phenols Mix in Methylene Chloride					
Components	CAS #	Components	CAS #	Components	CAS #
4-Chloro-3-methylphenol	59-50-7	4,6-Dinitro-2-methylphenol	534-52-1	Pentachlorophenol	87-86-5
2-Chlorophenol	95-57-8	2,4-Dinitrophenol	51-28-5	Phenol	108-95-2
2,4-Dichlorophenol	120-83-2	2-Nitrophenol	88-75-5	2,4,6-Trichlorophenol	88-06-2
2,4-Dimethylphenol	105-67-9	4-Nitrophenol	100-02-7		
		Concentration	Part #		
		2,000 µg/mL	8270-AF-L		

Volume for all Semivolatiles is 1 mL

Applicable Methods: US EPA Method 8270 (see page 189 for details).

PAH Mix in Methylene Chloride					
Components	CAS #	Components	CAS #	Components	CAS #
Acenaphthene	83-32-9	Benzo(g,h,i)perylene	191-24-2	Indeno(1,2,3-cd)pyrene	193-39-5
Acenaphthylene	208-96-8	Benzo(k)fluoranthene	207-08-9	Naphthalene	91-20-3
Anthracene	120-12-7	Chrysene	218-01-9	Phenanthrene	85-01-8
Benz(a)anthracene	56-55-3	Dibenz(a,h)anthracene	53-70-3	Pyrene	129-00-0
Benzo(a)pyrene	50-32-8	Fluoranthene	206-44-0		
Benzo(b)fluoranthene	205-99-2	Fluorene	86-73-7		
		Concentration	Part #		
		2,000 µg/mL	8270-AF-M		

Applicable Methods: US EPA Method 8270 (see page 189 for details).

Appendix IX Mix B in Methyl Chloride:Acetone:Benzene			
Components	CAS #	Components	CAS #
2,6-Dichlorophenol	87-65-0	3-Methylphenol	108-39-4
Dinoseb	88-85-7	2,3,4,6-Tetrachlorophenol	58-90-2
		Concentration	Part #
		2,000 µg/mL	8270-IXB

Applicable Methods: US EPA Method 8270 (see page 189 for details).

Appendix IX Organophosphorus/Nitrogen Pesticides and Herbicides Mix in Acetone					
Components	CAS #	Components	CAS #	Components	CAS #
Azinphos-methyl	86-50-0	Demeton (O+S)	8065-48-3	Malathion	121-75-5
Captafol	2425-06-1	Dicrotophos	141-66-2	Mevinphos	7786-34-7
Captan	133-06-2	Dioxathion	78-34-2	Monocrotophos	6923-22-4
Carbaryl	63-25-2	EPN	2104-64-5	Octamethyl pyrophosphoramidate	152-16-9
Carbofuran	1563-66-2	Ethion	563-12-2	Phosalone	2310-17-0
Coumaphos	56-72-4	Fensulfothion	115-90-2	Phosphamidon	13171-21-6
Crotoxypfos	7700-17-6	Fenthion	55-38-9	Terbufos	13071-79-9
		Concentration	Part #		
		2,000 µg/mL	8270-IXJ		

Applicable Methods: US EPA Method 8310 (see page 189 for details).

PAH Surrogate Standard in Acetonitrile	
Component	CAS #
Decafluorobiphenyl	434-90-2
Concentration	Part #
100 µg/mL	8310-I

Semivolatiles

Volume for all Semivolatiles is 1 mL

Applicable Methods: US EPA Method 8270 (see page 189 for details).

Organochlorine Pesticides Mix in Acetone					
Components	CAS #	Components	CAS #	Components	CAS #
Aldrin	309-00-2	p,p'-DDE	72-55-9	Endrin	72-20-8
alpha-BHC	319-84-6	p,p'-DDT	50-29-3	Endrin aldehyde	7421-93-4
beta-BHC	319-85-7	Dieldrin	60-57-1	Heptachlor	76-44-8
delta-BHC	319-86-8	Endosulfan I	959-98-8	Heptachlor epoxide (Isomer B)	1024-57-3
gamma-BHC	58-89-9	Endosulfan II	33213-65-9	Methoxychlor	72-43-5
p,p'-DDD	72-54-8	Endosulfan sulfate	1031-07-8		
		Concentration	Part #		
		2,000 µg/mL	8270-N		

Applicable Methods: US EPA Method 8310 (see page 189 for details).

PAH Combination Mix in Acetonitrile					
Components	CAS #	Components	CAS #	Components	CAS #
Acenaphthene	83-32-9	Benzo(g,h,i)perylene	191-24-2	Indeno(1,2,3-cd)pyrene	193-39-5
Acenaphthylene	208-96-8	Benzo(k)fluoranthene	207-08-9	Naphthalene	91-20-3
Anthracene	120-12-7	Chrysene	218-01-9	Phenanthrene	85-01-8
Benz(a)anthracene	56-55-3	Dibenz(a,h)anthracene	53-70-3	Pyrene	129-00-0
Benzo(a)pyrene	50-32-8	Fluoranthene	206-44-0		
Benzo(b)fluoranthene	205-99-2	Fluorene	86-73-7		
		Concentration	Part #		
		500 µg/mL	8310-A		

Applicable Methods: US EPA Methods 525, 625 and 8270 (see page 189 for details).

Chlordane Standard in Hexane					
Component			CAS #		
Chlordane			57-74-9		
Concentration	Part #	Concentration	Part #	Concentration	Part #
200 µg/mL	CDANE-X	1,000 µg/mL	S-780	2,000 µg/mL	CDANE-XH

Applicable Methods: US EPA Method 8270 (see page 189 for details).

PCB Screening Standard in Toluene			
Component		CAS #	
Decachlorobiphenyl		2051-24-3	
		Concentration	Part #
		5,000 µg/mL	DCBP-XH

Volume for all Semivolatiles is 1 mL

Applicable Methods: US EPA Method 8270 and CLP Series (see page 189 for details).

HICAL-Acids Mix in Methylene Chloride					
Components	CAS #	Components	CAS #	Components	CAS #
Benzoic acid	65-85-0	4,6-Dinitro-2-methylphenol	534-52-1	4-Nitrophenol	100-02-7
4-Chloro-3-methylphenol	59-50-7	2,4-Dinitrophenol	51-28-5	Pentachlorophenol	87-86-5
2-Chlorophenol	95-57-8	2-Methylphenol	95-48-7	Phenol	108-95-2
2,4-Dichlorophenol	120-83-2	4-Methylphenol	106-44-5	2,4,5-Trichlorophenol	95-95-4
2,4-Dimethylphenol	105-67-9	2-Nitrophenol	88-75-5	2,4,6-Trichlorophenol	88-06-2
		Concentration	Part #		
		2,000 µg/mL	HICAL-ACIDS		

Applicable Methods: US EPA Methods 625 and 8270 (see page 189 for details).

Aroclor Mix 1 in Hexane			
Components	CAS #	Components	CAS #
Aroclor 1016	12674-11-2	Aroclor 1248	12672-29-6
Aroclor 1232	11141-16-5	Aroclor 1260	11096-82-5
		Concentration	Part #
		200 µg/mL	PCB-M1

Applicable Methods: US EPA Methods 625 and 8270 (see page 189 for details).

Aroclor Mix 2 in Hexane			
Components	CAS #	Components	CAS #
Aroclor 1221	11104-28-2	Aroclor 1254	11097-69-1
Aroclor 1242	53469-21-9		
		Concentration	Part #
		200 µg/mL	PCB-M2

Semivolatiles

Volume for all Semivolatiles is 1 mL

Applicable Methods: US EPA Methods 625 and 8270 (see page 189 for details).

Individual Aroclors in Hexane			
Components	CAS #	Concentration	Part #
Aroclor 1016	12674-11-2	200 µg/mL	PCB-1016
		1,000 µg/mL	PCB-1016H
Aroclor 1221	11104-28-2	200 µg/mL	PCB-1221
		1,000 µg/mL	PCB-1221H
Aroclor 1232	11141-16-5	200 µg/mL	PCB-1232
		1,000 µg/mL	PCB-1232H
Aroclor 1242	53469-21-9	200 µg/mL	PCB-1242
		1,000 µg/mL	PCB-1242H
Aroclor 1248	12672-29-6	200 µg/mL	PCB-1248
		1,000 µg/mL	PCB-1248H
Aroclor 1254	11097-69-1	200 µg/mL	PCB-1254
		1,000 µg/mL	PCB-1254H
Aroclor 1260	11096-82-5	200 µg/mL	PCB-1260
		1,000 µg/mL	PCB-1260H
Aroclor 1262	37324-23-5	200 µg/mL	PCB-1262
		1,000 µg/mL	PCB-1262H
Aroclor 1268	11100-14-4	200 µg/mL	PCB-1268
		1,000 µg/mL	PCB-1268H

Applicable Methods: CLP Series (see page 189 for details).

Balance Mix, OLM04.1 in Acetone			
Components	CAS #	Components	CAS #
Acetophenone	98-86-2	Biphenyl	92-52-4
Atrazine	1912-24-9	Caprolactam	105-60-2
Benzaldehyde	100-52-7		
		Concentration	Part #
		2,000 µg/mL	SV-041

Applicable Methods: US EPA Method 8270 and CLP Series (see page 189 for details).

Balance Mix, Option A in Methylene Chloride			
Components	CAS #	Components	CAS #
Aniline	62-53-3	3-Methylphenol	108-39-4
Azobenzene	103-33-3	n-Nitrosodimethylamine	62-75-9
Carbazole	86-74-8	Pyridine	110-86-1
		Concentration	Volume
		2,000 µg/mL	1 mL
		2,000 µg/mL	5 mL
		Part #	
			SV-X
			SV-X5

Volume for all Semivolatiles is 1 mL

Applicable Methods: US EPA Methods 625, 8270 and CLP Series (see page 189 for details).

BIG-BN-2 - Base Neutral & Acid Combination Calibration Standard in Methylene Chloride:Benzene					
Components	CAS #	Components	CAS #	Components	CAS #
Acenaphthene	83-32-9	bis(2-Chloro-1-methylethyl)ether	108-60-1	Hexachlorocyclopentadiene	77-47-4
Acenaphthylene	208-96-8	bis(2-Ethylhexyl)phthalate	117-81-7	Hexachloroethane	67-72-1
Anthracene	120-12-7	Dibenz(a,h)anthracene	53-70-3	Indeno(1,2,3-cd)pyrene	193-39-5
Benz(a)anthracene	56-55-3	Dibenzofuran	132-64-9	Isophorone	78-59-1
Benzo(a)pyrene	50-32-8	1,2-Dichlorobenzene	95-50-1	2-Methylnaphthalene	91-57-6
Benzo(b)fluoranthene	205-99-2	1,3-Dichlorobenzene	541-73-1	Naphthalene	91-20-3
Benzo(g,h,i)perylene	191-24-2	1,4-Dichlorobenzene	106-46-7	2-Nitroaniline	88-74-4
Benzo(k)fluoranthene	207-08-9	Diethyl phthalate	84-66-2	3-Nitroaniline	99-09-2
Benzyl alcohol	100-51-6	Dimethyl phthalate	131-11-3	4-Nitroaniline	100-01-6
4-Bromodiphenyl ether	101-55-3	Di-n-butyl phthalate	84-74-2	Nitrobenzene	98-95-3
Butylbenzyl phthalate	85-68-7	2,4-Dinitrotoluene	121-14-2	n-Nitro-di-n-propylamine	621-64-7
4-Chloroaniline (p-Chloroaniline)	106-47-8	2,6-Dinitrotoluene	606-20-2	n-Nitrosodiphenylamine	86-30-6
2-Chloronaphthalene	91-58-7	Di-n-octyl phthalate	117-84-0	Phenanthrene	85-01-8
4-Chlorophenyl-phenyl ether	7005-72-3	Fluoranthene	206-44-0	Pyrene	129-00-0
Chrysene	218-01-9	Fluorene	86-73-7	1,2,4-Trichlorobenzene	120-82-1
bis(2-Chloroethoxy)methane	111-91-1	Hexachlorobenzene	118-74-1		
bis(2-Chloroethyl)ether	111-44-4	Hexachlorobutadiene	87-68-3		
Concentration	Volume	Part #	Concentration	Volume	Part #
2,000 µg/mL	1 mL	BIG-BN-2	2,000 µg/mL	5 mL	BIG-BN-2-5

Applicable Methods: US EPA Methods 525, 625 and 8270 (see page 189 for details).

Toxaphene in Hexane					
Component			CAS #		
Toxaphene			8001-35-2		
Concentration	Part #	Concentration	Part #	Concentration	Part #
200 µg/mL	TOX-X	1,000 µg/mL	S-3535	2,000 µg/mL	TOX-XH

Semivolatiles

Volume for all Semivolatiles is 1 mL

Applicable Methods: US EPA Method 8270 (see page 189 for details).

Skinner List Acid Extractables in Methylene Chloride			
Components	CAS #	Components	CAS #
2,4-Dimethylphenol	105-67-9	4-Methylphenol	106-44-5
2,4-Dinitrophenol	51-28-5	4-Nitrophenol	100-02-7
2-Methylphenol	95-48-7	Phenol	108-95-2
3-Methylphenol	108-39-4		108-98-5
		Concentration	Part #
		2,000 µg/mL	SKINNER-AE

Applicable Methods: US EPA Method 8270 (see page 189 for details).

Skinner List Semivolatiles in Methylene Chloride					
Components	CAS #	Components	CAS #	Components	CAS #
Anthracene	120-12-7	Di-n-butyl phthalate	84-74-2	Fluoranthene	206-44-0
Benz(a)anthracene	56-55-3	Di-n-octyl phthalate	117-84-0	Indene	95-13-6
Benzo(a)pyrene	50-32-8	1,2-Dichlorobenzene	95-50-1	1-Methylnaphthalene	90-12-0
Benzo(b)fluoranthene	205-99-2	1,3-Dichlorobenzene	541-73-1	Naphthalene	91-20-3
Benzo(k)fluoranthene	207-08-9	1,4-Dichlorobenzene	106-46-7	Phenanthrene	85-01-8
bis(2-ethylhexyl)phthalate	117-81-7	Diethyl phthalate	84-66-2	Pyrene	129-00-0
Butylbenzyl phthalate	85-68-7	Dimethyl phthalate	131-11-3	Pyridine	110-86-1
Chrysene	218-01-9	7,12-Dimethyl-benz(a)anthracene*	57-97-6	Quinoline	91-22-5
		Concentration	Part #		
		2,000 µg/mL	SKINNER-SV		

* 7,12-Dimethyl-benz(a)anthracene is at a concentration of 1,000 µg/mL.

Semivolatiles - Singles

Applicable Methods: US EPA Method 525 (see page 189 for details).

Internal Standard Single in Methanol-P&T			
Component	CAS #	Concentration	Part #
Pentachlorophenol-13C6	85380-74-1	1,000 µg/mL	S-4202

Applicable Methods: US EPA Method 552 (see page 189 for details).

Internal Standard Single in Methanol-P&T			
Component	CAS #	Concentration	Part #
1,2,3-Trichloropropane	96-18-4	1,000 µg/mL	S-3665

Applicable Methods: US EPA Method 552 (see page 189 for details).

552 Surrogate Standard Single in Methyl Tertiary-Butyl Ether			
Component	CAS #	Concentration	Part #
Methyl-2-bromopropionate	57885-43-5	1,000 µg/mL	S-2598

Volume for all Semivolatiles is 1 mL

Semivolatiles - Singles (cont'd)

Applicable Methods: US EPA Method 552 (see page 189 for details).

Surrogate Standard Single in Methyl Tertiary-Butyl Ether			
Component	CAS #	Concentration	Part #
2,3-Dibromopropionic acid	600-05-5	1,000 µg/mL	S-3895

Applicable Methods: US EPA Methods 625 and 8270 (see page 189 for details).

Surrogate Standard Single in Methanol			
Component	CAS #	Concentration	Part #
2-Fluorophenol	367-12-4	1,000 µg/mL	S-2050

Applicable Methods: US EPA Method 625 (see page 189 for details).

Optional-625 Base Neutral IS/SS Singles				
Components	CAS #	Concentration	Matrix	Part #
Anthracene-d ₁₀	1719-06-8	1,000 µg/mL	Methylene Chloride	S-291
Benzo(a)anthracene-d ₁₂	1718-53-2	1,000 µg/mL	Methanol	S-4759
Decafluorobiphenyl	434-90-2	1,000 µg/mL	Methanol	S-1103
4,4'-Dibromobiphenyl	92-86-4	1,000 µg/mL	Acetone	S-1228
4,4'-Dibromooctafluorobiphenyl	10386-84-2	1,000 µg/mL	Methyl Tertiary-Butyl Ether	S-1250
2,2'-Difluorobiphenyl	388-82-9	1,000 µg/mL	Methanol-P&T	S-1542
2-Fluoranthracene	323-09-1	1,000 µg/mL	Methanol-P&T	S-4308
4-Fluoroaniline	371-40-4	1,000 µg/mL	Methanol-P&T	S-4048
1-Fluoranthracene	321-38-0	1,000 µg/mL	Methanol-P&T	S-2047
Naphthalene-d ₈	1146-65-2	1,000 µg/mL	Methanol-P&T	S-2660
Nitrobenzene-d ₅	4165-60-0	1,000 µg/mL	Methanol-P&T	S-2710
Phenanthrene-d ₁₀	1517-22-2	1,000 µg/mL	Methylene Chloride	S-3020
Pyridine-d ₅	7291-22-7	1,000 µg/mL	Methanol-P&T	S-3937

Applicable Methods: US EPA Method 8041 (see page 189 for details).

Internal Standard Singles				
Components	CAS #	Concentration	Matrix	Part #
2,5-Dibromotoluene	615-59-8	1,000 µg/mL	Methanol-P&T	S-1251
2,2',5,5'-Tetrabromobiphenyl	59080-37-4	1,000 µg/mL	Methanol	S-4144

Applicable Methods: US EPA Method 8041 (see page 189 for details).

Surrogate Standard Single in Methanol			
Component	CAS #	Concentration	Part #
2,4-Dibromophenol	615-58-7	1,000 µg/mL	S-5148

Semivolatiles

Volume for all Semivolatiles is 1 mL

Semivolatiles - Singles (cont'd)

Applicable Methods: US EPA Method 8061 (see page 189 for details).

Non-RCRA Singles				
Components	CAS #	Concentration	Matrix	Part #
4-Chlorophenol	106-48-9	1,000 µg/mL	Methanol-P&T	S-906
2,3-Dichlorophenol	576-24-9	1,000 µg/mL	Methanol-P&T	S-1406
2,5-Dichlorophenol	583-78-8	1,000 µg/mL	Methanol-P&T	S-1412
2,3-Dimethylphenol	526-75-0	1,000 µg/mL	Methanol-P&T	S-1659
2,5-Dimethylphenol	95-87-4	1,000 µg/mL	Acetone	S-1661
2,6-Dimethylphenol	576-26-1	1,000 µg/mL	Methanol	S-1662
3,4-Dimethylphenol	95-65-8	1,000 µg/mL	Methanol	S-1664
2,3,4-Trichlorophenol	15950-66-0	1,000 µg/mL	Methanol-P&T	S-3625
2,3,5-Trichlorophenol	933-78-8	1,000 µg/mL	Methanol-P&T	S-3630
2,3,6-Trichlorophenol	933-75-5	1,000 µg/mL	Methanol-P&T	S-3635

Applicable Methods: US EPA Method 8061 (see page 189 for details).

Method 8061 Additional Analytes Singles				
Components	CAS #	Concentration	Matrix	Part #
Diamyl phthalate	131-18-0	1,000 µg/mL	Methanol	S-4157
Dicyclohexyl phthalate	84-61-7	1,000 µg/mL	Methanol-P&T	S-4151
Diisobutyl phthalate	84-69-5	1,000 µg/mL	Methanol-P&T	S-4150
Di-n-hexyl phthalate	84-75-3	1,000 µg/mL	Methanol-P&T	S-4155
Dinonyl phthalate	84-76-4	1,000 µg/mL	Methanol-P&T	S-4153
bis(2-ethoxyethyl)phthalate	605-54-9	1,000 µg/mL	Methanol-P&T	S-4550

Did You Know?

Every manufacturer of certified reference materials supplies a Certificate of Analysis with their products, but not all certificates are alike. We know because SPEX CertiPrep has been supplying the most comprehensive certificate in the industry for years.

To download the Certificate of Analysis for your particular lot number, use the convenient online search at spexcertiprep.com/products/SPEXcertificate. You must be logged in to view and download certificates. Don't have a web log in? Visit specertiprep.com/register to create your account.

Volume for all Semivolatiles is 1 mL

Semivolatiles - Singles (cont'd)

Applicable Methods: US EPA Method 8270 (see page 189 for details).

Method 8270 Singles				
Components	CAS #	Concentration	Matrix	Part #
Aminoazobenzene	60-09-3	1,000 µg/mL	Methanol-P&T	S-3065
4-Aminophenylether	101-80-4	1,000 µg/mL	Methanol-P&T	S-240
o-Anisidine	90-04-0	1,000 µg/mL	Methanol-P&T	S-285
Bromoxynil	1689-84-5	1,000 µg/mL	Methanol-P&T	S-575
Carbophenothion	786-19-6	1,000 µg/mL	Methanol	S-755
Chlorfenvinphos	470-90-6	1,000 µg/mL	Acetone	S-785
2,4-Diaminotoluene	95-80-7	1,000 µg/mL	Methanol	S-1160
Dibenzo(a,e)pyrene	192-65-4	1,000 µg/mL	Methylene Chloride:Benzen (50:50)	S-1200
1,2-Dibromo-3-chloropropane	96-12-8	1,000 µg/mL	Methanol-P&T	S-1255
Dichlorvos	62-73-7	1,000 µg/mL	Methanol-P&T	S-1475
Diethylstilbestrol	56-53-1	1,000 µg/mL	Methanol-P&T	S-1530
3,3'-Dimethoxybenzidine	119-90-4	1,000 µg/mL	Methanol-P&T	S-1565
2,5-Dimethylphenol	95-87-4	1,000 µg/mL	Acetone	S-1661
2-Fluorophenol	367-12-4	1,000 µg/mL	Methanol	S-2050
Hexachlorophene	70-30-4	1,000 µg/mL	Methylene Chloride	S-2160
Hydroquinone	123-31-9	1,000 µg/mL	Methanol-P&T	S-2235
Kepone	143-50-0	1,000 µg/mL	Methanol	S-2340
2-Methoxy-5-methylaniline	120-71-8	1,000 µg/mL	Methanol-P&T	S-2415
2-Methoxy-5-nitroaniline	99-59-2	1,000 µg/mL	Methanol-P&T	S-2420
Mirex	2385-85-5	1,000 µg/mL	Hexane:Toluene (50:50)	S-2635
Dibrom (Naled)	300-76-5	1,000 µg/mL	Methylene Chloride	S-2650
Nicotine	54-11-5	1,000 µg/mL	Methanol	S-2680
p-Phenylenediamine	106-50-3	1,000 µg/mL	Methanol-P&T	S-3070
Phthalic anhydride	85-44-9	1,000 µg/mL	Methanol	S-3100
Resorcinol	108-46-3	1,000 µg/mL	Methanol-P&T	S-3250
Strychnine	57-24-9	1,000 µg/mL	Methanol	S-3295
TEPP	107-49-3	1,000 µg/mL	Methanol	S-3315
Tetrachlorvinphos (Stiropfos)	961-11-5	1,000 µg/mL	Acetone	S-3425
Tetraethyldithio pyrophosphate/Sulfotepp	3689-24-5	1,000 µg/mL	Methanol	S-3455
Toluene-2,4-diisocyanate	584-84-9	1,000 µg/mL	Methanol-P&T	S-3530
Trifluralin	1582-09-8	1,000 µg/mL	Methanol	S-3715
2,4,5-Trimethylaniline	137-17-7	1,000 µg/mL	Methanol-P&T	S-3718
Trimethyl phosphate	512-56-1	1,000 µg/mL	Methanol-P&T	S-3740
1,3,5-Trinitrobenzene	99-35-4	1,000 µg/mL	Methanol-P&T	S-3760
Tris(2,3-dibromopropyl)phosphate	126-72-7	1,000 µg/mL	Methylene Chloride	S-3773
Urethane	51-79-6	1,000 µg/mL	Methanol-P&T	S-3785

Semivolatiles

Volume for all Semivolatiles is 1 mL

CLP Series

Applicable Methods: CLP Series (see page 189 for details).

Anilines (Low Level) in Methylene Chloride			
Components	CAS #	Components	CAS #
2-Nitroaniline	88-74-4	4-Nitroaniline	100-01-6
3-Nitroaniline	99-09-2		
		Concentration	Part #
		2,000 µg/mL	ANILINE-LC-A

Applicable Methods: CLP Series (see page 189 for details).

High Concentration Acid Surrogates in Methanol			
Components	CAS #	Components	CAS #
2-Chlorophenol-3,4,5,6-d ₄	93951-73-6	Phenol-d ₆	13127-88-3
2-Fluorophenol	367-12-4	2,4,6-Tribromophenol	118-79-6
		Concentration	Volume
		7,500 µg/mL	1 mL
		7,500 µg/mL	5 mL

Applicable Methods: CLP Series (see page 189 for details).

Acid Surrogate Standard in Methanol			
Components	CAS #	Components	CAS #
2-Chlorophenol-3,4,5,6-d ₄	93951-73-6	Phenol-d ₆	13127-88-3
2-Fluorophenol	367-12-4	2,4,6-Tribromophenol	118-79-6
		Concentration	Volume
		2,000 µg/mL	1 mL
		2,000 µg/mL	5 mL

Applicable Methods: CLP Series (see page 189 for details).

Base/Neutrals Surrogate Standards in Methylene Chloride:Acetone			
Components	CAS #	Components	CAS #
1,2-Dichlorobenzene-d ₄	2199-69-1	Nitrobenzene-d ₅	4165-60-0
2-Fluorobiphenyl	321-60-8	p-Terphenyl-d ₁₄	1718-51-0
		Concentration	Volume
		1,000 µg/mL	1 mL
		1,000 µg/mL	5 mL

Volume for all Semivolatiles is 1 mL

CLP Series (cont'd)

Applicable Methods: CLP Series (see page 189 for details).

High Concentration Base/Neutral Surrogate Standards in Methylene Chloride:Acetone:Benzene					
Components		CAS #	Components		CAS #
1,2-Dichlorobenzene-d ₄		2199-69-1	Nitrobenzene-d ₅		4165-60-0
2-Fluorobiphenyl		321-60-8	p-Terphenyl-d ₁₄		1718-51-0
		Concentration	Volume	Part #	
		5,000 µg/mL	5 mL	CLP90-SBH5	

Applicable Methods: CLP Series (see page 189 for details).

Alternate Combination Surrogates for CLP SOW in Methylene Chloride:Acetone					
Component	CAS #	Concentration	Components	CAS #	Concentration
2-Chlorophenol-3,4,5,6-d ₄	93951-73-6	1,500 µg/mL	Nitrobenzene-d ₅	4165-60-0	1,000 µg/mL
1,2-Dichlorobenzene-d ₄	2199-69-1	1,000 µg/mL	Phenol-d ₆	13127-88-3	1,500 µg/mL
2-Fluorobiphenyl	321-60-8	1,000 µg/mL	p-Terphenyl-d ₁₄	1718-51-0	1,000 µg/mL
2-Fluorophenol	367-12-4	1,500 µg/mL	2,4,6-Tribromophenol	118-79-6	1,500 µg/mL
		Part #			
				CLP90-SURR	

Applicable Methods: US EPA Methods 604, 625, 8270 and CLP Series (see page 189 for details).

Phenolics Mix in Methylene Chloride					
Components	CAS #	Components	CAS #	Components	CAS #
4-Chloro-3-methylphenol	59-50-7	4,6-Dinitro-2-methylphenol	534-52-1	Pentachlorophenol	87-86-5
2-Chlorophenol	95-57-8	2,4-Dinitrophenol	51-28-5	Phenol	108-95-2
2,4-Dichlorophenol	120-83-2	2-Nitrophenol	88-75-5	2,4,6-Trichlorophenol	88-06-2
2,4-Dimethylphenol	105-67-9	4-Nitrophenol	100-02-7		
		Concentration	Part #		
		2,000 µg/mL	CLPS-A		

Applicable Methods: US EPA Methods 625, 8100, 8270, and CLP Series (see page 189 for details).

PAH Analyte Mix in Methylene Chloride:Benzene					
Components	CAS #	Components	CAS #	Components	CAS #
Acenaphthene	83-32-9	Benzo(g,h,i)perylene	191-24-2	Indeno(1,2,3-cd)pyrene	193-39-5
Acenaphthylene	208-96-8	Benzo(k)fluoranthene	207-08-9	Naphthalene	91-20-3
Anthracene	120-12-7	Chrysene	218-01-9	Phenanthrene	85-01-8
Benz(a)anthracene	56-55-3	Dibenz(a,h)anthracene	53-70-3	Pyrene	129-00-0
Benzo(a)pyrene	50-32-8	Fluoranthene	206-44-0		
Benzo(b)fluoranthene	205-99-2	Fluorene	86-73-7		
		Concentration	Part #		
		2,000 µg/mL	CLPS-B		

Semivolatiles

Volume for all Semivolatiles is 1 mL

CLP Series (cont'd)

Applicable Methods: US EPA Methods 625, 8270, and CLP Series (see page 189 for details).

Haloethers & Phthalates Mix in Methylene Chloride					
Components	CAS #	Components	CAS #	Components	CAS #
4-Bromodiphenyl ether	101-55-3	4-Chlorophenyl-phenyl ether	7005-72-3	bis(2-Ethylhexyl)phthalate	117-81-7
Butylbenzyl phthalate	85-68-7	Diethyl phthalate	84-66-2	n-Nitrosodi-n-propylamine	621-64-7
bis(2-Chloroethoxy)methane	111-91-1	Dimethyl phthalate	131-11-3	n-Nitrosodiphenylamine	86-30-6
bis(2-Chloroethyl)ether	111-44-4	Di-n-butyl phthalate	84-74-2		
bis(2-Chloro-1-methylethyl)ether	108-60-1	Di-n-octyl phthalate	117-84-0		
		Concentration	Part #		
		2,000 µg/mL	CLPS-C		

Applicable Methods: US EPA Methods 625, 8270 and CLP Series (see page 189 for details).

Chlorinated/Nitrated Hydrocarbons Mix in Methylene Chloride					
Components	CAS #	Components	CAS #	Components	CAS #
2-Chloronaphthalene	91-58-7	2,6-Dinitrotoluene	606-20-2	Isophorone	78-59-1
1,2-Dichlorobenzene	95-50-1	Hexachlorobenzene	118-74-1	Nitrobenzene	98-95-3
1,3-Dichlorobenzene	541-73-1	Hexachlorobutadiene	87-68-3	1,2,4-Trichlorobenzene	120-82-1
1,4-Dichlorobenzene	106-46-7	Hexachlorocyclopentadiene	77-47-4		
2,4-Dinitrotoluene	121-14-2	Hexachloroethane	67-72-1		
		Concentration	Part #		
		2,000 µg/mL	CLPS-D		

Applicable Methods: US EPA Methods 625, 8270 and CLP Series (see page 189 for details).

Additional Analytes Mix in Methylene Chloride			
Components	CAS #	Components	CAS #
Benzyl alcohol	100-51-6	2-Nitroaniline	88-74-4
4-Chloroaniline (p-Chloroaniline)	106-47-8	3-Nitroaniline	99-09-2
Dibenzofuran	132-64-9	4-Nitroaniline	100-01-6
2-Methylnaphthalene	91-57-6		
		Concentration	Part #
		2,000 µg/mL	CLPS-G

Volume for all Semivolatiles is 1 mL

CLP Series (cont'd)

Applicable Methods: US EPA Methods 625, 8270 and CLP Series (see page 189 for details).

Internal Standard in Methylene Chloride																			
Components		CAS #		Components		CAS #													
Acenaphthene-d ₁₀		15067-26-2		Naphthalene-d ₈		1146-65-2													
Chrysene-d ₁₂		1719-03-5		Perylene-d ₁₂		1520-96-3													
1,4-Dichlorobenzene-d ₄		3855-82-1		Phenanthrene-d ₁₀		1517-22-2													
		<table><tr><th>Concentration</th><th>Volume</th><th>Part #</th></tr><tr><td>4,000 µg/mL</td><td>1 mL</td><td>CLPS-I</td></tr><tr><td>2,000 µg/mL</td><td>2 mL</td><td>CLPS-I2</td></tr><tr><td>4,000 µg/mL</td><td>5 mL</td><td>CLPS-I5</td></tr></table>						Concentration	Volume	Part #	4,000 µg/mL	1 mL	CLPS-I	2,000 µg/mL	2 mL	CLPS-I2	4,000 µg/mL	5 mL	CLPS-I5
		Concentration	Volume	Part #															
		4,000 µg/mL	1 mL	CLPS-I															
		2,000 µg/mL	2 mL	CLPS-I2															
4,000 µg/mL	5 mL	CLPS-I5																	

Applicable Methods: US EPA Methods 625 and CLP Series (see page 189 for details).

Internal Standard in Methylene Chloride				
Components		CAS #	Components	CAS #
Acenaphthene-d ₁₀		15067-26-2	Naphthalene-d ₈	1146-65-2
Chrysene-d ₁₂		1719-03-5	Perylene-d ₁₂	1520-96-3
1,4-Dichlorobenzene-d ₄		3855-82-1	Phenanthrene-d ₁₀	1517-22-2
		Concentration	Part #	
		2,000 µg/mL	CLPS-I90	

Applicable Methods: CLP Series (see page 189 for details).

Control Sample in Methanol				
Components		CAS #	Components	CAS #
2-Chlorophenol		95-57-8	2,4,6-Trichlorophenol	88-06-2
Phenol		108-95-2		
		Concentration	Part #	
		2,000 µg/mL	CLPS-LC-ALCS	

Semivolatiles

Volume for all Semivolatiles is 1 mL

CLP Series (cont'd)

Applicable Methods: US EPA Methods 625, 8270 and CLP Series (see page 189 for details).

Acids Matrix Spike in Methanol			
Components	CAS #	Components	CAS #
4-Chloro-3-methylphenol	59-50-7	Pentachlorophenol	87-86-5
2-Chlorophenol	95-57-8	Phenol	108-95-2
4-Nitrophenol	100-02-7		
		Concentration	Part #
		2,000 µg/mL	CLPS-MSA

Applicable Methods: US EPA Method 8270 and CLP Series (see page 189 for details).

Acid Extractable Matrix Spikes in Methanol					
Components	CAS #	Concentration	Components	CAS #	Concentration
Bromophenol blue	115-39-9	1,000 µg/mL	4-Nitrophenol	100-02-7	1,500 µg/mL
4-Chloro-3-methylphenol	59-50-7	1,500 µg/mL	Pentachlorophenol	87-86-5	1,500 µg/mL
2-Chlorophenol	95-57-8	1,500 µg/mL	Phenol	108-95-2	1,500 µg/mL
			Part #		
			CLPS-MSA15-TI		

Applicable Methods: US EPA Methods 625, 8270 and CLP Series (see page 189 for details).

Base/Neutrals Matrix Spike in Methanol			
Components	CAS #	Components	CAS #
Acenaphthene	83-32-9	n-Nitrosodi-n-propylamine	621-64-7
1,4-Dichlorobenzene	106-46-7	Pyrene	129-00-0
2,4-Dinitrotoluene	121-14-2	1,2,4-Trichlorobenzene	120-82-1
		Concentration	Part #
		1,000 µg/mL	CLPS-MSB

Applicable Methods: US EPA Methods 625, 8270 and CLP Series (see page 189 for details).

Base/Neutrals Tinted Matrix Spike in Methanol			
Components	CAS #	Components	CAS #
Acenaphthene	83-32-9	n-Nitrosodi-n-propylamine	621-64-7
Bromophenol blue	115-39-9	Pyrene	129-00-0
1,4-Dichlorobenzene	106-46-7	1,2,4-Trichlorobenzene	120-82-1
2,4-Dinitrotoluene	121-14-2		
		Concentration	Part #
		1,000 µg/mL	CLPS-MSB-TI

Volume for all Semivolatiles is 1 mL

CLP Series (cont'd)

Applicable Methods: US EPA Methods 625, 8270 and CLP Series (see page 189 for details).

Acid Surrogates Standards in Methanol					
Components		CAS #	Components		CAS #
2-Fluorophenol		367-12-4	2,4,6-Tribromophenol		118-79-6
Phenol-d ₆		13127-88-3			
		Concentration	Volume	Part #	
		2,000 µg/mL	1 mL	CLPS-SA	
		2,000 µg/mL	5 mL	CLPS-SA5	
		10,000 µg/mL	1 mL	CLPS-SAH	
		10,000 µg/mL	5 mL	CLPS-SAH5	

Applicable Methods: US EPA Methods 625, 8270 and CLP Series (see page 189 for details).

Base/Neutral Surrogate Standard in Methylene Chloride:Acetone								
Components		CAS #	Components	CAS #				
2-Fluorobiphenyl		321-60-8	p-Terphenyl-d ₁₄	1718-51-0				
Nitrobenzene-d ₅		4165-60-0						
					Concentration		Volume	Part #
					1,000 µg/mL		1 mL	CLPS-SB
					1,000 µg/mL		5 mL	CLPS-SB5

Applicable Methods: US EPA Method 625 and CLP series (see page 189 for details).

Base/Neutral Surrogate Standard (High Level) in Methylene Chloride:Acetone:Benzene					
Components		CAS #	Components		CAS #
2-Fluorobiphenyl		321-60-8	p-Terphenyl-d ₁₄		1718-51-0
Nitrobenzene-d ₅		4165-60-0			
		Concentration	Volume	Part #	
		5,000 µg/mL	1 mL	CLPS-SBH	
		5,000 µg/mL	5 mL	CLPS-SBH5	

Applicable Methods: US EPA Method 625 and CLP Series (see page 189 for details).

Base/Neutral Tinted Surrogate Standard (High Level) in Methylene Chloride:Acetone:Benzene								
Components		CAS #	Components	CAS #				
2-Fluorobiphenyl		321-60-8	Methyl orange*	547-58-0				
Nitrobenzene-d ₅		4165-60-0	p-Terphenyl-d ₁₄	1718-51-0				
					Concentration		Volume	Part #
					5,000 µg/mL		1 mL	CLPS-SBH-TI
					5,000 µg/mL		5 mL	CLPS-SBH5-TI

* Methyl orange is at a concentration of 12,500 µg/mL.

Semivolatiles

Volume for all Semivolatiles is 1 mL

CLP Series (cont'd)

Applicable Methods: CLP Series (see page 189 for details).

CLP Series Semivolatiles Mix in Methylene Chloride: Benzene					
Components	CAS #	Components	CAS #	Components	CAS #
Acenaphthene	83-32-9	Dibenz(a,h)anthracene	53-70-3	2-Methylnaphthalene	91-57-6
Acenaphthylene	208-96-8	Dibenzofuran	132-64-9	2-Methylphenol	95-48-7
Acetophenone	98-86-2	3,3'-Dichlorobenzidine	91-94-1	3-Methylphenol*	108-39-4
Anthracene	120-12-7	2,4-Dichlorophenol	120-83-2	4-Methylphenol*	106-44-5
Benz(a)anthracene	56-55-3	Diethyl phthalate	84-66-2	Naphthalene	91-20-3
Benzo(a)pyrene	50-32-8	Dimethyl phthalate	131-11-3	2-Nitroaniline	88-74-4
Benzo(b)fluoranthene	205-99-2	Di-n-butyl phthalate	84-74-2	3-Nitroaniline	99-09-2
Benzo(g,h,i)perylene	191-24-2	Di-n-octyl phthalate	117-84-0	4-Nitroaniline	100-01-6
Benzo(k)fluoranthene	207-08-9	2,4-Dimethylphenol	105-67-9	Nitrobenzene	98-95-3
Biphenyl	92-52-4	4,6-Dinitro-2-methylphenol	534-52-1	2-Nitrophenol	88-75-5
4-Bromodiphenyl ether	101-55-3	2,4-Dinitrophenol	51-28-5	4-Nitrophenol	100-02-7
Butylbenzyl phthalate	85-68-7	2,4-Dinitrotoluene	121-14-2	n-Nitrosodi-n-propylamine	621-64-7
Carbazole	86-74-8	2,6-Dinitrotoluene	606-20-2	n-Nitrosodiphenylamine	86-30-6
4-Chloro-3-methylphenol	59-50-7	bis(2-Ethylhexyl)phthalate	117-81-7	Pentachlorophenol	87-86-5
bis(2-chloro-1-methylethyl) ether	108-60-1	Fluoranthene	206-44-0	Phenanthrene	85-01-8
bis(2-chloroethoxy)methane	111-91-1	Fluorene	86-73-7	Phenol	108-95-2
bis(2-chloroethyl)ether	111-44-4	Hexachlorobenzene	118-74-1	Pyrene	129-00-0
4-Chloroaniline (p-Chloroaniline)	106-47-8	Hexachlorobutadiene	87-68-3	1,2,4,5-Tetrachlorobenzene	95-94-3
2-Chloronaphthalene	91-58-7	Hexachlorocyclopentadiene	77-47-4	2,3,4,6-Tetrachlorophenol	58-90-2
2-Chlorophenol	95-57-8	Hexachloroethane	67-72-1	2,4,5-Trichlorophenol	95-95-4
4-Chlorophenyl-phenyl ether	7005-72-3	Indeno(1,2,3-cd)pyrene	193-39-5	2,4,6-Trichlorophenol	88-06-2
Chrysene	218-01-9	Isophorone	78-59-1		
		Concentration	Part #		
		500 µg/mL	CLPS-SOM2A		

* 3-Methylphenol and 4-Methylphenol are at a concentration of 250 µg/mL.

Applicable Methods: CLP Series (see page 189 for details).

SOM 02.0 Selected Ion Monitoring Standard in Methylene Chloride			
Components	CAS #	Components	CAS #
Fluoranthene-d ₁₀	93951-69-0	2-Methylnaphthalene-d ₁₀	7297-45-2
		Concentration	Part #
		2,000 µg/mL	CLPS-SOM-ISB

Volume for all Semivolatiles is 1 mL

CLP Series (cont'd)

Applicable Methods: CLP Series (see page 189 for details).

Combination Semivolatile Surrogate Standard in Methylene Chloride:Acetone					
Components		CAS #	Concentration	Components	
		CAS #	Concentration		
2-Fluorobiphenyl	321-60-8	1,000 µg/mL	Phenol-d ₆	13127-88-3	2,000 µg/mL
2-Fluorophenol	367-12-4	2,000 µg/mL	p-Terphenyl-d ₁₄	1718-51-0	1,000 µg/mL
Nitrobenzene-d ₅	4165-60-0	1,000 µg/mL	2,4,6-Tribromophenol	118-79-6	2,000 µg/mL
		Part # CLPS-SURR			

Applicable Methods: US EPA Methods 625, 8270 and CLP Series (see page 189 for details).

GC/MS Tuning Standard in Methanol	
Component	CAS #
bis(pentafluorophenyl)phenylphosphine	5074-71-5

Concentration	Part #
2,500 µg/mL	CLPS-T

Applicable Methods: US EPA Methods 625, 8270 and CLP Series (see page 189 for details).

4-Component GC/MS Tuning Standard in Methylene Chloride				
Components		CAS #	Components	CAS #
Benzidine		92-87-5	p,p'-DDT	50-29-3
bis(pentafluorophenyl)phenylphosphine		5074-71-5	Pentachlorophenol	87-86-5
		Concentration	Part #	
		2,500 µg/mL	CLPS-T4	

TCLP Series

Applicable Methods: US EPA Method 1311-TCLP Series (see page 189 for details).

TCLP Base/Neutral/Acid Extractable Spike Solution in Methylene Chloride									
Components		CAS #	Components		CAS #				
1,4-Dichlorobenzene	106-46-7	2-Methylphenol	95-48-7	Pyridine	110-86-1				
2,4-Dinitrotoluene	121-14-2	3-Methylphenol	108-39-4	2,4,5-Trichlorophenol	95-95-4				
Hexachlorobenzene	118-74-1	4-Methylphenol	106-44-5	2,4,6-Trichlorophenol	88-06-2				
Hexachlorobutadiene	87-68-3	Nitrobenzene	98-95-3						
Hexachloroethane	67-72-1	Pentachlorophenol	87-86-5						
						Concentration		Part #	
						2,000 µg/mL		TCLP-BNA	

Semivolatiles

Volume for all Semivolatiles is 1 mL

76-BIG-MIX

Applicable Methods: US EPA Methods 625, 8270 and CLP Series (see page 189 for details).

"Big-Mix" - Base Neutral & Acid Combination Calibration Standard in Methylene Chloride

Components	CAS #	Components	CAS #	Components	CAS #
Acenaphthene	83-32-9	1,3-Dichlorobenzene	541-73-1	1-Methylnaphthalene	90-12-0
Acenaphthylene	208-96-8	1,4-Dichlorobenzene	106-46-7	2-Methylnaphthalene	91-57-6
Aniline	62-53-3	2,4-Dichlorophenol	120-83-2	2-Methylphenol	95-48-7
Anthracene	120-12-7	Diethyl phthalate	84-66-2	3-Methylphenol*	108-39-4
Azobenzene	103-33-3	Dimethyl phthalate	131-11-3	4-Methylphenol*	106-44-5
Benz(a)anthracene	56-55-3	2,4-Dimethylphenol	105-67-9	Naphthalene	91-20-3
Benzo(a)pyrene	50-32-8	1,2-Dinitrobenzene	528-29-0	2-Nitroaniline	88-74-4
Benzo(b)fluoranthene	205-99-2	1,3-Dinitrobenzene	99-65-0	3-Nitroaniline	99-09-2
Benzo(g,h,i)perylene	191-24-2	1,4-Dinitrobenzene	100-25-4	4-Nitroaniline	100-01-6
Benzo(k)fluoranthene	207-08-9	2,4-Dinitrophenol	51-28-5	Nitrobenzene	98-95-3
Benzyl alcohol	100-51-6	2,4-Dinitrotoluene	121-14-2	2-Nitrophenol	88-75-5
4-Bromodiphenyl ether	101-55-3	2,6-Dinitrotoluene	606-20-2	4-Nitrophenol	100-02-7
Butylbenzyl phthalate	85-68-7	4,6-Dinitro-2-methylphenol	534-52-1	n-Nitrosodimethylamine**	62-75-9
Carbazole	86-74-8	Diphenylamine	122-39-4	n-Nitrosodi-n-propylamine	621-64-7
4-Chloroaniline (p-Chloroaniline)	106-47-8	Di-n-butyl phthalate	84-74-2	Pentachlorophenol	87-86-5
bis(2-Chloroethoxy)methane	111-91-1	Di-n-octyl phthalate	117-84-0	Phenanthrene	85-01-8
bis(2-Chloroethyl)ether	111-44-4	bis(2-Ethylhexyl)adipate	103-23-1	Phenol	108-95-2
bis(2-Chloro-1-methylethyl)ether	108-60-1	bis(2-Ethylhexyl)phthalate	117-81-7	Pyrene	129-00-0
2-Chloronaphthalene	91-58-7	Fluoranthene	206-44-0	Pyridine	110-86-1
2-Chlorophenol	95-57-8	Fluorene	86-73-7	2,3,4,6-Tetrachlorophenol	58-90-2
4-Chlorophenyl-phenyl ether	7005-72-3	Hexachlorobenzene	118-74-1	2,3,5,6-Tetrachlorophenol	935-95-5
4-Chloro-3-methylphenol	59-50-7	Hexachlorobutadiene	87-68-3	1,2,4-Trichlorobenzene	120-82-1
Chrysene	218-01-9	Hexachlorocyclopentadiene	77-47-4	2,4,5-Trichlorophenol	95-95-4
Dibenz(a,h)anthracene	53-70-3	Hexachloroethane	67-72-1	2,4,6-Trichlorophenol	88-06-2
Dibenzofuran	132-64-9	Indeno(1,2,3-cd)pyrene	193-39-5		
1,2-Dichlorobenzene	95-50-1	Isophorone	78-59-1		
		Concentration	Part #		
		1,000 µg/mL	76-BIG-MIX		

* 3-Methylphenol and 4-Methylphenol are at a concentration of 500 µg/mL.

** n-Nitrosodimethylamine (8270-listed analyte) decomposes to Diphenylamine (mix component).

LC & LC/MS

Single & Multi-Component Standards

LC & LC/MS Standards

LC & LC/MS Single and Multi-Component Standards

SPEX CertiPrep creates single and multi-component standards suitable for all HPLC detectors. Our standards are created in HPLC and LC/MS grade solvents to reduce potential interference and increase analytical accuracy.

High Performance Liquid Chromatography (HPLC) is a column-based chromatographic technique used to separate components in a mixture for identification and quantification. A pump system passes pressurized mobile phase and sample through a pre-filled column containing a packing or sorbent which aids in the separation of component peaks. As each analyte in the mixture interacts with the column material, it retards the flow of the analytes within the column. HPLC can be used for identification and quantification of compounds in a variety of fields from agriculture to medical and manufacturing uses.

A minimal HPLC instrument configuration includes a sampler, pumps, column compartment, and a detector. There are a multitude of various detectors commonly in use with a HPLC system including: Refractive Index Detector (RID), UV/Vis Detector, Photodiode Array Detector, and Mass Spectrometers. Each of these detectors have their own range of use and sensitivity, from the broad range RID detector with its higher detection limits, to the powerful and sensitive LC/MS techniques used for extremely low levels of detection.

Did You Know?

SPEX CertiPrep has a worldwide network of distributors. Visit our website at spexcertiprep.com/distributors to find a dealer near you. If you cannot find a dealer in your country or if you are interested in distributing SPEX CertiPrep products, contact us at CRMSales@spex.com.

Volume for all LC & LC/MS Standards is 1 mL

HPLC LC/MS Single-Component Organic Standards				
Components	CAS #	Concentration	Matrix	Part #
Abamectin	71751-41-2	1,000 µg/mL	HPLC Methanol	LCS-6014
Abate	3383-96-8	1,000 µg/mL	HPLC Acetonitrile	LCS-102
Acetamiprid	135410-20-7	1,000 µg/mL	HPLC Acetonitrile	LCS-4677-ACN
Aldicarb	116-06-3	1,000 µg/mL	HPLC Acetonitrile	LCS-190
Baygon (Propoxur)	114-26-1	1,000 µg/mL	HPLC Acetonitrile	LCS-3200-ACN
Baythroid (Cyfluthrin)	68359-37-5	1,000 µg/mL	HPLC Acetonitrile	LCS-376
Bromoxynil	1689-84-5	1,000 µg/mL	HPLC Acetonitrile	LCS-575-ACN
Bromuconazole	116255-48-2	1,000 µg/mL	HPLC Acetone	LCS-6007
Carbendazim	10605-21-7	100 µg/mL	HPLC Methanol	LCS-733
Chlorantraniliprole	500008-45-7	1,000 µg/mL	HPLC Acetonitrile	LCS-6127
Chlorfluazuron	71422-67-8	1,000 µg/mL	HPLC Acetonitrile	LCS-4017
Chlormequat chloride	999-81-5	1,000 µg/mL	HPLC Acetonitrile	LCS-4838
Chlorimuron-ethyl	90982-32-4	1,000 µg/mL	HPLC Acetonitrile	LCS-3927
Clethodim	99129-21-2	1,000 µg/mL	HPLC Acetonitrile	LCS-6083-ACN
Clofentezine	74115-24-5	1,000 µg/mL	HPLC Acetonitrile	LCS-5772
Clothianidin	210880-92-5	1,000 µg/mL	LC/MS Acetonitrile	LCS-6027
Cyazofamid	120116-88-3	1,000 µg/mL	HPLC Acetonitrile	LCS-6008
gamma-Cyhalothrin	76703-62-3	1,000 µg/mL	HPLC Acetone	LCS-6376
zeta-Cypermethrin	52315-07-8	1,000 µg/mL	HPLC Acetone	LCS-6401
Devrinol (Napropamide)	15299-99-7	1,000 µg/mL	HPLC Acetonitrile	LCS-1150-ACN
Dichlorprop-p	15165-67-0	1,000 µg/mL	HPLC Acetonitrile	LCS-6021
Dimethoate	60-51-5	1,000 µg/mL	HPLC Acetonitrile	LCS-1560
Dimethomorph	110488-70-5	1,000 µg/mL	HPLC Acetonitrile	LCS-3970-ACN
Dimethyl-p-nitrophenylphosphate	950-35-6	1,000 µg/mL	HPLC Acetone	LCS-1669
n-2,4-Dimethylphenyl-N'-methylformamidine	33089-74-6	1,000 µg/mL	HPLC Acetonitrile	LCS-6279
Diniconazole	83657-24-3	1,000 µg/mL	HPLC Acetonitrile	LCS-6057
Dylox	52-68-6	1,000 µg/mL	HPLC Acetone	LCS-1816
Ethiofencarb-sulfoxide	53380-22-6	1,000 µg/mL	HPLC Acetonitrile	LCS-6184
Ethoxysulfuron	126801-58-9	1,000 µg/mL	HPLC Acetonitrile	LCS-6231
Etofenprox	80844-07-1	1,000 µg/mL	HPLC Acetonitrile	LCS-6104
Famoxadone	131807-57-3	1,000 µg/mL	HPLC Acetone	LCS-5462
Fenpyroximate	111812-58-9	1,000 µg/mL	HPLC Acetonitrile	LCS-6387
Fensulfothion-oxon-sulfone	6132-17-8	1,000 µg/mL	HPLC Acetonitrile	LCS-6210
Fipronil	120068-37-3	1,000 µg/mL	HPLC Acetonitrile	LCS-4004-ACN
Fructose	57-48-7	1,000 µg/mL	HPLC Water	LCS-4189-HPLCW
Ipconazole	125225-28-7	1,000 µg/mL	HPLC Acetonitrile	LCS-6278
Iprovalicarb	140923-17-7	1,000 µg/mL	HPLC Acetone	LCS-6029
Lufenuron	103055-07-8	1,000 µg/mL	HPLC Acetonitrile	LCS-6181
Maltodextrin	9050-36-6	1,000 µg/mL	HPLC Water	LCS-5705
Mecoprop	93-65-2	1,000 µg/mL	HPLC Methanol	LCS-6372
Mesotrione	104206-82-8	1,000 µg/mL	HPLC Acetonitrile	LCS-5044

LC & LC/MS Standards

Volume for all LC & LC/MS Standards is 1 mL

HPLC | LC/MS Single-Component Organic Standards

Components	CAS #	Concentration	Matrix	Part #
Metconazole	125116-23-6	1,000 µg/mL	HPLC Acetone	LCS-6010
Methiocarb	2032-65-7	1,000 µg/mL	HPLC Acetonitrile	LCS-2385
Methoxyfenozide	161050-58-4	1,000 µg/mL	HPLC Acetonitrile	LCS-6033
Monocrotophos	6923-22-4	1,000 µg/mL	HPLC Acetonitrile	LCS-2645
Omite	2312-35-8	1,000 µg/mL	HPLC Acetone	LCS-2895
Paclobutrazol	76738-62-0	1,000 µg/mL	LC/MS Acetonitrile	LCS-4345-ACN
Perfluoro-n-octane sulfonate (PFOS)	1763-23-1	1,000 µg/mL	Methanol	LCS-4951
Piperonyl butoxide	51-03-6	1,000 µg/mL	HPLC Acetonitrile	LCS-3117-ACN
Prallethrin (mix of isomers)	23031-36-9	1,000 µg/mL	HPLC Acetonitrile	LCS-5783
Prophos	13194-48-4	1,000 µg/mL	HPLC Acetonitrile	LCS-3185
Prothioconazole	178928-70-6	1,000 µg/mL	Methanol	LCS-4904
Prothioconazole	178928-70-6	1,000 µg/mL	HPLC Acetonitrile	LCS-4904-ACN
Prothioconazole-desthio	120983-64-4	1,000 µg/mL	HPLC Acetonitrile	LCS-6189
Pyraflufen-ethyl	129630-19-9	1,000 µg/mL	HPLC Acetonitrile	LCS-6024-ACN
Spinetoram	187166-40-1	1,000 µg/mL	HPLC Acetonitrile	LCS-6012
Spinosad A&D	168316-95-8	1,000 µg/mL	HPLC Acetonitrile	LCS-6025
Spirodiclofen	148477-71-8	1,000 µg/mL	HPLC Acetonitrile	LCS-5295
Spiromesifen	283594-90-1	1,000 µg/mL	HPLC Acetonitrile	LCS-6035
Sucrose	57-50-1	1,000 µg/mL	HPLC Water	LCS-3308-HPLCW
Sulfentrazone	122836-35-5	1,000 µg/mL	HPLC Acetone	LCS-6013
Systhane (Myclobutanil)	88671-89-0	1,000 µg/mL	HPLC Acetone	LCS-3306
Tebufenozide	112410-23-8	1,000 µg/mL	HPLC Acetonitrile	LCS-6036
Tepaloxymid	149979-41-9	1,000 µg/mL	HPLC Acetonitrile	LCS-6178
Thiacloprid	111988-49-9	1,000 µg/mL	HPLC Acetonitrile	LCS-6026
Triclosan	3380-34-5	1,000 µg/mL	LC/MS Methanol	LCS-4382

LC/MS Daily Check Solution 1 in LC/MS Acetonitrile

Components	CAS #	Components	CAS #
Caffeine	58-08-2	Reserpine	50-55-5
Concentration		Part #	
10 µg/mL		LC-DC-1	

LC/MS Daily Check Solution 2 in LC/MS Acetonitrile

Components	CAS #	Components	CAS #
Caffeine	58-08-2	Reserpine	50-55-5
4-Nitrophenol	100-02-7		
Concentration		Part #	
10 µg/mL		LC-DC-2	

Volume for all Pesticides Mixes is 1 mL

Pesticide Kit					
Kit Contains					
SPXPR-1			SPXPR-6		
SPXPR-2			SPXPR-7		
SPXPR-3			SPXPR-8		
SPXPR-4			SPXPR-9		
SPXPR-5			SPXPR-10		
		Concentration			Part #
		100 µg/mL			SPXPR-KIT

Pesticide Mix 1 in LC/MS Acetonitrile					
Components	CAS #	Components	CAS #	Components	CAS #
Acetamiprid	135410-20-7	Chlorantraniliprole	500008-45-7	Pirimicarb	23103-98-2
Aldicarb	116-06-3	Fenoxycarb	79127-80-3	Tebufenpyrad	119168-77-3
Aldicarb sulfone	1646-88-4	Imazalil	35544-44-0	Thiacloprid	111988-49-9
Aldicarb sulfoxide	1646-87-3	Imidacloprid	138261-41-3	Trifloxystrobin	141517-21-7
Azoxystrobin	131860-33-8	Iprodione	36734-19-7		
Boscalid	188425-85-6	Piperonyl butoxide	51-03-6		
		Concentration			Part #
		100 µg/mL			SPXPR-1

Pesticide Mix 2 in LC/MS Acetonitrile					
Components	CAS #	Components	CAS #	Components	CAS #
Azinphos-methyl	86-50-0	Dyfonate (Fonofos)	944-22-9	Phosalone	2310-17-0
Carbophenothion	786-19-6	Ethoprophos (Prophos)	13194-48-4	Phosmet (Imidan)	732-11-6
Coumaphos	56-72-4	Hexythiazox	78587-05-0	Quinalphos	13593-03-8
Dicrotophos	141-66-2	Malathion	121-75-5	Terbufos	13071-79-9
Dimethoate	60-51-5	Methidathion	950-37-8	Triazophos	24017-47-8
		Concentration			Part #
		100 µg/mL			SPXPR-2

Pesticide Mix 3 in LC/MS Acetonitrile					
Components	CAS #	Components	CAS #	Components	CAS #
Carbaryl	63-25-2	Methamidophos	10265-92-6	Pirimiphos-methyl	29232-93-7
Dimethomorph	110488-70-5	Monocrotophos	6923-22-4	Profenofos	41198-08-7
Etofenprox	80844-07-1	Myclobutanil (Systhane)	88671-89-0	Propargite (Omite)	2312-35-8
Etoazole	153233-91-1	Phenthoate	2597-03-7	Spirodiclofen	148477-71-8
Flonicamid	150862-67-0	Phorate	298-02-2	Thiamethoxam	153719-23-4
		Concentration			Part #
		100 µg/mL			SPXPR-3

LC & LC/MS Standards

Volume for all Pesticides Mixes is 1 mL

Pesticide Mix 4 in LC/MS Acetonitrile					
Components	CAS #	Components	CAS #	Components	CAS #
Acephate	30560-19-1	Disulfoton	298-04-4	Fenitrothion	122-14-5
Chlorothalonil	1897-45-6	EPN	2104-64-5	Fenthion	55-38-9
Chlorpyrifos	2921-88-2	Edifenphos	17109-49-8	Fipronil	120068-37-3
Diazinon	333-41-5	Ethion	563-12-2	Fludioxonil	131341-86-1
Dichlorvos	62-73-7	Ethyl parathion	56-38-2	Methyl parathion	298-00-0
		Concentration	Part #		
		100 µg/mL	SPXPR-4		

Pesticide Mix 5 in LC/MS Acetonitrile					
Components	CAS #	Components	CAS #	Components	CAS #
Baygon (Propoxur)	114-26-1	Metalaxyl	57837-19-1	Pencycuron	66063-05-6
Clofentezine	74115-24-5	Methomyl	16752-77-5	Prochloraz	67747-09-5
Diuron	330-54-1	Oxamyl	23135-22-0	Pymetrozine	123312-89-0
Isoproturon	34123-59-6	Oxydemeton-methyl	301-12-2	Pyraclostrobin	175013-18-0
Linuron	330-55-2	Paclobutrazol	76738-62-0		
		Concentration	Part #		
		100 µg/mL	SPXPR-5		

Pesticide Mix 6 in LC/MS Acetonitrile					
Components	CAS #	Components	CAS #	Components	CAS #
Alachlor	15972-60-8	Fenoprop (2,4,5-TP) (Silvex)	93-72-1	Metolachlor	51218-45-2
Bentazon	25057-89-0	Fenpropathrin	64257-84-7	Prowl (Pendimethalin)	40487-42-1
Captan	133-06-2	Fenvalerate (Sanmarton)	51630-58-1	Pyridaben	96489-71-3
Chlorpropham	101-21-3	tau-Fluvalinate	102851-06-9	Quinoxifen	124495-18-7
Epoxiconazole	133855-98-8	Kresoxim-methyl	143390-89-0	Quintozene (pentachloronitrobenzene)	82-68-8
		Concentration	Part #		
		100 µg/mL	SPXPR-6		

Pesticide Mix 7 in LC/MS Acetonitrile			
Components	CAS #	Components	CAS #
Bifenthrin	82657-04-3	Prallethrin (mix of isomers)	23031-36-9
Cypermethrin	52315-07-8	Pyrethrins (mix of isomers)	8003-34-7
Cyfluthrin (Baythroid)	68359-37-5	Resmethrin	10453-86-8
Permethrin (mix of cis & trans)	52645-53-1	Tetramethrin	7696-12-0
		Concentration	Part #
		100 µg/mL	SPXPR-7

Volume for all Pesticides Mixes is 1 mL

Pesticide Mix 8 in LC/MS Acetonitrile

Components	CAS #	Components	CAS #	Components	CAS #
Abamectin (mix of isomers)	71751-41-2	Hexaconazole	79983-71-4	Spinetoram (J)	187166-40-1
Bifenazate	149877-41-8	Isoprocarb	2631-40-5	Spinosad (as Spinosyn A)	131929-60-7
Bromacil	314-40-9	Methiocarb	2032-65-7	Spiromesifen	283594-90-1
Fenobucarb (BPMC)	3766-81-2	Propazine	139-40-2	Spirotetramat	203313-25-1
Fenpyroximate	111812-58-9	Propiconazole (Tilt)	60207-90-1	Tebuconazole (Folicur)	107534-96-3
		Concentration	Part #		
		100 µg/mL	SPXPR-8		

Pesticide Mix 9 in Acetonitrile:Acetone (9:1)

Components	CAS #	Components	CAS #	Components	CAS #
Acequinocyl	57960-19-7	Fenamiphos sulfone	31972-44-8	Molinate	2212-67-1
Atrazine	1912-24-9	Fenamiphos sulfoxide	31972-43-7	Simazine	122-34-9
Atrazine-desethyl	6190-65-4	Fenhexamid	126833-17-8	Thiophanate-methyl	23564-05-8
Carbofuran	1563-66-2	Fenoxaprop	95617-90-7	Trichlorfon (Dylox)	52-68-6
Cyanazine (Bladex)	21725-46-2	Fluometuron	2164-17-2		
2,4-DB	94-82-6	3-Hydroxycarbofuran	16655-82-6		
		Concentration	Part #		
		100 µg/mL	SPXPR-9		

Pesticide Mix 10 in LC/MS Acetonitrile

Components	CAS #	Components	CAS #	Components	CAS #
Aldrin	309-00-2	p-p'-DDE	72-55-9	Endrin aldehyde	7421-93-4
Chlordecone (Kepone)	143-50-0	o-p'-DDT	789-02-6	Endrin ketone	53494-70-5
o-p'-DDD	53-19-0	p-p'-DDT	50-29-3	Isodrin	465-73-6
p-p'-DDD	72-54-8	Dieldrin	60-57-1	Metribuzin	21087-64-9
o-p'-DDE	3424-82-6	Endrin	72-20-8	Mirex	2385-85-5
		Concentration	Part #		
		100 µg/mL	SPXPR-10		

Helpful Hints

Need More Helpful Hints?

A wealth of information, including technical tips and advice from our expert chemists, can be found on our website:

- Get immediate answers by using our Live Chat function.
- Download a copy of one of our posters or presentations.
- Subscribe to our newsletter for information on upcoming events, new product information, promotions, and more.
- View our archive of Ask a Chemist questions - technical questions asked by you and answered by our chemists. Send your questions at **AskAChemist@spex.com**.
- You can search by CAS number or component name on our site search tool and on our Custom Standards Request Form for singles and mixes.
- View our webinars on our YouTube channel.

Visit **spexcertiprep.com** today.

Pesticides, PCBs and Herbicides

Pesticides, PCBs and Herbicides

Pesticides, PCBs and Herbicides

The EPA is tasked with the monitoring of environmental systems as they pertain to contamination and human health. The methods issued by the EPA are created to respond to specific toxins or persistent organic pollutants (POPs) found in environmental samples such as soil, source water, drinking water, and waste. In particular, pollutants such as polychlorinated biphenyls (PCBs), which were in widespread industrial use up until their restriction, are of concern due to their stable and persistent nature in the environment. Another group of chemicals of high concern is the hundreds of commercial pesticides and herbicides in use in the world today. Pesticides, from algaecides to virucides, are used in large quantities in industrial and private agriculture. The concern over human pesticide exposure over the past few decades has led to extensive monitoring of these pesticides. It has been reported that over 98% of insecticides and 95% of herbicides affect areas other than their intended target product. It is essential that monitoring agencies have accurate standard mixes to measure the pesticide levels in the environment.

Many new pesticides are now being tested using highly sensitive LC/MS techniques, in addition to traditional GC techniques, to determine minute amounts of residue in environmental samples and food products.

At SPEX CertiPrep, we facilitate ease of monitoring and testing of pesticides by creating pesticide test mixes to suit your monitoring needs. SPEX CertiPrep is the leader in offering pesticide standards designed to work within EPA, AOAC and FDA analytical testing methods using all of the leading analytical techniques: LC, LC/MS, GC, and GC/MS. Many pesticide standard mixes are readily available in our catalog along with a large list of single pesticide standards. In addition, custom pesticide mixes can be made to your specifications to create a mix that meets your needs.

Helpful Hint

Customize Your Solutions! Tell us what you want by providing compounds, concentrations, matrices, and analytical methods. Visit our website to submit your request online at spexcertiprep.com/customorganics.

US EPA Methods

US EPA Method 500 Series

Method 505 is an analytical method for the monitoring of organochlorine pesticides and PCBs in drinking water and raw water sources by GC/ECD.

Method 507 is an analytical method for the monitoring of nitrogen and phosphorus containing pesticides and PCBs in drinking water and ground water by GC/NPD.

Method 508 is an analytical method for the monitoring of organochlorine pesticides and PCBs in drinking water and ground water by GC/ECD.

Method 515 is an analytical method for the monitoring of chlorinated acids in drinking water by GC/ECD.

Method 531 is an analytical method for the monitoring of n-methylcarbamoyloximes and n-methylcarbamates in drinking water and ground water by HPLC and a fluorescence detector.

Method 547 is an analytical method for the monitoring of glyphosate by HPLC with a fluorescence detector.

Method 548 is an analytical method for the monitoring of endothall in drinking water by GC/ECD.

Method 549 is an analytical method for the monitoring of diquat and paraquat in drinking water by HPLC/UV.

US EPA Method 600 Series

Method 608 is an analytical method for the monitoring of organochlorine pesticides and PCBs in municipal and industrial wastewater by GC/ECD.

Method 614 is an analytical method for the monitoring of organophosphorus pesticides in municipal and industrial wastewater by GC/NPD.

Method 619 is an analytical method for the monitoring of triazine pesticides in municipal and industrial wastewater by GC/NPD.

Method 622 is an analytical method for the monitoring of organophosphorus pesticides in municipal and industrial wastewater by GC/NPD.

US EPA Method 8000 Series

Method 8081 is an analytical method for the monitoring of organochlorine pesticides and PCBs in environmental samples by GC/ECD.

Method 8082 is an analytical method for the monitoring of PCBs in environmental samples by GC/ECD or GC/ELCD.

Method 8141 is an analytical method for the monitoring of organophosphorus pesticides in environmental samples by GC/NPD or GC/FPD.

Methods 8150A, 8150B and 8151 are general analytical methods for the monitoring of herbicides in environmental samples by GC/ECD.

CLP Series

The US EPA retains analytical services through the Contract Laboratory Program (CLP). The CLP follows detailed SOPs derived from EPA methods and SW-846. The CLP Pesticides Analysis Method is an analytical method for the analysis of aqueous or solid samples for pesticides by GC/ECD.

Pesticides, PCBs and Herbicides

Volume for all Pesticides/PCBs/Herbicides is 1 mL

Applicable Methods: US EPA Method 505 (see page 228 for details).

Organochloride Pesticides Mix in Acetone					
Components	CAS #	Concentration	Components	CAS #	Concentration
Alachlor	15972-60-8	50 µg/mL	Heptachlor	76-44-8	5 µg/mL
Aldrin	309-00-2	5 µg/mL	Heptachlor epoxide (Isomer B)	1024-57-3	5 µg/mL
Atrazine	1912-24-9	1,250 µg/mL	Hexachlorobenzene	118-74-1	5 µg/mL
gamma-BHC	58-89-9	5 µg/mL	Hexachlorocyclopentadiene	77-47-4	5 µg/mL
alpha-Chlordane	5103-71-9	5 µg/mL	Methoxychlor	72-43-5	25 µg/mL
gamma-Chlordane	5103-74-2	5 µg/mL	cis-Nonachlor	5103-73-1	5 µg/mL
Dieldrin	60-57-1	5 µg/mL	trans-Nonachlor	39765-80-5	5 µg/mL
Endrin	72-20-8	5 µg/mL	Simazine	122-34-9	1,250 µg/mL
			Part #		
			505-A2		

Applicable Methods: US EPA Methods 505, 508, 608, 8081, CLP Series and TCLP Series (see page 228 for details).

Toxaphene Standard in Hexane			
Component		CAS #	
Toxaphene		8001-35-2	
Concentration	Part #	Concentration	Part #
200 µg/mL	TOX-X	1,000 µg/mL	S-3535

Applicable Methods: US EPA Methods 505, 508, 608, 8081, CLP Series and TCLP Series (see page 228 for details).

Chlordane Standard in Hexane			
Component		CAS #	
Chlordane		57-74-9	
Concentration	Part #	Concentration	Part #
200 µg/mL	CDANE-X	1,000 µg/mL	S-780

Applicable Methods: US EPA Methods 505 and 508 (see page 228 for details).

Decachlorobiphenyl Standard in Toluene			
Component		CAS #	
Decachlorobiphenyl		2051-24-3	
		Concentration	Part #
		5,000 µg/mL	DCBP-XH

Pesticides, PCBs and Herbicides

Volume for all Pesticides/PCBs/Herbicides is 1 mL

Applicable Methods: US EPA Method 505 (see page 228 for details).

Aroclor Mix 1 in Hexane			
Components	CAS #	Components	CAS #
Aroclor 1016	12674-11-2	Aroclor 1248	12672-29-6
Aroclor 1232	11141-16-5	Aroclor 1260	11096-82-5
		Concentration	Part #
		200 µg/mL	PCB-M1

Applicable Methods: US EPA Method 505 (see page 228 for details).

Aroclor Mix 2 in Hexane			
Components	CAS #	Components	CAS #
Aroclor 1221	11104-28-2	Aroclor 1254	11097-69-1
Aroclor 1242	53469-21-9		
		Concentration	Part #
		200 µg/mL	PCB-M2

Applicable Methods: US EPA Methods 505, 508, 608, 8082, and CLP Series (see page 228 for details).

Individual Aroclors in Hexane			
Components	CAS #	Concentration	Part #
Aroclor 1016	12674-11-2	200 µg/mL	PCB-1016
		1,000 µg/mL	PCB-1016H
Aroclor 1221	11104-28-2	200 µg/mL	PCB-1221
		1,000 µg/mL	PCB-1221H
Aroclor 1232	11141-16-5	200 µg/mL	PCB-1232
		1,000 µg/mL	PCB-1232H
Aroclor 1242	53469-21-9	200 µg/mL	PCB-1242
		1,000 µg/mL	PCB-1242H
Aroclor 1248	12672-29-6	200 µg/mL	PCB-1248
		1,000 µg/mL	PCB-1248H
Aroclor 1254	11097-69-1	200 µg/mL	PCB-1254
		1,000 µg/mL	PCB-1254H
Aroclor 1260	11096-82-5	200 µg/mL	PCB-1260
		1,000 µg/mL	PCB-1260H
Aroclor 1262	37324-23-5	200 µg/mL	PCB-1262
		1,000 µg/mL	PCB-1262H
Aroclor 1268	11100-14-4	200 µg/mL	PCB-1268
		1,000 µg/mL	PCB-1268H

Pesticides, PCBs and Herbicides

Volume for all Pesticides/PCBs/Herbicides is 1 mL

Applicable Methods: US EPA Methods 505, 608 and 8082 (see page 228 for details).

PCB Kit, High Level in Hexane					
Kit Contains 1 mL of each					
PCB-1016H			PCB-1248H		
PCB-1221H			PCB-1254H		
PCB-1232H			PCB-1260H		
PCB-1242H					
		Concentration			Part #
		1,000 µg/mL			PCB-KH

Applicable Methods: US EPA Method 507 (see page 228 for details).

Analyte Mix A in Acetone					
Components	CAS #	Components	CAS #	Components	CAS #
Alachlor	15972-60-8	Carboxin	5234-68-4	EPTC	759-94-4
Ametryn	834-12-8	Chlorpropham	101-21-3	Fenarimol	60168-88-9
Atraton	1610-17-9	Cycloate	1134-23-2	Phenamiphos	22224-92-6
Atrazine	1912-24-9	Diazinon	333-41-5	Prophos	13194-48-4
Bromacil	314-40-9	Dichlorvos	62-73-7	Sonar/Fluoridone	59756-60-4
Butachlor	23184-66-9	Diphenamid	957-51-7	Tributylphosphoro-trithioite	150-50-5
Butylate	2008-41-5	Disulfoton	298-04-4	Velpar	51235-04-2
		Concentration			Part #
		1,000 µg/mL			507-A

Applicable Methods: US EPA Method 507 (see page 228 for details).

Analyte Mix B in Acetone					
Components	CAS #	Components	CAS #	Components	CAS #
Beam	41814-78-2	Norflurazon	27314-13-2	Tebuthiuron	34014-18-1
Dimethyl-p-nitrophenyl phosphate	950-35-6	Pebulate	1114-71-2	Terbacil	5902-51-2
Metolachlor	51218-45-2	Prometon	1610-18-0	Terbufos	13071-79-9
Metribuzin	21087-64-9	Prometryn	7287-19-6	Terbutryn	886-50-0
Mevinphos	7786-34-7	Propazine	139-40-2	Tetrachlorvinphos	961-11-5
MGK 264™	113-48-4	Propyzamide	23950-58-5	Triadimefon	43121-43-3
Molinate	2212-67-1	Simazine	122-34-9	Vernolate	1929-77-7
Napropamide (Devrinol)	15299-99-7	Simetryn	1014-70-6		
		Concentration			Part #
		1,000 µg/mL			507-B

Pesticides, PCBs and Herbicides

Volume for all Pesticides/PCBs/Herbicides is 1 mL

Applicable Methods: US EPA Method 507 (see page 228 for details).

Internal Standard in Methyl Tertiary-Butyl Ether		
Component	CAS #	
Triphenyl phosphate	115-86-6	
	Concentration	Part #
	500 µg/mL	507-I

Applicable Methods: US EPA Method 508 (see page 228 for details).

Reformulated Chlorinated Pesticides Mix in Methyl Tertiary-Butyl Ether					
Components	CAS #	Components	CAS #	Components	CAS #
Aldrin	309-00-2	p,p'-DDE	72-55-9	Endrin	72-20-8
alpha-BHC	319-84-6	p,p'-DDT	50-29-3	Endrin aldehyde	7421-93-4
beta-BHC	319-85-7	Dieldrin	60-57-1	Endrin ketone	53494-70-5
delta-BHC	319-86-8	Endosulfan I	959-98-8	Heptachlor	76-44-8
gamma-BHC	58-89-9	Endosulfan II	33213-65-9	Heptachlor epoxide (Isomer B)	1024-57-3
p,p'-DDD	72-54-8	Endosulfan sulfate	1031-07-8	Methoxychlor	72-43-5
		Concentration	Part #		
		1,000 µg/mL	508-A		

Applicable Methods: US EPA Method 508 (see page 228 for details).

PCNB Internal Standard in Methyl Tertiary-Butyl Ether		
Component	CAS #	
Pentachloronitrobenzene	82-68-8	
	Concentration	Part #
	100 µg/mL	508-I

Applicable Methods: US EPA Method 508 (see page 228 for details).

GC Degradation Check Solution in Methyl Tertiary-Butyl Ether			
Components	CAS #	Components	CAS #
p,p'-DDT	50-29-3	Endrin	72-20-8
	Concentration	Part #	
	10 µg/mL	508-DC	

SPEX CertiPrep®

Volume for all Pesticides/PCBs/Herbicides is 1 mL

Applicable Methods: US EPA Method 508 (see page 228 for details).

Method 508 Analyte Mix A in Acetone					
Components		CAS #	Components		CAS #
Alachlor	15972-60-8	p,p'-DDD	72-54-8	Endrin	72-20-8
Aldrin	309-00-2	p,p'-DDE	72-55-9	Endrin aldehyde	7421-93-4
alpha-BHC	319-84-6	p,p'-DDT	50-29-3	Endrin ketone	53494-70-5
beta-BHC	319-85-7	Dieldrin	60-57-1	Heptachlor	76-44-8
delta-BHC	319-86-8	Endosulfan I	959-98-8	Heptachlor epoxide (Isomer B)	1024-57-3
gamma-BHC	58-89-9	Endosulfan II	33213-65-9	Methoxychlor	72-43-5
Butachlor	23184-66-9	Endosulfan sulfate	1031-07-8		
		Concentration Part #			
		500 µg/mL 5081-A			

Applicable Methods: US EPA Method 508 (see page 228 for details).

NPD Analytes in Acetone				
Components		CAS #	Components	CAS #
Atrazine		1912-24-9	Simazine	122-34-9
		Concentration	Part #	
		200 µg/mL	8141-D	

Applicable Methods: US EPA Methods 508 and 8081 (see page 228 for details).

Internal Standard in Methanol	
Component	CAS #
Pentachloronitrobenzene	82-68-8

Concentration	Part #
1,000 µg/mL	S-2945

Applicable Methods: US EPA Method 508 (see page 228 for details).

Performance Check Solution in Methyl Tertiary-Butyl Ether:Ethyl Acetate					
Components	CAS #	Concentration	Components	CAS #	Concentration
delta-BHC	319-86-8	40 ng/mL	Chlorpyrifos	2921-88-2	2 ng/mL
Chlorothalonil	1897-45-6	50 ng/mL	Methyl dacthal	1861-32-1	50 ng/mL
		Part #			
		5081-PC			

Pesticides, PCBs and Herbicides

Volume for all Pesticides/PCBs/Herbicides is 1 mL

Applicable Methods: US EPA Methods 515 and 8151 (see page 228 for details).

Internal Standard in Methyl Tertiary-Butyl Ether		
Component	CAS #	
4,4'-Dibromooctafluorobiphenyl (DBOB)	10386-84-2	
	Concentration	Part #
	1,000 µg/mL	S-1250

Applicable Methods: US EPA Method 531 (see page 228 for details).

Method 531 Analyte Mix A in HPLC Acetonitrile			
Components	CAS #	Components	CAS #
Aldicarb	116-06-3	Carbofuran	1563-66-2
Aldicarb sulfoxide	1646-87-3	3-Hydroxycarbofuran	16655-82-6
Aldoxycarb	1646-88-4	Methiocarb	2032-65-7
Baygon (Propoxur)	114-26-1	Methomyl	16752-77-5
Carbaryl	63-25-2	Oxamyl	23135-22-0
	Concentration	Part #	
	100 µg/mL	5311-A10	

Applicable Methods: US EPA Method 531 (see page 228 for details).

Phosphorus Pesticide Calibration Mix in HPLC Acetonitrile					
Components	CAS #	Components	CAS #	Components	CAS #
Aldicarb	116-06-3	Carbaryl	63-25-2	Methomyl	16752-77-5
Aldicarb sulfoxide	1646-87-3	Carbofuran	1563-66-2	1-Naphthol	90-15-3
Aldoxycarb	1646-88-4	3-Hydroxycarbofuran	16655-82-6	Oxamyl	23135-22-0
Baygon (Propoxur)	114-26-1	Methiocarb	2032-65-7		
	Concentration	Part #			
	100 µg/mL	5312-A			

Applicable Methods: US EPA Method 531 (see page 228 for details).

Internal Standard/Surrogate in HPLC Acetonitrile		
Component	CAS #	
4-Bromo-3,5-dimethylphenyl-N-methylcarbamate (BDMC)	672-99-1	
	Concentration	Part #
	100 µg/mL	531-I

Pesticides, PCBs and Herbicides

Volume for all Pesticides/PCBs/Herbicides is 1 mL

Applicable Methods: US EPA Method 531 (see page 228 for details).

Performance Check Solution in Methanol					
Components	CAS #	Concentration	Components	CAS #	Concentration
Aldicarb sulfoxide	1646-87-3	100 µg/mL	3-Hydroxycarbofuran	16655-82-6	2 µg/mL
4-Bromo-3,5-dimethylphenyl-N-methylcarbamate	672-99-1	10 µg/mL	Methiocarb	2032-65-7	20 µg/mL
Part #					
531-PCS					

Applicable Methods: US EPA Method 547 (see page 228 for details).

Glyphosate Standard in HPLC Water		
Component		CAS #
Glyphosate		1071-83-6
	Concentration	Part #
	2,000 µg/mL	547-A

Applicable Methods: US EPA Method 548 (see page 228 for details).

Endothall Standard in DI Water						
Component		CAS #				
Endothall monohydrate		62059-43-2				
	<table><tr><th>Concentration</th><th>Part #</th></tr><tr><td>2,000 µg/mL</td><td>548-A</td></tr></table>	Concentration	Part #	2,000 µg/mL	548-A	
Concentration	Part #					
2,000 µg/mL	548-A					

Applicable Methods: US EPA Method 548 (see page 228 for details).

Endothall-PFPH Standard in Methyl Tertiary-Butyl Ether						
Component		CAS #				
Endothall-PFPH		N/A				
	<table><tr><th>Concentration</th><th>Part #</th></tr><tr><td>2,000 µg/mL</td><td>548-APFPH</td></tr></table>	Concentration	Part #	2,000 µg/mL	548-APFPH	
Concentration	Part #					
2,000 µg/mL	548-APFPH					

Applicable Methods: US EPA Method 548 (see page 228 for details).

Internal Standard in Methyl Tertiary-Butyl Ether						
Component		CAS #				
Endosulfan I		959-98-8				
	<table><tr><th>Concentration</th><th>Part #</th></tr><tr><td>200 µg/mL</td><td>548-IS</td></tr></table>	Concentration	Part #	200 µg/mL	548-IS	
Concentration	Part #					
200 µg/mL	548-IS					

Pesticides, PCBs and Herbicides

Volume for all Pesticides/PCBs/Herbicides is 1 mL

Applicable Methods: US EPA Method 548 (see page 228 for details).

Endothall Standard in Methanol			
Component		CAS #	
Endothall monohydrate		62059-43-2	
	Concentration	Part #	
	2,000 µg/mL	5481-A	

Applicable Methods: US EPA Method 548 (see page 228 for details).

Derivatized Endothall Standard in Methanol			
Component		CAS #	
Endothall dimethyl ester		145-73-3	
	Concentration	Part #	
	2,000 µg/mL	5481-MEO	

Applicable Methods: US EPA Method 548 (see page 228 for details).

Internal Standard in Methanol			
Component		CAS #	
Acenaphthene-d ₁₀		15067-26-2	
	Concentration	Part #	
	2,000 µg/mL	5481-IS	

Applicable Methods: US EPA Method 548 (see page 228 for details).

GC/MS Tuning Standard in Methanol			
Component		CAS #	
bis(pentafluorophenyl)phenylphosphine		5074-71-5	
	Concentration	Part #	
	2,500 µg/mL	CLPS-T	

Applicable Methods: US EPA Method 549 (see page 228 for details).

Method 549 Analyte Mix in DI Water			
Components	CAS #	Components	CAS #
Diquat dibromide monohydrate	6385-62-2	Paraquat dichloride tetrahydrate	1910-42-5
	Concentration	Part #	
	1,000 µg/mL	5491-A	

Pesticides, PCBs and Herbicides

Volume for all Pesticides/PCBs/Herbicides is 1 mL

Applicable Methods: US EPA Method 608 (see page 228 for details).

Method 608 Analyte Mix in Methanol					
Components	CAS #	Concentration	Components	CAS #	Concentration
Aldrin	309-00-2	100 µg/mL	Dieldrin	60-57-1	200 µg/mL
alpha-BHC	319-84-6	100 µg/mL	Endosulfan I	959-98-8	200 µg/mL
beta-BHC	319-85-7	100 µg/mL	Endosulfan II	33213-65-9	200 µg/mL
delta-BHC	319-86-8	100 µg/mL	Endosulfan sulfate	1031-07-8	600 µg/mL
gamma-BHC	58-89-9	100 µg/mL	Endrin	72-20-8	200 µg/mL
p,p'-DDD	72-54-8	600 µg/mL	Endrin aldehyde	7421-93-4	600 µg/mL
p,p'-DDE	72-55-9	200 µg/mL	Heptachlor	76-44-8	100 µg/mL
p,p'-DDT	50-29-3	600 µg/mL	Heptachlor epoxide (Isomer B)	1024-57-3	100 µg/mL
			Part #		
			608-A		

Applicable Method: US EPA Method 614 (see page 228 for details).

Method 614 Kit in Acetone			
Kit contains single-component standards of each of the analytes listed below			
Components	CAS #	Matrix	Part #
Azinphos-methyl	86-50-0	Acetone	S-2085
Demeton (O+S)	8065-48-3	Methanol	S-1140
Diazinon	333-41-5	Acetone	S-1175
Disulfoton	298-04-4	Methanol	S-1755
Ethion	563-12-2	Methanol-P&T	S-1905
Malathion	121-75-5	Methanol	S-2355
Methyl parathion	298-00-0	Methanol	S-2920
Parathion	56-38-2	Methanol	S-2445
		Concentration	Part #
		1,000 µg/mL	614-SK

Applicable Methods: US EPA Method 619 (see page 228 for details).

Method 619 Analyte Compound Singles				
Components	CAS #	Concentration	Matrix	Part #
Ametryn	834-12-8	1,000 µg/mL	Methanol-P&T	S-215
Atraton	1610-17-9	1,000 µg/mL	Methanol	S-360
Atrazine	1912-24-9	1,000 µg/mL	Acetone	S-365
Prometon	1610-18-0	1,000 µg/mL	Acetone	S-3130
Propazine	139-40-2	1,000 µg/mL	Methanol	S-3170
Simazine	122-34-9	1,000 µg/mL	Acetone	S-3280
Terbutylazine	5915-41-3	1,000 µg/mL	Methanol	S-3330
Terbutryne	886-50-0	1,000 µg/mL	Methanol-P&T	S-3335

Pesticides, PCBs and Herbicides

Volume for all Pesticides/PCBs/Herbicides is 1 mL

Applicable Methods: US EPA Method 622 (see page 228 for details).

Method 622 Analyte Compound Singles				
Components	CAS #	Concentration	Matrix	Part #
Azinphos-methyl	86-50-0	1,000 µg/mL	Acetone	S-2085
Coumaphos	56-72-4	1,000 µg/mL	Acetone	S-980
Chlorpyrifos	2921-88-2	1,000 µg/mL	Methanol	S-965
Demeton (O+S)	8065-48-3	1,000 µg/mL	Methanol	S-1140
Disulfoton	298-04-4	1,000 µg/mL	Methanol	S-1755
Diazinon	333-41-5	1,000 µg/mL	Acetone	S-1175
Dichlorvos	62-73-7	1,000 µg/mL	Methanol-P&T	S-1475
Dimethoate	60-51-5	1,000 µg/mL	Methanol-P&T	S-1560
EPN	2104-64-5	1,000 µg/mL	Methanol	S-1865
Fensulfothion	115-90-2	1,000 µg/mL	Acetone	S-2005
Fenthion	55-38-9	1,000 µg/mL	Acetone	S-2010
Malathion	121-75-5	1,000 µg/mL	Methanol	S-2355
Methyl parathion	298-00-0	1,000 µg/mL	Methanol	S-2445
Mevinphos	7786-34-7	1,000 µg/mL	Methanol-P&T	S-2625
Monocrotophos	6923-22-4	1,000 µg/mL	Acetone	S-2645
Dibrom (Naled)	300-76-5	1,000 µg/mL	Methylene Chloride	S-2650
Parathion	56-38-2	1,000 µg/mL	Methanol	S-2920
Phorate	298-02-2	1,000 µg/mL	Methanol	S-3080
Prophos	13194-48-4	1,000 µg/mL	Acetone	S-3185
Ronnel (Fenchlorphos)	299-84-3	1,000 µg/mL	Methanol	S-2000
TEPP	107-49-3	1,000 µg/mL	Methanol	S-3315
Tetrachlorvinphos	961-11-5	1,000 µg/mL	Acetone	S-3425
Tetraethyldithio pyrophosphate/Sulfotepp	3689-24-5	1,000 µg/mL	Methanol	S-3455
Tokuthion (Prothiofos)	34643-46-4	1,000 µg/mL	Acetone	S-3225
Tributyl phosphorotrithioate	150-50-5	1,000 µg/mL	Acetone	S-3565
Trichloronate	327-98-0	1,000 µg/mL	Acetone	S-3570

Applicable Methods: US EPA Method 8081 (see page 228 for details).

Method 8081 Organochlorine Pesticides Mix in Benzene					
Components	CAS #	Components	CAS #	Components	CAS #
Aldrin	309-00-2	p,p'-DDE	72-55-9	Endrin	72-20-8
alpha-BHC	319-84-6	p,p'-DDT	50-29-3	Endrin aldehyde	7421-93-4
beta-BHC	319-85-7	Dieldrin	60-57-1	Endrin ketone	53494-70-5
delta-BHC	319-86-8	Endosulfan I	959-98-8	Heptachlor	76-44-8
gamma-BHC	58-89-9	Endosulfan II	33213-65-9	Heptachlor epoxide (Isomer B)	1024-57-3
p,p'-DDD	72-54-8	Endosulfan sulfate	1031-07-8	Methoxychlor	72-43-5
		Concentration	Part #		
		2,000 µg/mL	625-PH		

Pesticides, PCBs and Herbicides

Volume for all Pesticides/PCBs/Herbicides is 1 mL

Applicable Methods: US EPA Method 8081 (see page 228 for details).

Internal Standard in Methanol			
Component		CAS #	
Pentachloronitrobenzene		82-68-8	
		Concentration	Part #
		1,000 µg/mL	S-2945

Applicable Methods: US EPA Methods 8081 and 8141 (see page 228 for details).

Alternate Internal Standard in Methanol-P&T			
Component		CAS #	
1-Bromo-2-nitrobenzene		577-19-5	
		Concentration	Part #
		1,000 µg/mL	S-590

Applicable Methods: US EPA Method 8081 and CLP Series (see page 228 for details).

3/90 SOW Surrogate Spike in Acetone			
Components	CAS #	Components	CAS #
Decachlorobiphenyl	2051-24-3	2,4,5,6-Tetrachloro-m-xylene	877-09-8
		Concentration	Part #
		200 µg/mL	CLPP-S90

Applicable Methods: US EPA Methods 8081 and 8141 (see page 228 for details).

Alternate Surrogate Standard in Methanol-P&T			
Component		CAS #	
4-Chloro-3-nitrobenzotrifluoride		121-17-5	
		Concentration	Part #
		1,000 µg/mL	S-947

Applicable Methods: US EPA Method 8082 and CLP Series (see page 228 for details).

Initial Combination Calibration Standard in Hexane			
Components	CAS #	Components	CAS #
Aroclor 1016	12674-11-2	Aroclor 1260	11096-82-5
		Concentration	Part #
		1,000 µg/mL	8082-IC

Pesticides, PCBs and Herbicides

Volume for all Pesticides/PCBs/Herbicides is 1 mL

Applicable Methods: US EPA Method 8082 (see page 228 for details).

Decachlorobiphenyl Standard in Hexane		
Component	CAS #	
Decachlorobiphenyl	2051-24-3	
	Concentration	Part #
	1,000 µg/mL	S-1100

Applicable Methods: US EPA Method 8082 (see page 228 for details).

Method 8082 Calibration Mix in Isooctane					
Components	CAS #	Components	CAS #	Components	CAS #
2-Chlorobiphenyl	2051-60-7	2,2',3,4,5'-Pentachlorobiphenyl	38380-02-8	2,2',3,3',4,4',5'-Heptachlorobiphenyl	35065-30-6
2,3-Dichlorobiphenyl	16605-91-7	2,2',4,5,5'-Pentachlorobiphenyl	37680-73-2	2,2',3,4,4',5,5'-Heptachlorobiphenyl	35065-29-3
2,2',5-Trichlorobiphenyl	37680-65-2	2,3,3',4',6-Pentachlorobiphenyl	38380-03-9	2,2',3,4,4',5',6-Heptachlorobiphenyl	52663-69-1
2,4',5-Trichlorobiphenyl	16606-02-3	2,2',3,4,4',5'-Hexachlorobiphenyl	35065-28-2	2,2',3,4',5,5',6-Heptachlorobiphenyl	52663-68-0
2,2',3,5'-Tetrachlorobiphenyl	41464-39-5	2,2',3,4,5,5'-Hexachlorobiphenyl	52712-04-6	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl	40186-72-9
2,2',5,5'-Tetrachlorobiphenyl	35693-99-3	2,2',3,5,5',6-Hexachlorobiphenyl	52663-63-5		
2,3',4,4'-Tetrachlorobiphenyl	32598-10-0	2,2',4,4',5,5'-Hexachlorobiphenyl	35065-27-1		
		Concentration	Part #		
		100 µg/mL	8082-C		

Applicable Methods: US EPA Method 8082 (see page 228 for details).

Internal Standard for Individual PCB-Congener Analysis in Acetone		
Component	CAS #	
2,4,5,6-Tetrachloro-m-xylene	877-09-8	
	Concentration	Part #
	1,000 µg/mL	S-3420

Applicable Methods: US EPA Method 8082 (see page 228 for details).

Alternate Internal/Surrogate Standard in Hexane		
Component	CAS #	
2,2',4,4',5,5'-Hexabromobiphenyl	59080-40-9	
	Concentration	Part #
	100 µg/mL	8082-I

Pesticides, PCBs and Herbicides

Volume for all Pesticides/PCBs/Herbicides is 1 mL

Applicable Methods: US EPA Method 8081 (see page 228 for details).

Method 8081 Individual Analyte Singles

Components	CAS #	Concentration	Matrix	Part #
Alachlor	15972-60-8	1,000 µg/mL	Methanol	S-185
Captafol	2425-06-1	1,000 µg/mL	Acetone	S-715
Carbophenothion	786-19-6	1,000 µg/mL	Methanol	S-755
alpha-Chlordane	5103-71-9	1,000 µg/mL	Methanol	S-770
gamma-Chlordane	5103-74-2	1,000 µg/mL	Methanol	S-775
Chlorothalonil	1897-45-6	1,000 µg/mL	Methanol	S-915
Di-allate (mix of isomers)	2303-16-4	1,000 µg/mL	Acetone	S-1155
1,2-Dibromo-3-chloropropane	96-12-8	1,000 µg/mL	Methanol-P&T	S-1255
Hexachlorobenzene	118-74-1	1,000 µg/mL	Benzene	S-2140
Hexachlorocyclopentadiene	77-47-4	1,000 µg/mL	Methanol-P&T	S-2150
Isodrin	465-73-6	1,000 µg/mL	Methanol	S-2285
Kelthane (1.5% o,p'-95% p,p')	115-32-2	1,000 µg/mL	Methanol	S-2335
Methyl dacthal	1861-32-1	1,000 µg/mL	Methanol	S-1065
Mirex	2385-85-5	1,000 µg/mL	Hexane:Toluene (50:50)	S-2635
trans-Nonachlor	39765-80-5	1,000 µg/mL	Methanol	S-2770
Octachloronaphthalene	2234-13-1	1,000 µg/mL	Methylene Chloride:Hexane	S-4200
Pentachloronitrobenzene	82-68-8	1,000 µg/mL	Methanol	S-2945
Permethrin (cis & trans)	52645-53-1	1,000 µg/mL	Acetone	S-3000
Propachlor	1918-16-7	1,000 µg/mL	Acetone	S-3140
Terrazole	2593-15-9	1,000 µg/mL	Methanol-P&T	S-3360
Trifluralin	1582-09-8	1,000 µg/mL	Methanol	S-3715

Applicable Methods: US EPA Method 8141 (see page 228 for details).

8140 Analyte Mix in Hexane:Acetone

Components	CAS #	Components	CAS #	Components	CAS #
Azinphos-methyl	86-50-0	Fenchlorphos	299-84-3	Sulprofos	35400-43-2
Chlorpyrifos	2921-88-2	Fensulfothion	115-90-2	Tetrachlorvinphos	961-11-5
Coumaphos	56-72-4	Fenthion	55-38-9	Tokuthion/Prothiophos	34643-46-4
Demeton (O+S)	8065-48-3	Methyl parathion	298-00-0	Tributylphosphoro-trithioite	150-50-5
Diazinon	333-41-5	Mevinphos	7786-34-7	Trichloronate	327-98-0
Dichlorvos	62-73-7	Phorate	298-02-2		
Disulfoton	298-04-4	Propfos	13194-48-4		
		Concentration	Part #		
		100 µg/mL	8140-A		

Pesticides, PCBs and Herbicides

Volume for all Pesticides/PCBs/Herbicides is 1 mL

Applicable Methods: US EPA Method 8141 (see page 228 for details).

8141 Analyte Mix in Hexane:Acetone					
Components	CAS #	Components	CAS #	Components	CAS #
Aspon	3244-90-4	Dioxathion	78-34-2	Malathion	121-75-5
Azinphos-ethyl	2642-71-9	Dylox	52-68-6	Monocrotophos	6923-22-4
Carbophenothion	786-19-6	EPN	2104-64-5	Phosphamidon	13171-21-6
Chlorfenvinphos	470-90-6	Ethion	563-12-2	TEPP	107-49-3
Chlorpyrifos-methyl	5598-13-0	Ethyl parathion	56-38-2	Terbufos	13071-79-9
Crotoxyphos	7700-17-6	Fenitrothion	122-14-5	Tetraethyldithio pyrophosphate/Sulfotepp	3689-24-5
Dichlorfenthion	97-17-6	Fonofos (Dyfonate)	944-22-9	Zinophos	297-97-2
Dicrotophos	141-66-2	Imidan (Phosmet)	732-11-6		
Dimethoate	60-51-5	Leptophos	21609-90-5		
		Concentration	Part #		
		200 µg/mL	8141-AB		

Applicable Methods: US EPA Method 8141 (see page 228 for details).

Method 8141 Carbamate Singles				
Components	CAS #	Concentration	Matrix	Part #
Bendiocarb	22781-23-3	1,000 µg/mL	Methanol	S-379
Butylate	2008-41-5	1,000 µg/mL	Methanol	S-660
EPTC	759-94-4	1,000 µg/mL	Methanol	S-1870
Methiocarb	2032-65-7	1,000 µg/mL	Acetonitrile	S-2385
Molinate	2212-67-1	1,000 µg/mL	Methanol	S-2640
Pebulate	1114-71-2	1,000 µg/mL	Methanol	S-2925
Prosulfocarb	52888-80-9	1,000 µg/mL	Methanol	S-3223

Applicable Methods: US EPA Method 8141 (see page 228 for details).

Dibrom (Naled) Single in Methylene Chloride	
Component	CAS #
Dibrom (Naled)	300-76-5
Concentration	Part #
1,000 µg/mL	S-2650

Applicable Methods: US EPA Method 8141 (see page 228 for details).

Famphur Single in Methanol	
Component	CAS #
Famphur	52-85-7
Concentration	Part #
1,000 µg/mL	S-1995

Pesticides, PCBs and Herbicides

Volume for all Pesticides/PCBs/Herbicides is 1 mL

Applicable Methods: US EPA Method 8141 (see page 228 for details).

NPD/FPD Surrogate Single in Methanol-P&T		
Component	CAS #	
Triphenyl phosphate	115-86-6	
	Concentration	Part #
	1,000 µg/mL	S-3765

Applicable Methods: US EPA Method 8141 (see page 228 for details).

NPD Surrogate in Methanol-P&T		
Component	CAS #	
4-Chloro-3-nitrobenzotrifluoride	121-17-5	
	Concentration	Part #
	1,000 µg/mL	S-947

Applicable Methods: US EPA Method 8141 (see page 228 for details).

Internal Standard in Methanol-P&T		
Component	CAS #	
1-Bromo-2-nitrobenzene	577-19-5	
	Concentration	Part #
	1,000 µg/mL	S-590

Applicable Methods: US EPA Method 8151 (see page 228 for details).

Method 8151 Single in Acetone		
Component	CAS #	
Tetrachloroterephthalate acid	2136-79-0	
	Concentration	Part #
	1,000 µg/mL	S-1067

Applicable Methods: US EPA Method 8151 (see page 228 for details).

Surrogate Standard in Acetone		
Component	CAS #	
2,4-Dichlorophenylacetic acid	19719-28-9	
	Concentration	Part #
	1,000 µg/mL	S-1420

Volume for all Pesticides/PCBs/Herbicides is 1 mL

Applicable Methods: US EPA Method 8151 (see page 228 for details).

[illegible]

Applicable Methods: CLP Series (see page 228 for details).

Individual Standard Mix A for 3/90 & 7/91 SOW in Hexane:Toluene					
Components	CAS #	Concentration	Components	CAS #	Concentration
alpha-BHC	319-84-6	5 µg/mL	Endosulfan I	959-98-8	5 µg/mL
gamma-BHC	58-89-9	5 µg/mL	Endrin	72-20-8	10 µg/mL
p,p'-DDD	72-54-8	10 µg/mL	Heptachlor	76-44-8	5 µg/mL
p,p'-DDT	50-29-3	10 µg/mL	Methoxychlor	72-43-5	50 µg/mL
Dieldrin	60-57-1	10 µg/mL			
CLPP-A90					

Applicable Methods: CLP Series (see page 228 for details).

3/90 SOW Surrogate Spike in Acetone				
Components		CAS #	Components	CAS #
Decachlorobiphenyl		2051-24-3	2,4,5,6-Tetrachloro-m-xylene	877-09-8
		Concentration	Part #	
		200 µg/mL	CLPP-S90	

Applicable Methods: CLP Series (see page 228 for details).

91/80W Surrogate Spike in Acetone					
Components	CAS #	Concentration	Components	CAS #	Concentration
Decachlorobiphenyl	2051-24-3	200 µg/mL	2,4,5,6-Tetrachloro-m-xylene	877-09-8	100 µg/mL
		Part #			
		CLPP-S91			

Applicable Methods: CLP Series (see page 228 for details).

2/88 SOW Surrogate Spike in Acetone					
Component	CAS #				
Dibutyl chlorendate	1770-80-5				
	<table><tr><th>Concentration</th><th>Part #</th></tr><tr><td>200 µg/mL</td><td>DBC-X</td></tr></table>	Concentration	Part #	200 µg/mL	DBC-X
	Concentration	Part #			
200 µg/mL	DBC-X				

Pesticides, PCBs and Herbicides

Volume for all Pesticides/PCBs/Herbicides is 1 mL

Applicable Methods: CLP Series (see page 228 for details).

91/SOW Matrix Spike in Methanol					
Components	CAS #	Concentration	Components	CAS #	Concentration
Aldrin	309-00-2	50 µg/mL	Dieldrin	60-57-1	100 µg/mL
gamma-BHC	58-89-9	50 µg/mL	Endrin	72-20-8	100 µg/mL
p,p'-DDT	50-29-3	100 µg/mL	Heptachlor	76-44-8	50 µg/mL
		Part #			
				CLPP-MS91	

Applicable Methods: CLP Series (see page 228 for details).

91/SOW Matrix Spike, High Level in Methanol					
Components	CAS #	Concentration	Components	CAS #	Concentration
Aldrin	309-00-2	500 µg/mL	Dieldrin	60-57-1	1,000 µg/mL
gamma-BHC	58-89-9	500 µg/mL	Endrin	72-20-8	1,000 µg/mL
p,p'-DDT	50-29-3	1,000 µg/mL	Heptachlor	76-44-8	500 µg/mL
		Part #			
				CLPP-MS91H	

Applicable Methods: TCLP Series

TCLP Pesticide Spike without Chlordane Isomers in Methanol			
Components	CAS #	Components	CAS #
gamma-BHC	58-89-9	Heptachlor epoxide (Isomer B)	1024-57-3
Endrin	72-20-8	Methoxychlor	72-43-5
Heptachlor	76-44-8		
		Concentration	Part #
		2,000 µg/mL	TCLP-PNC

Pesticides, PCBs and Herbicides

Volume for all Pesticides/PCBs/Herbicides is 1 mL

PCB Congeners in Hexane				
Components	Description	CAS #	Concentration	Part #
2,4'-Dichlorobiphenyl	PCB Congener BZ-8	34883-43-7	100 µg/mL	PCB-BZ-8
3,4-Dichlorobiphenyl	PCB Congener BZ-12	2974-92-7	100 µg/mL	PCB-BZ-12
2,3,3'-Trichlorobiphenyl	PCB Congener BZ-20	38444-84-7	100 µg/mL	PCB-BZ-20
2,4,4'-Trichlorobiphenyl	PCB Congener BZ-28	7012-37-5	100 µg/mL	PCB-BZ-28
3,3',4-Trichlorobiphenyl	PCB Congener BZ-35	37680-69-6	100 µg/mL	PCB-BZ-35
2,2',4,4'-Tetrachlorobiphenyl	PCB Congener BZ-47	2437-79-8	100 µg/mL	PCB-BZ-47
2,2',4,6'-Tetrachlorobiphenyl	PCB Congener BZ-51	68194-04-7	100 µg/mL	PCB-BZ-51
2,2',5,5'-Tetrachlorobiphenyl	PCB Congener BZ-52	35693-99-3	100 µg/mL	PCB-BZ-52
2,3',4,5'-Tetrachlorobiphenyl	PCB Congener BZ-68	73575-52-7	100 µg/mL	PCB-BZ-68
3,3',5,5'-Tetrachlorobiphenyl	PCB Congener BZ-80	33284-52-5	100 µg/mL	PCB-BZ-80
2,3,4,4',5-Pentachlorobiphenyl	PCB Congener BZ-114	74472-37-0	100 µg/mL	PCB-BZ-114
2,2',4,4',5,5'-Hexachlorobiphenyl	PCB Congener BZ-153	35065-27-1	100 µg/mL	PCB-BZ-153
2,2',3,3',4,5,5',6-Octachlorobiphenyl	PCB Congener BZ-198	68194-17-2	100 µg/mL	PCB-BZ-198
Decachlorobiphenyl	PCB Congener BZ-209	2051-24-3	100 µg/mL	PCB-BZ-209

Did You Know?

If you can't find your SDS, you can download a SDS for a specific part number at spexcertiprep.com/knowledge-base/MSDS.

Pesticide Mixes

Premixed Pesticide Multi-Compound CRMs

Chemical pesticides have become an integral part of the agricultural toolbox, offering protection to crops from destructive pests. However, an unfortunate side effect of their use is the potential leaching of these, oftentimes, harmful chemicals into the environment leading to their eventual presence in the human food chain. As a result, pesticide residue analysis has become a critical testing process for many different types of laboratories.

Unfortunately, pesticide residue testing is a long, expensive and complicated process, covering hundreds of different compounds. As the leader in GC, GC/MS, HPLC, and LC/MS pesticide CRMs, SPEX CertiPrep is happy to assist you with all of your pesticide CRM needs.

For your convenience, we have designed a pesticide residue testing kit which includes 144 of the most commonly analyzed pesticides per EPA, AOAC, FDA, and other international testing methods. The kit is structured to maximize stability and solubility while minimizing unwanted analyte interaction and interference; enjoy shorter calibration times, fewer injections and money savings, as compared to purchasing individual pesticide standards.

GUIDE TO SOLUBILITY

As a companion piece, we have assembled a solubility guide, which covers all 144 pesticides included in the kit (SPEX CertiPrep part number SPXPR-KIT). We hope that you will find this information helpful and use it in order to assist you with your sample preparation and analysis.

SOLUBILITY

Solubility is defined as a chemical property referring to the ability of a given substance, the solute, to dissolve into a solvent. It is measured in terms of the maximum amount of solute dissolved in a solvent at equilibrium. The resulting solution is called a saturated solution. The Guide to Solubility shows the solubility of pesticide kit compounds in some of the most popular solvents.

You can download our Guide to Solubility at spexcertiprep.com and click on Knowledge Base | Downloads | Catalogs & Product Literature or contact us at CRMMarketing@spex.com for a hard copy guide.

Volume for all Pesticides Mixes is 1 mL

Pesticide Kit					
Kit Contains					
SPXPR-1			SPXPR-6		
SPXPR-2			SPXPR-7		
SPXPR-3			SPXPR-8		
SPXPR-4			SPXPR-9		
SPXPR-5			SPXPR-10		
		Concentration			Part #
		100 µg/mL			SPXPR-KIT

Pesticide Mix 1 in LC/MS Acetonitrile					
Components	CAS #	Components	CAS #	Components	CAS #
Acetamiprid	135410-20-7	Chlorantraniliprole	500008-45-7	Pirimicarb	23103-98-2
Aldicarb	116-06-3	Fenoxycarb	79127-80-3	Tebufenpyrad	119168-77-3
Aldicarb sulfone	1646-88-4	Imazalil	35544-44-0	Thiacloprid	111988-49-9
Aldicarb sulfoxide	1646-87-3	Imidacloprid	138261-41-3	Trifloxystrobin	141517-21-7
Azoxystrobin	131860-33-8	Iprodione	36734-19-7		
Boscalid	188425-85-6	Piperonyl butoxide	51-03-6		
		Concentration			Part #
		100 µg/mL			SPXPR-1

Pesticide Mix 2 in LC/MS Acetonitrile					
Components	CAS #	Components	CAS #	Components	CAS #
Azinphos-methyl	86-50-0	Dyfonate (Fonofos)	944-22-9	Phosalone	2310-17-0
Carbophenothion	786-19-6	Ethoprophos (Prophos)	13194-48-4	Phosmet (Imidan)	732-11-6
Coumaphos	56-72-4	Hexythiazox	78587-05-0	Quinalphos	13593-03-8
Dicrotophos	141-66-2	Malathion	121-75-5	Terbufos	13071-79-9
Dimethoate	60-51-5	Methidathion	950-37-8	Triazophos	24017-47-8
		Concentration			Part #
		100 µg/mL			SPXPR-2

Pesticide Mix 3 in LC/MS Acetonitrile					
Components	CAS #	Components	CAS #	Components	CAS #
Carbaryl	63-25-2	Methamidophos	10265-92-6	Pirimiphos-methyl	29232-93-7
Dimethomorph	110488-70-5	Monocrotophos	6923-22-4	Profenofos	41198-08-7
Etofenprox	80844-07-1	Myclobutanil (Systhane)	88671-89-0	Propargite (Omite)	2312-35-8
Etoazole	153233-91-1	Phenthoate	2597-03-7	Spirodiclofen	148477-71-8
Flonicamid	150862-67-0	Phorate	298-02-2	Thiamethoxam	153719-23-4
		Concentration			Part #
		100 µg/mL			SPXPR-3

Pesticide Mixes

Volume for all Pesticides Mixes is 1 mL

Pesticide Mix 4 in LC/MS Acetonitrile

Components	CAS #	Components	CAS #	Components	CAS #
Acephate	30560-19-1	Disulfoton	298-04-4	Fenitrothion	122-14-5
Chlorothalonil	1897-45-6	EPN	2104-64-5	Fenthion	55-38-9
Chlorpyrifos	2921-88-2	Edifenphos	17109-49-8	Fipronil	120068-37-3
Diazinon	333-41-5	Ethion	563-12-2	Fludioxonil	131341-86-1
Dichlorvos	62-73-7	Ethyl parathion	56-38-2	Methyl parathion	298-00-0
		Concentration	Part #		
		100 µg/mL	SPXPR-4		

Pesticide Mix 5 in LC/MS Acetonitrile

Components	CAS #	Components	CAS #	Components	CAS #
Baygon (Propoxur)	114-26-1	Metalaxyl	57837-19-1	Pencycuron	66063-05-6
Clofentezine	74115-24-5	Methomyl	16752-77-5	Prochloraz	67747-09-5
Diuron	330-54-1	Oxamyl	23135-22-0	Pymetrozine	123312-89-0
Isoproturon	34123-59-6	Oxydemeton-methyl	301-12-2	Pyraclostrobin	175013-18-0
Linuron	330-55-2	Paclobutrazol	76738-62-0		
		Concentration	Part #		
		100 µg/mL	SPXPR-5		

Pesticide Mix 6 in LC/MS Acetonitrile

Components	CAS #	Components	CAS #	Components	CAS #
Alachlor	15972-60-8	Fenoprop (2,4,5-TP) (Silvex)	93-72-1	Metolachlor	51218-45-2
Bentazon	25057-89-0	Fenpropathrin	64257-84-7	Prowl (Pendimethalin)	40487-42-1
Captan	133-06-2	Fenvalerate (Sanmarton)	51630-58-1	Pyridaben	96489-71-3
Chlorpropham	101-21-3	tau-Fluvalinate	102851-06-9	Quinoxifen	124495-18-7
Epoxiconazole	133855-98-8	Kresoxim-methyl	143390-89-0	Quintozene (pentachloronitrobenzene)	82-68-8
		Concentration	Part #		
		100 µg/mL	SPXPR-6		

Pesticide Mix 7 in LC/MS Acetonitrile

Components	CAS #	Components	CAS #
Bifenthrin	82657-04-3	Prallethrin (mix of isomers)	23031-36-9
Cypermethrin	52315-07-8	Pyrethrins (mix of isomers)	8003-34-7
Cyfluthrin (Baythroid)	68359-37-5	Resmethrin	10453-86-8
Permethrin (mix of cis & trans)	52645-53-1	Tetramethrin	7696-12-0
		Concentration	Part #
		100 µg/mL	SPXPR-7

Pesticide Mixes

Volume for all Pesticides Mixes is 1 mL

Pesticide Mix 8 in LC/MS Acetonitrile					
Components	CAS #	Components	CAS #	Components	CAS #
Abamectin (mix of isomers)	71751-41-2	Hexaconazole	79983-71-4	Spinetoram (J)	187166-40-1
Bifenazate	149877-41-8	Isoprocarb	2631-40-5	Spinosad (as Spinosyn A)	131929-60-7
Bromacil	314-40-9	Methiocarb	2032-65-7	Spiromesifen	283594-90-1
Fenobucarb (BPMC)	3766-81-2	Propazine	139-40-2	Spirotetramat	203313-25-1
Fenpyroximate	111812-58-9	Propiconazole (Tilt)	60207-90-1	Tebuconazole (Folicur)	107534-96-3
		Concentration	Part #		
		100 µg/mL	SPXPR-8		

Pesticide Mix 9 in Acetonitrile:Acetone (9:1)					
Components	CAS #	Components	CAS #	Components	CAS #
Acequinocyl	57960-19-7	Fenamiphos sulfone	31972-44-8	Molinate	2212-67-1
Atrazine	1912-24-9	Fenamiphos sulfoxide	31972-43-7	Simazine	122-34-9
Atrazine-desethyl	6190-65-4	Fenhexamid	126833-17-8	Thiophanate-methyl	23564-05-8
Carbofuran	1563-66-2	Fenoxaprop	95617-90-7	Trichlorfon (Dylox)	52-68-6
Cyanazine (Bladex)	21725-46-2	Fluometuron	2164-17-2		
2,4-DB	94-82-6	3-Hydroxycarbofuran	16655-82-6		
		Concentration	Part #		
		100 µg/mL	SPXPR-9		

Pesticide Mix 10 in LC/MS Acetonitrile					
Components	CAS #	Components	CAS #	Components	CAS #
Aldrin	309-00-2	p-p'-DDE	72-55-9	Endrin aldehyde	7421-93-4
Chlordecone (Kepone)	143-50-0	o-p'-DDT	789-02-6	Endrin ketone	53494-70-5
o-p'-DDD	53-19-0	p-p'-DDT	50-29-3	Isodrin	465-73-6
p-p'-DDD	72-54-8	Dieldrin	60-57-1	Metribuzin	21087-64-9
o-p'-DDE	3424-82-6	Endrin	72-20-8	Mirex	2385-85-5
		Concentration	Part #		
		100 µg/mL	SPXPR-10		

Pesticide Mixes

Volume for all Pesticides Mixes is 1 mL

European Pesticide Mix

Addresses European Commission's Regulation 2017/170

SPEX CertiPrep introduces a new pesticide mix to address the European Commission's Regulation 2017/170. The Commission amended Annexes II, III and V to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards to maximum residue levels for bifenthrin, carbetamide, cinidon-ethyl, fenpropimorph, and triflurosulfuron-methyl in or on certain products.

European Pesticide Mix in LC/MS Acetonitrile			
Components	CAS #	Components	CAS #
Bifenthrin	82657-04-3	Fenpropimorph	67564-91-4
Carbetamide	16118-49-3	Triflurosulfuron-methyl	126535-15-7
Cinidon-ethyl	142891-20-1		
	Concentration	Part #	
	100 µg/mL	EU-2017-170	

CannStandards®

Analytical Standards for Medicinal & Recreational
Cannabis Testing and DEA Controlled Substances

Cannabis Standards

Analytical Standards for Medicinal and Recreational Cannabis Testing

While the legalization of cannabis for both medicinal and recreational purposes has been gaining speed, legislation and regulation has not necessarily kept pace. Out of a drive for self-regulation and significant consumer safety concerns, many producers and manufacturers are turning to testing labs in order to ensure that their products are of high quality and free of chemical contaminants.

SPEX CertiPrep offers ISO/IEC 17025 and ISO 17034 Certified Reference Materials (CRMs) for all of the common contaminants such as pesticide residues, residual solvents and heavy metals, as well as qualitative analysis CRMs, such as terpenes. As the industry demands change and regulations are put into place, we continually update our product offering.

Designed for Methods: State specific pesticide regulations:

- OAR 333-008-11
- HB 3460
- AOAC 2007-01
- EN 15662

Volume for all Cannabis Standards is 1 mL

Pesticide Residues

Organochlorine Pesticides Mix A in Acetone

Components	CAS #	Components	CAS #	Components	CAS #
Aldrin	309-00-2	p,p'-DDE	72-55-9	Endrin	72-20-8
alpha-BHC	319-84-6	p,p'-DDT	50-29-3	Endrin aldehyde	7421-93-4
beta-BHC	319-85-7	Dieldrin	60-57-1	Endrin ketone	53494-70-5
delta-BHC	319-86-8	Endosulfan I	959-98-8	Heptachlor	76-44-8
gamma-BHC	58-89-9	Endosulfan II	33213-65-9	Heptachlor epoxide (Isomer B)	1024-57-3
p,p'-DDD	72-54-8	Endosulfan sulfate	1031-07-8	Methoxychlor	72-43-5
		Concentration		Part #	
		200 µg/mL		5252-PA	

Organochlorine Pesticides Mix B in Acetone

Components	CAS #	Components	CAS #	Components	CAS #
Alachlor	15972-60-8	Chloroneb	2675-77-6	trans-Nonachlor	39765-80-5
Bladex	21725-46-2	Chlorothalonil	1897-45-6	Permethrin (mix of cis & trans)	52645-53-1
alpha-Chlordane	5103-71-9	Chlorpyrifos	2921-88-2	Propachlor	1918-16-7
gamma-Chlordane	5103-74-2	Hexachlorobenzene	118-74-1	Terrazole	2593-15-9
Chlorobenzilate	510-15-6	Methyl dacthal	1861-32-1	Trifluralin	1582-09-8
		Concentration		Part #	
		200 µg/mL		5252-PB	

Volume for all Cannabis Standards is 1 mL

Pesticide Residues (cont'd)

Nitrogen-Phosphorus Pesticides Mix C in Methylene Chloride					
Components	CAS #	Components	CAS #	Components	CAS #
Ametryn	834-12-8	Dimethyl-p-nitrophenylphosphate	950-35-6	Prometryne	7287-19-6
Atraton	1610-17-9	Diphenamid	957-51-7	Propazine	139-40-2
Atrazine	1912-24-9	Disulfoton sulfone	2497-06-5	Prophos	13194-48-4
Bromacil	314-40-9	EPTC	759-94-4	Propyzamide	23950-58-5
Butachlor	23184-66-9	Metolachlor	51218-45-2	Simazine	122-34-9
Butylate	2008-41-5	Metribuzin	21087-64-9	Simetryn	1014-70-6
Chlorpropham	101-21-3	Mevinphos	7786-34-7	Terbacil	5902-51-2
Cycloate	1134-23-2	MGK 264™	113-48-4	Terbufos	13071-79-9
Devrinol (Napropamide)	15299-99-7	Molinate	2212-67-1	Terbutryne	886-50-0
Diazinon	333-41-5	Pebulate	1114-71-2	Tributylphosphoro-trithioite	150-50-5
Dichlorvos	62-73-7	Prometon	1610-18-0	Vernolate	1929-77-7
		Concentration	Part #		
		200 µg/mL	5252-PC		

Nitrogen-Phosphorus Pesticides Mix D in Acetone			
Components	CAS #	Components	CAS #
Beam	41814-78-2	Tebuthiuron	34014-18-1
Fenarimol	60168-88-9	Tetrachlorvinphos	961-11-5
Norflurazon	27314-13-2	Triadimefon	43121-43-3
Phenamiphos	22224-92-6	Velpar	51235-04-2
Sonar/Fluridone	59756-60-4		
		Concentration	Part #
		200 µg/mL	5252-PD

Nitrogen-Phosphorus Pesticides Mix E in Acetone			
Components	CAS #	Components	CAS #
Carboxin	5234-68-4	Tributylphosphoro-trithioite	150-50-5
Disulfoton	298-04-4		
		Concentration	Part #
		200 µg/mL	5252-E

Cannabis Standards

Volume for all Cannabis Standards is 1 mL

Terpenes

Terpenes in a sample of Cannabis help identify the strain and have an effect on the medical efficacy.

Terpenes				
Components	CAS #	Concentration	Matrix	Part #
Linalool	78-70-6	1,000 µg/mL	Methanol	S-5133
Borneol	507-70-0	1,000 µg/mL	Methanol-P&T	S-4570
Eucalyptol	470-82-6	1,000 µg/mL	Methanol	S-4352
(R)-(+)-Limonene	5989-27-5	1,000 µg/mL	Methanol-P&T	S-4021
alpha-Pinene	80-56-8	1,000 µg/mL	Methanol-P&T	S-4172
beta-Pinene	127-91-3	1,000 µg/mL	Methanol-P&T	S-3142

Residual Solvents

Residual Solvent Mix in Dimethyl Sulfoxide					
Components	CAS #	Components	CAS #	Components	CAS #
Acetone	67-64-1	Ether	60-29-7	3-Methyl-1-butanol	123-51-3
Anisole	100-66-3	Ethyl acetate	141-78-6	4-Methyl-2-pentanone	108-10-1
1-Butanol	71-36-3	Ethyl formate	109-94-4	2-Methyl-1-propanol	78-83-1
2-Butanol	78-92-2	n-Heptane	142-82-5	n-Pentane	109-66-0
2-Butanone	78-93-3	Isobutyl acetate	110-19-0	1-Pentanol	71-41-0
Butyl acetate	123-86-4	Isopropyl acetate	108-21-4	1-Propanol	71-23-8
methyl tertiary-Butyl ether	1634-04-4	Isopropylbenzene	98-82-8	2-Propanol	67-63-0
Ethanol	64-17-5	Methyl acetate	79-20-9	Propyl acetate	109-60-4
		Concentration	Part #		
		1,000 µg/mL	USP-RS-C3A		

Residual Solvent Singles				
Components	CAS #	Concentration	Matrix	Part #
Acetone	67-64-1	1,000 µg/mL	Methanol-P&T	S-140
n-Butane	106-97-8	1,000 µg/mL	Methanol-P&T	S-605
Ethane	74-84-0	1,000 µg/mL	Methanol-P&T	S-1880
Ethanol	64-17-5	1,000 µg/mL	Methanol-P&T	S-1885
n-Hexane	110-54-3	1,000 µg/mL	Methanol-P&T	S-2190
Methane	74-82-8	1,000 µg/mL	Methanol-P&T	S-2379
2-Methylbutane	78-78-4	1,000 µg/mL	Methanol-P&T	S-2462
2-Methylpropane	75-28-5	1,000 µg/mL	Methanol-P&T	S-2555
n-Pentane	109-66-0	1,000 µg/mL	Methanol-P&T	S-2975
Propane	74-98-6	1,000 µg/mL	Methanol-P&T	S-3145
2-Propanol	67-63-0	1,000 µg/mL	Methanol-P&T	S-3165

Volume for all Cannabis Standards is 1 mL

Can-Terp Mixes

CAN-TERP Mix 1 in Methanol					
Components	CAS #	Components	CAS #	Components	CAS #
(-)-alpha-Bisabolol	23089-26-1	Eucalyptol	470-82-6	Linalool	78-70-6
Camphene	79-92-5	Farnesene (mix of isomers)	502-61-4	p-Mentha-1,5-diene	99-83-2
Camphor	76-22-2	(+)-Fenchone	4695-62-9	beta-Myrcene	123-35-3
(1S)-(+)-3-Carene	498-15-7	Geranyl acetate	105-87-3	Nerol	106-25-2
trans-Caryophyllene	87-44-5	Hexahydrothymol	89-78-1	cis-Nerolidol	3790-78-1
(-)-Caryophyllene oxide	1139-30-6	Isoborneol	124-76-5	Ocimene (mix of isomers)	13877-91-3
(+)-Cedrol	77-53-2	(-)-Isopulegol	89-79-2	Valencene	4630-07-3
Concentration		Part #		Concentration	
100 µg/mL		CAN-TERP-MIX1		1,000 µg/mL	
				CAN-TERP-MIX1H	

CAN-TERP Mix 2 in Methanol					
Components	CAS #	Components	CAS #	Components	CAS #
(+)-Borneol	464-43-7	Geraniol	106-24-1	(+)-Pulegone	89-82-7
(-)-Borneol	464-45-9	Guaiol	489-86-1	Sabinene	3387-41-5
(1R)-(+)-Camphor	464-49-3	alpha-Humulene	6753-98-6	Sabinene hydrate	546-79-2
(1S)-(-)-Camphor	464-48-2	(R)-(+)-Limonene	5989-27-5	alpha-Terpinene	99-86-5
alpha-Cedrene	469-61-4	trans-Nerolidol	40716-66-3	gamma-Terpinene	99-85-4
(1R)-Endo-(+)-fenchyl alcohol	2217-02-9	alpha-Pinene	80-56-8	Terpineol (mix of isomers)	8000-41-7
L(-)-Fenchone	7787-20-4	beta-Pinene	127-91-3	Terpinolene	586-62-9
Concentration		Part #		Concentration	
100 µg/mL		CAN-TERP-MIX2		1,000 µg/mL	
				CAN-TERP-MIX2H	

CAN-TERP Kit in Methanol			
Kit Contains			
CAN-TERP-MIX1		CAN-TERP-MIX2	
	Concentration	Part #	
	100 µg/mL	CAN-TERP-KIT	

CAN-TERP Kit (High Level) in Methanol			
Kit Contains			
CAN-TERP-MIX1H		CAN-TERP-MIX2H	
	Concentration	Part #	
	1,000 µg/mL	CAN-TERP-KIT-H	

Cannabis Standards

Volume for all Cannabis Standards is 1 mL

Canadian Pesticide Mixes

For your convenience, we have designed cannabis pesticide mixes and a kit which contains the 95 compounds that are required to be tested based on regulations set by the Government of Canada. This requirement for mandatory testing for the presence of unauthorized pesticides will help ensure that Canadians can continue to have confidence in obtaining safe, quality-controlled medical cannabis from licensed producers.

Canadian Pesticide Naled Standard in LC/MS Acetonitrile					
Components			CAS #		
Dibrom (Naled)			300-76-5		
		Concentration			Part #
		1,000 µg/mL			LCS-2650

Canadian Pesticide Mix 1 in LC/MS Acetonitrile					
Components	CAS #	Components	CAS #	Components	CAS #
Aldicarb	116-06-3	Imazalil	35554-44-0	Novaluron	116714-46-6
Baygon (Propoxur)	114-26-1	Imidacloprid	138261-41-3	Oxamyl	23135-22-0
Carbaryl	63-25-2	Iprodione	36734-19-7	Pirimicarb	23103-98-2
Carbofuran	1563-66-2	Methiocarb	2032-65-7	Thiacloprid	111988-49-9
Fenoxycarb	72490-01-8	Methomyl	16752-77-5		
		Concentration			Part #
		100 µg/mL			CAN-CAN-1

Canadian Pesticide Mix 2 in LC/MS Acetonitrile					
Components	CAS #	Components	CAS #	Components	CAS #
Allethrin	584-79-2	Methoprene	40596-69-8	Pyrethrins (mix of isomers)	8003-34-7
Baythroid (Cyfluthrin)	68359-37-5	MGK 264™	113-48-4	Resmethrin	10453-86-8
Bifenthrin	82657-04-3	Permethrin (mix of cis & trans)	52645-53-1	Sanmarton	51630-58-1
Cypermethrin	52315-07-8	d-Phenothrin (mix of cis & trans)	26002-80-2	Tetramethrin	7696-12-0
Deltamethrin	52918-63-5	Piperonyl butoxide	51-03-6		
Kinoprene	42588-37-4	Prallethrin (mix of isomers)	23031-36-9		
		Concentration			Part #
		100 µg/mL			CAN-CAN-2

Canadian Pesticide Mix 3 in LC/MS Acetonitrile					
Components	CAS #	Components	CAS #	Components	CAS #
Azadirachtin	11141-17-6	Endosulfan II	33213-65-9	Pentachloronitrobenzene	82-68-8
Benzovindiflupyr	1072957-71-1	Endosulfan sulfate	1031-07-8	Trifloxystrobin	141517-21-7
Endosulfan I	959-98-8	Fipronil	120068-37-3		
		Concentration			Part #
		100 µg/mL			CAN-CAN-3

Volume for all Cannabis Standards is 1 mL

Canadian Pesticide Mixes (cont'd)

Canadian Pesticide Mix 4 in LC/MS Acetonitrile					
Components	CAS #	Components	CAS #	Components	CAS #
Acephate	30560-19-1	Etoxazole	153233-91-1	Prophos	13194-48-4
Chlorpyrifos	2921-88-2	Fensulfothion	115-90-2	Spiroxamine	118134-30-8
Coumaphos	56-72-4	Fenthion	55-38-9	Terrazole	2593-15-9
Diazinon	333-41-5	Imidan (Phosmet)	732-11-6	Tetrachlorvinphos (Z)	22248-79-9
Dichlorvos	62-73-7	Malathion	121-75-5	Thiophanate-methyl	23564-05-8
Dimethoate	60-51-5	Methyl parathion	298-00-0		
Etofenprox	80844-07-1	Mevinphos	7786-34-7		
		Concentration	Part #		
		100 µg/mL	CAN-CAN-4		

Canadian Pesticide Mix 5 in LC/MS Acetonitrile					
Components	CAS #	Components	CAS #	Components	CAS #
Acequinocyl	57960-19-7	Clothianidin	210880-92-5	Hexythiazox	78587-05-0
Acetamiprid	135410-20-7	Cyantraniliprole	736994-63-1	Paclobutrazol	76738-62-0
Azoxystrobin	131860-33-8	Cyprodinil	121552-61-2	Propiconazole (Tilt)	60207-90-1
Bifenazate	149877-41-8	Dinotefuran	165252-70-0	Pyraclostrobin	175013-18-0
Boscalid	188425-85-6	(E)-Fenpyroximate	134098-61-6	Systhane (Myclobutanil)	88671-89-0
Buprofezin	69327-76-0	Flonicamid	158062-67-0	Tebufenozide	112410-23-8
Chlorantraniliprole	500008-45-7	Fludioxonil	131341-86-1	Teflubenzuron	83121-18-0
Chlorfenapyr	122453-73-0	Fluopyram	658066-35-4	Thiamethoxam	153719-23-4
Clofentezine	74115-24-5	Folicur	107534-96-3		
		Concentration	Part #		
		100 µg/mL	CAN-CAN-5		

Canadian Pesticide Mix 6 in LC/MS Acetonitrile:LC/MS Methanol (50:50)					
Components	CAS #	Components	CAS #	Components	CAS #
Abamectin	71751-41-2	Metalaxyl	57837-19-1	Spirodiclofen	148477-71-8
Daminozide	1596-84-5	Pyridaben	96489-71-3	Spiromesifen	283594-90-1
Dodemorph	1593-77-7	Spinetoram	187166-40-1	Spirotetramat	203313-25-1
Kresoxim-methyl	143390-89-0	Spinosad	168316-95-8		
		Concentration	Part #		
		100 µg/mL	CAN-CAN-6		

Cannabis Standards

Volume for all Cannabis Standards is 1 mL

Canadian Pesticide Mixes (cont'd)

Canadian Pesticide Kit				
Kit Contains 1 mL of each				
CAN-CAN-1		CAN-CAN-5		
CAN-CAN-2		CAN-CAN-6		
CAN-CAN-3		LCS-2650		
CAN-CAN-4				
		Concentration	Part #	
		100 µg/mL	CAN-CAN-KIT	

DEA Controlled Substances

DEA Controlled Substances				
Components	CAS #	Concentration	Matrix	Part #
Cannabidiol (CBD)	13956-29-1	1,000 µg/mL	Methanol	S-10241
Cannabinol (CBN)	521-35-7	1,000 µg/mL	Methanol	S-10242
Cannabidivarin (CBDV)	24274-48-4	1,000 µg/mL	Methanol	S-10245
Cannabigerol (CBG)	2808-33-5	1,000 µg/mL	Methanol	S-10246
Cannabigerolic acid (CBGA)	25555-57-1	1,000 µg/mL	Acetonitrile	S-10247
Cannabichromene (CBC)	20675-51-8	1,000 µg/mL	Methanol	S-10248
Cannabichromenic acid (CBCA)	20408-52-0	1,000 µg/mL	Acetonitrile	S-11059
Cannabidiolic acid (CBDA)	1244-58-2	1,000 µg/mL	Acetonitrile	S-10249
Cannabidivarinic acid (CBDVA)	31932-13-5	1,000 µg/mL	Acetonitrile	S-11055
(-)-delta8-THC	5957-75-5	1,000 µg/mL	Methanol	S-10261
(-)-delta9-THC	1972-08-3	1,000 µg/mL	Methanol	S-10260
Tetrahydrocannabinolic acid (THCA)	23978-85-0	1,000 µg/mL	Acetonitrile	S-11056
Tetrahydrocannabinolic acid (THCA)	23978-85-0	1,000 µg/mL	LC/MS Grade Methanol	LCS-11056
Tetrahydrocannabivarin (THCV)	31262-37-0	1,000 µg/mL	Methanol	S-11057
Tetrahydrocannabivarin acid (THCVA)	28172-17-0	1,000 µg/mL	Acetonitrile	S-11058

Heavy Metals

Heavy Metals				
Components	Concentration	Volume	Matrix	Part #
Heavy Metals Mix, 4 Metals	Multiple	125 mL	5% HNO ₃	USP-TXM2 *
Arsenic	1,000 µg/mL	125 mL	2% HNO ₃	PLAS2-2Y
Cadmium	1,000 µg/mL	125 mL	2% HNO ₃	PLCD2-2Y
Chromium	1,000 µg/mL	125 mL	2% HNO ₃	PLCR2-2Y
Lead	1,000 µg/mL	125 mL	2% HNO ₃	PLPB2-2Y
Mercury	1,000 µg/mL	125 mL	10% HNO ₃	PLHG4-2Y
Nickel	1,000 µg/mL	125 mL	2% HNO ₃	PLNI2-2Y
Silver	1,000 µg/mL	125 mL	2% HNO ₃	PLAG2-2Y
Thallium	1,000 µg/mL	125 mL	2% HNO ₃	PLTL2-2Y

* For complete details, see Inorganic Section 10, page 91.

Consumer Safety

Analytical Standards for Wine • Pharmaceutical Residual
Solvent Standards • Phthalates in Polyethylene (PE) QC
Standards • Polyvinyl Chloride (PVC) QC Standards

Analytical Standards for Wine

Analytical Standards for Wine

Wine is a complex combination of water, alcohol and other substances such as organic acids, phenols, sugars, carbon dioxide, and sulfur dioxide. The chemical interactions of these compounds, combined with the aging process, determine the quality of the color, taste and aroma of the wine. However, during this process, the chemical interactions can also play key roles in spoiling the wine. For instance, cork taint transpires when naturally occurring airborne fungi are in the presence of chlorophenol compounds to form 2,4,6-trichloroanisole (TCA) in the wine. When this occurs, the wine's aroma is reduced significantly and is replaced by an undesirable smell and taste.

To help regulate the spoilage of wine, the wine industry tests for several compounds that are known to cause this. For this industry, SPEX CertiPrep offers Certified Reference Materials (CRMs) for wine that are designed for GC, GC/MS, HPLC and LC/MS analysis. These standards are manufactured from the highest purity starting materials and the highest grade of solvents available in order to guarantee superior quality. Each standard is supplied with a detailed comprehensive Certificate of Analysis.

Volume for all Wine Standards is 1 mL

Organic Wine Standard Set 1

Components	CAS #	Concentration	Matrix	Part #
Pentachloroanisole-d ₃	1219804-52-0	100 µg/mL	Methanol	WINE-1
2,4,6-Tribromoanisole-d ₅	1219795-33-1			
2,4,6-Trichloroanisole-d ₅	352439-08-8			

Organic Wine Standard Set 2

Components	CAS #	Concentration	Matrix	Part #
2,3,4,5,6-Pentachloroanisole	1825-21-4	100 µg/mL	Methanol-P&T	WINE-2
2,3,4,6-Tetrachloroanisole	938-22-7			
2,4,6-Trichloroanisole	87-40-1			

Organic Wine Standard Set 3

Components	CAS #	Concentration	Matrix	Part #
Carbon disulfide	75-15-0	10,000 µg/mL	Methanol-P&T	WINE-3
Ethanethiol	75-08-1			
Ethyl disulfide	110-81-6			
Ethyl methyl sulfide	624-89-5			
Ethyl sulfide	352-93-2			
2-Ethylthiophene	872-55-9			
Methanethiol	74-93-1			
Methyl disulfide	624-92-0			
Methyl sulfide	75-18-3			
2-Methyl-2-propanethiol	75-66-1			
2-Methylthiophene	554-14-3			
1-Pentanethiol	110-66-7			
2-Propanethiol	75-33-2			
Thiophene	110-02-1			

Analytical Standards for Wine

Volume for all Wine Standards is 1 mL

Analytical Standards for Wine, Singles				
Components	CAS #	Concentration	Matrix	Part #
Acetic acid	64-19-7	1,000 µg/mL	Methanol-P&T	S-133
2,3-Butanedione	431-03-8	1,000 µg/mL	Methanol-P&T	S-609
2-Chlorophenol-3,4,5,6-d ₄	93951-73-6	1,000 µg/mL	Methanol-P&T	S-905
Dextrose anhydrous	50-99-7	1,000 µg/mL	Methanol-P&T	S-5005
Ethanol	64-17-5	1,000 µg/mL	Methanol-P&T	S-1885
Ethanol	64-17-5	2,000 µg/mL	DI Water	S-1885-W2K
4-Ethyl-2-methoxyphenol	2785-89-9	1,000 µg/mL	Methanol-P&T	S-4183
2-Ethylphenol	90-00-6	1,000 µg/mL	Methanol-P&T	S-1983
4-Ethylphenol	123-07-9	1,000 µg/mL	Methanol-P&T	S-1985
2-Fluorophenol	367-12-4	1,000 µg/mL	Methanol	S-2050
Malic acid	636-61-3	1,000 µg/mL	Methanol-P&T	S-4168
2,3,4,5,6-Pentachloroanisole	1825-21-4	1,000 µg/mL	Methanol	S-2930
Pentachlorophenol	87-86-5	1,000 µg/mL	Methanol	S-2950
Phenol-d ₆	13127-88-3	1,000 µg/mL	Methanol-P&T	S-3035
2,4,6-Tribromoanisole	607-99-8	1,000 µg/mL	Methanol	S-4309
2,4,6-Tribromophenol	118-79-6	1,000 µg/mL	Methanol-P&T	S-3555
2,4,6-Tribromoanisole-d ₅	1219795-33-1	1,000 µg/mL	Methanol-P&T	S-4335
2,4,6-Tribromoanisole-d ₅	1219795-33-1	100 µg/mL	Methanol	S-4335-100
2,4,6-Trichloroanisole	87-40-1	1,000 µg/mL	Methanol	S-3586
2,4,6-Trichloroanisole-d ₅	352439-08-8	20 ng/mL	Methanol-P&T	S-4336-20*
2,4,6-Trichloroanisole-d ₅	352439-08-8	46 µg/L	Ethanol	S-4336-46**
2,4,6-Trichloroanisole-d ₅	352439-08-8	100 µg/mL	Methanol-P&T	S-4336-100
2,4,6-Trichlorophenol	88-06-2	1,000 µg/mL	Methanol-P&T	S-3645

* S-4336-20 is 5 mL volume

** S-4336-46 is 10 mL volume

Pharmaceutical Residual Solvent Standards

Pharmaceutical Residual Solvent Standards

In the pharmaceutical industry, the guidelines set by the International Conference on Harmonization (ICH), and by United States Pharmacopeia (USP) and European Pharmacopeia (EP), mandate that manufacturing solvents have to be regulated due to their toxic and/or environmentally hazardous nature.

Volume for all USP <467> Residual Solvent Standards is 1 mL

5 Organic Volatile Impurities, Class 1 Solvents in Dimethyl Sulfoxide

Components	CAS #	Concentration	Components	CAS #	Concentration
Benzene	71-43-2	10,000 µg/mL	1,1-Dichloroethene	75-35-4	40,000 µg/mL
Carbon tetrachloride	56-23-5	20,000 µg/mL	1,1,1-Trichloroethane	71-55-6	50,000 µg/mL
1,2-Dichloroethane	107-06-2	25,000 µg/mL			
Part #					
USP-RS-C1					

15 Organic Volatile Impurities, Class 2 Solvents in Dimethyl Sulfoxide

Components	CAS #	Concentration	Components	CAS #	Concentration	Components	CAS #	Concentration
Acetonitrile	75-05-8	2,050 µg/mL	1,4-Dioxane	123-91-1	1,900 µg/mL	Tetrahydrofuran	109-99-9	3,450 µg/mL
Chlorobenzene	108-90-7	1,800 µg/mL	Ethylbenzene	100-41-4	1,840 µg/mL	Toluene	108-88-3	4,450 µg/mL
Cyclohexane	110-82-7	19,400 µg/mL	Methanol	67-56-1	15,000 µg/mL	m-Xylene	108-38-3	6,510 µg/mL
cis-1,2-Dichloroethene	156-59-2	4,700 µg/mL	Methylcyclohexane	108-87-2	5,900 µg/mL	o-Xylene	95-47-6	980 µg/mL
trans-1,2-Dichloroethene	156-60-5	4,700 µg/mL	Methylene chloride	75-09-2	3,000 µg/mL	p-Xylene	106-42-3	1,520 µg/mL
Part #								
USP-RS-C2A								

8 Organic Volatile Impurities, Class 2 Solvents in Dimethyl Sulfoxide

Components	CAS #	Concentration	Components	CAS #	Concentration
Chloroform	67-66-3	60 µg/mL	Nitromethane	75-52-5	50 µg/mL
1,2-Dimethoxyethane	110-71-4	100 µg/mL	Pyridine	110-86-1	200 µg/mL
n-Hexane	110-54-3	290 µg/mL	1,2,3,4-Tetrahydronaphthalene	119-64-2	100 µg/mL
2-Hexanone	591-78-6	50 µg/mL	Trichloroethene	79-01-6	80 µg/mL
Part #					
USP-RS-C2B					

9 Component Mix in Dimethyl Sulfoxide

Components	CAS #	Concentration	Components	CAS #	Concentration
Chloroform	67-66-3	60 µg/mL	Nitromethane	75-52-5	50 µg/mL
1,2-Dimethoxyethane	110-71-4	100 µg/mL	Pyridine	110-86-1	200 µg/mL
n-Hexane	110-54-3	290 µg/mL	1,2,3,4-Tetrahydronaphthalene	119-64-2	100 µg/mL
2-Hexanone	591-78-6	50 µg/mL	Trichloroethene	79-01-6	80 µg/mL
Isopropylbenzene	98-82-8	70 µg/mL			
Part #					
USP-RS-C2B-R1					

USP <467> Residual Solvent Standards

USP <467> Residual Solvent Standards (cont'd)

Volume for all USP <467> Residual Solvent Standards is 1 mL

8 Organic Volatile Impurities, Class 2 Solvents in Dimethyl Sulfoxide

Components	CAS #	Concentration	Components	CAS #	Concentration		
N,N-Dimethylacetamide	127-19-5	5,450 µg/mL	Formamide	75-12-7	1,100 µg/mL		
N,N-Dimethylformamide	68-12-2	4,400 µg/mL	2-Methoxyethanol	109-86-4	250 µg/mL		
2-Ethoxyethanol	110-80-5	800 µg/mL	1-Methyl-2-pyrrolidinone	872-50-4	2,650 µg/mL		
Ethylene glycol	107-21-1	3,100 µg/mL	Tetramethylene sulfone	126-33-0	800 µg/mL		
<table><tr><th>Part #</th></tr><tr><td>USP-RS-C2C</td></tr></table>						Part #	USP-RS-C2C
						Part #	
USP-RS-C2C							

24 Organic Volatile Impurities, Class 3 Solvents in Dimethyl Sulfoxide

Components	CAS #	Components	CAS #	Components	CAS #	Components	CAS #
Acetone	67-64-1	methyl tertiary-Butyl ether	1634-04-4	Isobutyl acetate	110-19-0	2-Methyl-1-propanol	78-83-1
Anisole	100-66-3	Ethanol	64-17-5	Isopropyl acetate	108-21-4	n-Pentane	109-66-0
1-Butanol	71-36-3	Ether	60-29-7	Isopropylbenzene	98-82-8	1-Pentanol	71-41-0
2-Butanol	78-92-2	Ethyl acetate	141-78-6	Methyl acetate	79-20-9	1-Propanol	71-23-8
2-Butanone	78-93-3	Ethyl formate	109-94-4	3-Methyl-1-butanol	123-51-3	2-Propanol	67-63-0
Butyl acetate	123-86-4	n-Heptane	142-82-5	4-Methyl-2-pentanone	108-10-1	Propyl acetate	109-60-4
		Concentration		Part #			
		1,000 µg/mL		USP-RS-C3A			

23 Component Mix in Dimethyl Sulfoxide

Components	CAS #	Components	CAS #	Components	CAS #	Components	CAS #
Acetone	67-64-1	methyl tertiary-Butyl ether	1634-04-4	Isobutyl acetate	110-19-0	n-Pentane	109-66-0
Anisole	100-66-3	Ethanol	64-17-5	Isopropyl acetate	108-21-4	1-Pentanol	71-41-0
1-Butanol	71-36-3	Ether	60-29-7	Methyl acetate	79-20-9	1-Propanol	71-23-8
2-Butanol	78-92-2	Ethyl acetate	141-78-6	3-Methyl-1-butanol	123-51-3	2-Propanol	67-63-0
2-Butanone	78-93-3	Ethyl formate	109-94-4	4-Methyl-2-pentanone	108-10-1	Propyl acetate	109-60-4
Butyl acetate	123-86-4	n-Heptane	142-82-5	2-Methyl-1-propanol	78-83-1		
		Concentration		Part #			
		1,000 µg/mL		USP-RS-C3A-R1			

2 Organic Volatile Impurities, Class 3 Solvents in Dimethyl Sulfoxide

Components		CAS #		Components		CAS #	
Acetic acid		64-19-7		Formic acid		64-18-6	
		Concentration		Part #			
		1,000 µg/mL		USP-RS-C3B			

USP <467> Residual Solvent & Phthalates QC Standards

USP <467> Residual Solvent Standards (cont'd)

Volume for all USP <467> Residual Solvent Standards is 1 mL

Pharmaceutical Residual Solvents A in Methanol-P&T								
Components	CAS #	Components	CAS #	Components	CAS #	Components	CAS #	
Acetone	67-64-1	Dimethylformamide	68-12-2	Isopropyl acetate	108-21-4	1-Propanol	71-23-8	
Acetonitrile	75-05-8	1,4-Dioxane	123-91-1	Methyl acetate	79-20-9	2-Propanol	67-63-0	
Anisole	100-66-3	Ethanol	64-17-5	2-Methyl-1-butanol	137-32-6	Propyl acetate	109-60-4	
1-Butanol	71-36-3	Ether	60-29-7	3-Methyl-1-butanol	123-51-3	Pyridine	110-86-1	
2-Butanol	78-92-2	2-Ethoxyethanol	110-80-5	4-Methyl-2-pentanone	108-10-1	Tetrahydrofuran	109-99-9	
2-Butanone	78-93-3	Ethyl acetate	141-78-6	1-Methyl-2-pyrrolidinone	872-50-4	Tetramethylene sulfone	126-33-0	
Butyl acetate	123-86-4	Ethyl formate	109-94-4	Methyl sulfoxide	67-68-5			
1,2-Dimethoxyethane	110-71-4	2-Hexanone	591-78-6	Nitromethane	75-52-5			
N,N-Dimethylacetamide	127-19-5	Isobutyl acetate	110-19-0	1-Pentanol	71-41-0			
		Concentration		Part #				
		1,000 µg/mL		USP-SOL-A				

USP <467> Residual Solvent Singles in Dimethyl Sulfoxide			
Components	CAS #	Concentration	Part #
Chlorobenzene	108-90-7	1,800 µg/mL	USP-S810-DMSO
Cyclohexane	110-82-7	19,400 µg/mL	USP-S1015-DMSO
1,4-Dioxane	123-91-1	1,900 µg/mL	USP-S1715-DMSO
Ethylene glycol	107-21-1	3,100 µg/mL	USP-S1952-DMSO
Methanol	67-56-1	15,000 µg/mL	USP-S2380-DMSO
Nitromethane	75-52-5	250 µg/mL	USP-S2722-DMSO
Tetrahydrofuran	109-99-9	3,600 µg/mL	USP-S3460-DMSO
1,1,1-Trichloroethane	71-55-6	50,000 µg/mL	USP-S3605-DMSO

Phthalates in Polyethylene QC Standards

Polyethylene (PE) is one of the world's most common plastics. PE is used in a variety of common consumer products including children's toys and care items. Current US regulations limit the concentrations of certain phthalates in childcare articles and children's toys. Laboratories are tasked with the analysis of children's toys for these potentially hazardous phthalates.

Phthalates Standard in Medium Density Polyethylene					
Components	CAS #	Concentration	Components	CAS #	Concentration
Butylbenzyl phthalate	85-68-7	3,000 µg/g	Diisononyl phthalate	28553-12-0	30,000 µg/g
Di-n-butyl phthalate	84-74-2	3,000 µg/g	Dimethyl phthalate	131-11-3	3,000 µg/g
Diethyl phthalate	84-66-2	3,000 µg/g	Di-n-octyl phthalate	117-84-0	3,000 µg/g
Diisodecyl phthalate	26761-40-0	30,000 µg/g	bis(2-Ethylhexyl)phthalate	117-81-7	3,000 µg/g
		Volume		Part #	
		5 g		CRM-PE001	

Phthalates QC Standards

Phthalates in Polyethylene QC Standards (cont'd)

Medium Density Polyethylene QC Standard Blank		
Matrix	Volume	Part #
Polyethylene	5 g	CRM-PEBLK

9 Regulated Phthalates and BPA in Medium Density Polyethylene					
Components	CAS #	Concentration	Components	CAS #	Concentration
Bisphenol A	80-05-7	3,000 µg/g	Diisononyl phthalate	28553-12-0	30,000 µg/g
Butylbenzyl phthalate	85-68-7	3,000 µg/g	Dimethyl phthalate	131-11-3	3,000 µg/g
Di-n-butyl phthalate	84-74-2	3,000 µg/g	Di-n-octyl phthalate	117-84-0	3,000 µg/g
Diethyl phthalate	84-66-2	3,000 µg/g	bis(2-Ethylhexyl)phthalate	117-81-7	3,000 µg/g
Diisodecyl phthalate	26761-40-0	30,000 µg/g			
		Volume	Part #		
		5 g	CRM-PE002		

Phthalates in Polyvinyl Chloride QC Standards

Polyvinyl chloride, or PVC, is a very common plastic used in a wide range of common consumer products from children's toys and care items to building and construction materials. In the US, ASTM (American Society for Testing and Materials) and CPSC (Consumer Product Safety Commission) have designed methods for testing children's toys and childcare articles for compliance with the restriction of use for eight designated phthalates.

Phthalates Standard in Polyvinyl Chloride					
Components	CAS #	Concentration	Components	CAS #	Concentration
Butylbenzyl phthalate	85-68-7	3,000 µg/g	Dimethyl phthalate	131-11-3	3,000 µg/g
Diethyl phthalate	84-66-2	3,000 µg/g	Di-n-butyl phthalate	84-74-2	3,000 µg/g
Diisodecyl phthalate	26761-40-0	30,000 µg/g	Di-n-octyl phthalate	117-84-0	3,000 µg/g
Diisononyl phthalate	28553-12-0	30,000 µg/g	bis(2-Ethylhexyl)phthalate	117-81-7	3,000 µg/g
		Volume	Part #		
		1.5 g	CRM-PVC001		

Polyvinyl Chloride Phthalate Blank		
Matrix	Volume	Part #
Polyvinyl Chloride	1.5 g	CRM-PVCBLK

Calibration Standard Phthalates in Isooctane			
Components	CAS #	Components	CAS #
Butylbenzyl phthalate	85-68-7	Di-n-butyl phthalate	84-74-2
Diisodecyl phthalate	26761-40-0	Di-n-octyl phthalate	117-84-0
Diisononyl phthalate	28553-12-0	bis(2-Ethylhexyl)phthalate	117-81-7
		Volume	Concentration
		1 mL	1,000 µg/mL
		Part #	
		C1001-09	

Acetaldehyde & Plastic Additives

Acetaldehyde

Acetaldehyde is one of the most common aldehydes that occur in nature and industrial processes. Naturally occurring, acetaldehyde is found as a product of ethanol fermentation in alcoholic beverages, yeast products such as bread, and ripe fruit. Acetaldehyde forms by degradation of PET (polyethylene terephthalate) exposed to high temperatures or high pressure.

Acetaldehyde in Water, 1.8 mL				
Component	CAS #	Concentration	Matrix	Part #
Acetaldehyde	75-07-0	1,000 µg/mL	DI Water	S-125-W1.8

Plastic Additives

Plastic additives, or plasticizers, are chemicals added to increase the plasticity or fluidity of many polymer materials. Additives for plastic can be used to change the physical properties of polymers, add colorants or fragrances, or provide a finish to the final product. These plastic additives are most commonly found as phthalate esters. The safety of the use of phthalate esters or phthalates has been a topic of great discussion and regulation. Many phthalates are under governmental restriction for use in a wide variety of consumer products. The use of phthalates in the consumer world is ubiquitous and many analytical labs are now tasked to quantify the regulated plasticizers while ruling out the presence of other similar plasticizers.

Standards are a critical part of the analysis of plasticizers in order for a laboratory to determine the concentration of the truly regulated plasticizer from a similar type or form of plasticizer. SPEX CertiPrep's line of plasticizer compound standards can assist the analytical laboratory with all of their plasticizer analyses by all of the current analytical methods including GC/MS and LC/MS.

Individual Phthalates, 1 mL				
Components	CAS #	Concentration	Matrix	Part #
Butylbenzyl phthalate	85-68-7	1,000 µg/mL	Methylene Chloride	S-680-MECL
Diallyl phthalate	131-17-9	1,000 µg/mL	Methanol-P&T	S-4931
Diamyl phthalate	131-18-0	1,000 µg/mL	Methanol	S-4157
Dicyclohexyl phthalate	84-61-7	1,000 µg/mL	Methanol-P&T	S-4151
Diethyl phthalate	84-66-2	1,000 µg/mL	Methanol-P&T	S-1515
Diisobutyl phthalate	84-69-5	1,000 µg/mL	Methanol-P&T	S-4150
Diisodecyl phthalate	26761-40-0	1,000 µg/mL	Methanol-P&T	S-4464
Diisoheptyl phthalate	71888-89-6	1,000 µg/mL	Methylene Chloride	S-1553
Diisononyl phthalate	28553-12-0	1,000 µg/mL	Acetone	S-1559
Di-iso-octyl phthalate	27554-26-3	1,000 µg/mL	Methanol	S-5738
Dimethoxyethyl phthalate	117-82-8	1,000 µg/mL	Methanol-P&T	S-1575
Dimethyl phthalate	131-11-3	1,000 µg/mL	Methanol-P&T	S-1590
Di-n-butyl phthalate	84-74-2	1,000 µg/mL	Methanol-P&T	S-1770
Di-n-hexyl phthalate	84-75-3	1,000 µg/mL	Methanol-P&T	S-4155
Di-n-octyl phthalate	117-84-0	1,000 µg/mL	Methanol-P&T	S-1775
Dinonyl phthalate	84-76-4	1,000 µg/mL	Methanol-P&T	S-4153
Dipropyl phthalate	131-16-8	1,000 µg/mL	Methanol-P&T	S-4491
bis(2-Ethylhexyl)isophthalate	137-89-3	1,000 µg/mL	Methanol-P&T	S-4928
bis(2-Ethylhexyl)phthalate	117-81-7	1,000 µg/mL	Methanol	S-1970
bis(2-Ethylhexyl)terephthalate	6422-86-2	1,000 µg/mL	Methanol	S-5459
Isopentyl pentyl phthalate	776297-69-9	1,000 µg/mL	Methylene Chloride	S-6109

Petroleum, Petrochemical & Biodiesel Standards

Petroleum, Petrochemical & Biodiesel

Petroleum, Petrochemical & Biodiesel Standards

Petroleum is a naturally occurring complex mixture of various molecular weight hydrocarbons that includes products created from unprocessed and refined crude oil. Petrochemicals are the products derived from petroleum and include a variety of chemical compounds. Petrochemicals may also include products derived from petroleum sources other than fossil fuels, including renewable sources such as agricultural products (corn, soy and sugar cane).

Testing using petroleum standards is necessary throughout the entire lifespan of a petroleum product; from its creation in the refinery through environmental monitoring of potential contamination of soil and groundwater sources, to waste disposal and leaking storage facilities.

SPEX Certiprep's petroleum and petrochemical standards supply our customers with the reference materials for the entire life cycle of the petroleum products; from standards to characterize various fuel types, to standards that monitor the potential contamination from Leaking Underground Storage Tanks (LUST) and Leaking Underground Fuel Tanks (LUFT) sources.

Did You Know?

SPEX CertiPrep offers a Loyal Customer Discount Program to reward you with an automatic discount ranging from 5% to 20% off of all of our qualified products. There is no need to apply! If you purchase a minimum of \$2,000 in any calendar year and are in good payment standing with us, we will enroll you into the program automatically at the beginning of the next year so you can receive these discounts.

Another way we show our appreciation for your continued business is through our Loyal Customer Rewards Program, SPoints. In addition to receiving the highest quality Certified Reference Materials, every time you make a purchase with SPEX CertiPrep, you will earn 1 SPoint (or credit) for every \$10 spent. There is no limit on how many SPoints you can earn and they are good for up to one year after your order has shipped. There is no need to register for this rewards program; if you place a direct order of any qualifying product, you will automatically earn SPoints rewards!

To get your total available SPoints, you can email us at CRMMarketing@spex.com, visit your account in our Customer Center, or call us at 1.800.LAB.SPEX. SPoints can be redeemed for valuable merchandise such as gift cards, electronics, and even gift certificates towards your next SPEX CertiPrep purchase. You can redeem your SPoints at any time by emailing us at CRMMarketing@spex.com or calling us at 1.800.LAB. SPEX.

For more information and to view our current SPoints rewards prizes, visit our SPoints page at spexcertiprep.com/spoints.

Petroleum, Petrochemical & Biodiesel

Petrochemical and LUST Standards

The EPA regulates the monitoring and testing of underground storage tanks (USTs), that were or are used to store petroleum or other hazardous substances, which could impact the environment and human health. Currently, there are over half a million registered underground storage tanks in the US alone. Many tanks installed prior to the mid-80s were composed of steel, which can corrode over time allowing for leakage into the surrounding groundwater and soil.

The Hazardous and Solid Waste Amendments to the Resource Conservation and Recovery Act (RCRA), passed in 1984, required the US Environmental Protection Agency (EPA) to develop regulations for the underground storage of motor fuels. The EPA requires owners and operators of USTs to maintain and clean up sites damaged by petroleum contamination.

SPEX CertiPrep provides standards designed to meet the testing requirements set up by the EPA and many individual state regulations for LUST and LUFT.

Volume for all Petroleum, Petrochemical and Biodiesel Standards is 1 mL

BTEX Standard in Methanol-P&T			
Components	CAS #	Components	CAS #
Benzene	71-43-2	m-Xylene	108-38-3
Ethylbenzene	100-41-4	o-Xylene	95-47-6
Toluene	108-88-3	p-Xylene	106-42-3
Concentration	Part #	Concentration	Part #
200 µg/mL	BTEX	2,000 µg/mL	BTEX-H

Alternate BTEX Standard Formulations (High Level) in Methanol-P&T			
Components	CAS #	Components	CAS #
Benzene	71-43-2	m-Xylene*	108-38-3
Ethylbenzene	100-41-4	o-Xylene	95-47-6
Toluene	108-88-3	p-Xylene*	106-42-3
Concentration		Part #	
2,000 µg/mL		BTEX-100H	

* o-Xylene and p-Xylene are at a concentration of 1,000 µg/mL.

State of Pennsylvania BTEX Standard (High Level) in Methanol-P&T			
Components	CAS #	Components	CAS #
Benzene	71-43-2	Toluene	108-88-3
Ethylbenzene	100-41-4	m-Xylene	108-38-3
Isopropylbenzene	98-82-8	o-Xylene	95-47-6
Methyl tertiary-butyl ether	1634-04-4	p-Xylene	106-42-3
Naphthalene	91-20-3		
Concentration		Part #	
2,000 µg/mL		PA-BTEX-H	

Petroleum, Petrochemical & Biodiesel

Volume for all Petroleum, Petrochemical and Biodiesel Standards is 1 mL

Purgeable Aromatics for Gasoline Identification in Methanol-P&T

Components	CAS #	Components	CAS #
Benzene	71-43-2	Methyl tertiary-butyl ether	1634-04-4
Chlorobenzene	108-90-7	Toluene	108-88-3
1,2-Dichlorobenzene	95-50-1	m-Xylene	108-38-3
1,3-Dichlorobenzene	541-73-1	o-Xylene	95-47-6
1,4-Dichlorobenzene	106-46-7	p-Xylene	106-42-3
Ethylbenzene	100-41-4		
		Concentration	Part #
		2,000 µg/mL	P-GAS

Gasoline Range Organics in Methanol-P&T

Components	CAS #	Components	CAS #
Benzene	71-43-2	1,2,4-Trimethylbenzene	95-63-6
Ethylbenzene	100-41-4	2,2,4-Trimethylpentane	540-84-1
3-Methylpentane	96-14-0	m-Xylene	108-38-3
Naphthalene	91-20-3	o-Xylene	95-47-6
Toluene	108-88-3		
		Concentration	Part #
		1,000 µg/mL	GRO-1000

Gasoline Range Organics (EPA) Alternative Formulation in Methanol-P&T

Components	CAS #	Concentration	Components	CAS #	Concentration
Benzene	71-43-2	500 µg/mL	1,2,4-Trimethylbenzene	95-63-6	1,000 µg/mL
Ethylbenzene	100-41-4	500 µg/mL	2,2,4-Trimethylpentane	540-84-1	1,500 µg/mL
n-Heptane	142-82-5	500 µg/mL	m-Xylene	108-38-3	1,000 µg/mL
2-Methylpentane	107-83-5	1,500 µg/mL	o-Xylene	95-47-6	1,000 µg/mL
Toluene	108-88-3	1,500 µg/mL	p-Xylene	106-42-3	1,000 µg/mL
		Part #			
		GRO-EPA-2			

Diesel Range Organics Mix in Methylene Chloride

Components	CAS #	Components	CAS #
n-Decane	124-18-5	n-Hexadecane	544-76-3
n-Docosane	629-97-0	n-Octacosane	630-02-4
n-Dodecane	112-40-3	n-Octadecane	593-45-3
n-Eicosane	112-95-8	n-Tetracosane	646-31-1
n-Hexacosane	630-01-3	n-Tetradecane	629-59-4
		Concentration	Part #
		1,000 µg/mL	DRO-1000

Petroleum, Petrochemical & Biodiesel

For all Alkanes below, volume is 1 mL and concentration is 1,000 µg/mL

Alkanes Reference Table				
Components	CAS #	Formula	Matrix	Part #
n-Butane	106-97-8	C ₄ H ₁₀	Methanol-P&T	S-605
n-Decane	124-18-5	C ₁₀ H ₂₂	Methylene Chloride	S-1112
n-Docosane	629-97-0	C ₂₂ H ₄₆	Methylene Chloride	S-1790
n-Dodecane	112-40-3	C ₁₂ H ₂₆	Methylene Chloride	S-1795
n-Dotetracontane	7098-20-6	C ₄₂ H ₈₆	Carbon Disulfide	S-1809
n-Dotriacontane	544-85-4	C ₃₂ H ₆₆	Methylene Chloride	S-1810
n-Eicosane	112-95-8	C ₂₀ H ₄₂	Methylene Chloride	S-1820
Ethane	74-84-0	C ₂ H ₆	Methanol-P&T	S-1880
n-Heneicosane	629-94-7	C ₂₁ H ₄₄	Methanol-P&T	S-2090
n-Hentriacontane	630-04-6	C ₃₁ H ₆₄	Methylene Chloride	S-2095
n-Heptacosane	593-49-7	C ₂₇ H ₅₆	Methylene Chloride	S-2115
n-Heptadecane	629-78-7	C ₁₇ H ₃₆	Methanol-P&T	S-2120
n-Heptane	142-82-5	C ₇ H ₁₆	Methanol-P&T	S-2125
n-Hexacontane	7667-80-3	C ₆₀ H ₁₂₂	p-Xylene	S-2166
n-Hexacosane	630-01-3	C ₂₆ H ₅₄	Methylene Chloride	S-2170
n-Hexadecane	544-76-3	C ₁₆ H ₃₄	Methylene Chloride	S-2175
n-Hexane	110-54-3	C ₆ H ₁₄	Methanol-P&T	S-2190
n-Hexatriacontane	630-06-8	C ₃₆ H ₇₄	p-Xylene	S-2210
Methane	74-82-8	CH ₄	Methanol-P&T	S-2379
n-Nonane	111-84-2	C ₉ H ₂₀	Methanol-P&T	S-2785
n-Octacosane	630-02-4	C ₂₈ H ₅₈	Methylene Chloride	S-2845
n-Octadecane	593-45-3	C ₁₈ H ₃₈	Methanol-P&T	S-2850
n-Octane	111-65-9	C ₈ H ₁₈	Methanol-P&T	S-2870
n-Octatriacontane	7194-85-6	C ₃₈ H ₇₈	Hexane	S-2886
n-Pentacontane	6596-40-3	C ₅₀ H ₁₀₂	Carbon Disulfide/Pentane/Methylene Chloride	S-2953
n-Pentadecane	629-62-9	C ₁₅ H ₃₂	Methanol-P&T	S-2960
n-Pentane	109-66-0	C ₅ H ₁₂	Methanol-P&T	S-2975
n-Pentatriacontane	630-07-9	C ₃₅ H ₇₂	Hexane	S-2990
Propane	74-98-6	C ₃ H ₈	Methanol-P&T	S-3145
n-Tetracosane	646-31-1	C ₂₄ H ₅₀	Freon 113	S-3435
n-Tetracontane	4181-95-7	C ₄₀ H ₈₂	Hexane	S-3430
n-Tetradecane	629-59-4	C ₁₄ H ₃₀	Methylene Chloride	S-3440
n-Tetratetracontane	7098-22-8	C ₄₄ H ₉₀	Cyclohexane:Methylene Chloride (50:50)	S-3480
n-Tetratriacontane	14167-59-0	C ₃₇ H ₇₀	Methylene Chloride	S-3485
n-Triacontane	638-68-6	C ₃₀ H ₆₂	Methylene Chloride	S-3540
n-Undecane	1120-21-4	C ₁₁ H ₂₄	Methanol-P&T	S-3780

Petroleum, Petrochemical & Biodiesel

Volume for all Petroleum, Petrochemical and Biodiesel Standards is 1 mL

C₁₁ through C₁₈ Alkanes Mix in Methylene Chloride

Components	CAS #	Components	CAS #
n-Dodecane	112-40-3	n-Pentadecane	629-62-9
n-Heptadecane	629-78-7	n-Tetradecane	629-59-4
n-Hexadecane	544-76-3	n-Tridecane	629-50-5
n-Octadecane	593-45-3	n-Undecane	1120-21-4
		Concentration	Part #
		1,000 µg/mL	C11-18

C₁₅ through C₃₅ Odd Alkanes Mix in Methylene Chloride

Components	CAS #	Components	CAS #
n-Heneicosane	629-94-7	n-Pentacosane	629-99-2
n-Hentriacontane	630-04-6	n-Pentadecane	629-62-9
n-Heptacosane	593-49-7	n-Pentatriacontane	630-07-9
n-Heptadecane	629-78-7	n-Tricosane	638-67-5
n-Nonacosane	630-03-5	n-Tritriacontane	630-05-7
n-Nonadecane	629-92-5		
		Concentration	Part #
		1,000 µg/mL	ENC-ODD-1K

C₁₆ through C₃₆ Even Alkanes Mix in Methylene Chloride

Components	CAS #	Components	CAS #
n-Docosane	629-97-0	n-Octacosane	630-02-4
n-Dotriacontane	544-85-4	n-Octadecane	593-45-3
n-Eicosane	112-95-8	n-Tetracosane	646-31-1
n-Hexacosane	630-01-3	n-Tetatriacontane	14167-59-0
n-Hexadecane	544-76-3	n-Triacontane	638-68-6
n-Hexatriacontane	630-06-8		
		Concentration	Part #
		1,000 µg/mL	ENC-EVEN-1K

Petroleum, Petrochemical & Biodiesel

Volume for all Petroleum, Petrochemical and Biodiesel Standards is 1 mL

State of TX, C ₆ through C ₃₅ Alkanes in Pentane					
Components	CAS #	Components	CAS #	Components	CAS #
n-Decane	124-18-5	n-Hexane	110-54-3	n-Pentacosane	629-99-2
n-Dodecane	112-40-3	n-Nonadecane	629-92-5	n-Pentadecane	629-62-9
n-Eicosane	112-95-8	n-Nonane	111-84-2	n-Pentatriacontane	630-07-9
n-Heptadecane	629-78-7	n-Octacosane	630-02-4	n-Tetradecane	629-59-4
n-Heptane	142-82-5	n-Octadecane	593-45-3	n-Tridecane	629-50-5
n-Hexadecane	544-76-3	n-Octane	111-65-9	n-Undecane	1120-21-4
		Concentration	Part #		
		1,000 µg/mL	TX-HC-18		

Single-Component Petrochemical Fuel Standards				
Components	CAS #	Concentration	Matrix	Part #
Regular Unleaded Gasoline	86290-81-5	1,000 µg/mL	Methylene Chloride	S-RG-1000
		20,000 µg/mL	Methanol-P&T	S-RG-20K
Premium Unleaded Gasoline (High Level)	8006-61-9	20,000 µg/mL	Methanol-P&T	S-PG-20K
Motor Oil, SAW 30W	N/A	20,000 µg/mL	Methylene Chloride	S-030W-20K
#2 Diesel Fuel Oil	68476-34-6	1,000 µg/mL	Methanol-P&T	S-DF2-1000
		20,000 µg/mL	Methanol	S-DF2-20K
Kerosene (High Level)	8008-20-6	20,000 µg/mL	Methanol-P&T	S-K-20K
Mineral Spirits (High Level)	9072-35-9	20,000 µg/mL	Methanol-P&T	S-MS-20K

Weathered Fuel Standards				
Components	CAS #	Concentration	Matrix	Part #
Regular Unleaded Gasoline	86290-81-5	25% Weathered, 5,000 µg/mL	Methanol-P&T	S-WG-25
		50% Weathered, 5,000 µg/mL		S-WG-50
#2 Diesel Fuel Oil	68476-34-6	25% Weathered, 5,000 µg/mL	Methanol-P&T	S-WDF-25
		50% Weathered, 5,000 µg/mL		S-WDF-50
Kerosene	8008-20-6	25% Weathered, 5,000 µg/mL	Methanol-P&T	S-WK-25
		75% Weathered, 5,000 µg/mL		S-WK-75

Surrogate Standard in Methylene Chloride	
Component	CAS #
o-Terphenyl	84-15-1
Concentration	Part #
5,000 µg/mL	DIESEL-I

NJDEP Extractable Petroleum Standards

NJDEP Extractable Petroleum Hydrocarbon Method

These products were developed to comply with health-based criteria for site remediation efforts, and includes procedures to separate the petroleum content into specific carbon ranges.

Method OQA-QAM-025-02/8 NJDEP EPH

Aliphatics Calibration Standard in Hexane:Carbon Disulfide

Components	CAS #	Components	CAS #	Components	CAS #
n-Decane	124-18-5	n-Hexadecane	544-76-3	n-Octatriacontane	7194-85-6
n-Docosane	629-97-0	n-Hexatriacontane	630-06-8	n-Tetracontane	4181-95-7
n-Dodecane	112-40-3	2-Methylnaphthalene	91-57-6	n-Tetracosane	646-31-1
n-Dotriacontane	544-85-4	Naphthalene	91-20-3	n-Tetradecane	629-59-4
n-Eicosane	112-95-8	n-Nonane	111-84-2	n-Tetratriacontane	14167-59-0
n-Heneicosane	629-94-7	n-Octacosane	630-02-4	n-Triacontane	638-68-6
n-Hexacosane	630-01-3	n-Octadecane	593-45-3		
		Concentration	Volume	Part #	
		2,000 µg/mL	1 mL	NJDEP-EPH-ALCS	

Aliphatics Fractionation Check Mix in Hexane

Components	CAS #	Components	CAS #	Components	CAS #
n-Decane	124-18-5	n-Hexacosane	630-01-3	n-Octatriacontane	7194-85-6
n-Docosane	629-97-0	n-Hexadecane	544-76-3	n-Tetracontane	4181-95-7
n-Dodecane	112-40-3	n-Hexatriacontane	630-06-8	n-Tetracosane	646-31-1
n-Dotriacontane	544-85-4	n-Nonane	111-84-2	n-Tetradecane	629-59-4
n-Eicosane	112-95-8	n-Octacosane	630-02-4	n-Tetratriacontane	14167-59-0
n-Heneicosane	629-94-7	n-Octadecane	593-45-3	n-Triacontane	638-68-6
		Concentration	Volume	Part #	
		400 µg/mL	5 mL	NJDEP-EPH-ALFC	

Aliphatics Matrix Spike Mix in Pentane

Components	CAS #	Components	CAS #	Components	CAS #
n-Decane	124-18-5	n-Hexacosane	630-01-3	n-Octatriacontane	7194-85-6
n-Docosane	629-97-0	n-Hexadecane	544-76-3	n-Tetracontane	4181-95-7
n-Dodecane	112-40-3	n-Hexatriacontane	630-06-8	n-Tetracosane	646-31-1
n-Dotriacontane	544-85-4	n-Nonane	111-84-2	n-Tetradecane	629-59-4
n-Eicosane	112-95-8	n-Octacosane	630-02-4	n-Tetratriacontane	14167-59-0
n-Heneicosane	629-94-7	n-Octadecane	593-45-3	n-Triacontane	638-68-6
		Concentration	Volume	Part #	
		200 µg/mL	5 mL	NJDEP-EPH-ALMS	

EPH Surrogate Spike Mix in Acetone

Components	CAS #	Components	CAS #
1-Chlorooctadecane	3386-33-2	o-Terphenyl	84-15-1
		Concentration	Volume
		4,000 µg/mL	1 mL
		Part #	NJDEP-EPH-SS

NJDEP Extractable Petroleum Standards

Method OQA-QAM-025-02/8 (cont'd)
NJDEP EPH

Aromatics Calibration Standards in Methylene Chloride

Components	CAS #	Components	CAS #	Components	CAS #
Acenaphthene	83-32-9	Benzo(g,h,i)perylene	191-24-2	Indeno(1,2,3-cd)pyrene	193-39-5
Acenaphthylene	208-96-8	Benzo(k)fluoranthene	207-08-9	2-Methylnaphthalene	91-57-6
Anthracene	120-12-7	Chrysene	218-01-9	Naphthalene	91-20-3
Benz(a)anthracene	56-55-3	Dibenz(a,h)anthracene	53-70-3	Phenanthrene	85-01-8
Benzo(a)pyrene	50-32-8	Fluoranthene	206-44-0	Pyrene	129-00-0
Benzo(b)fluoranthene	205-99-2	Fluorene	86-73-7	1,2,3-Trimethylbenzene	526-73-8
		Concentration	Volume	Part #	
		2,000 µg/mL	1 mL	NJDEP-EPH-ARCS	

Aromatics Fraction Check Mix in Hexane:Toluene

Components	CAS #	Components	CAS #	Components	CAS #
Acenaphthene	83-32-9	Benzo(g,h,i)perylene	191-24-2	Indeno(1,2,3-cd)pyrene	193-39-5
Acenaphthylene	208-96-8	Benzo(k)fluoranthene	207-08-9	Phenanthrene	85-01-8
Anthracene	120-12-7	Chrysene	218-01-9	Pyrene	129-00-0
Benz(a)anthracene	56-55-3	Dibenz(a,h)anthracene	53-70-3	1,2,3-Trimethylbenzene	526-73-8
Benzo(a)pyrene	50-32-8	Fluoranthene	206-44-0		
Benzo(b)fluoranthene	205-99-2	Fluorene	86-73-7		
		Concentration	Volume	Part #	
		400 µg/mL	5 mL	NJDEP-EPH-ARFS	

Aromatics Matrix Spike Mix in Acetone:Toluene

Components	CAS #	Components	CAS #	Components	CAS #
Acenaphthene	83-32-9	Benzo(g,h,i)perylene	191-24-2	Indeno(1,2,3-cd)pyrene	193-39-5
Acenaphthylene	208-96-8	Benzo(k)fluoranthene	207-08-9	2-Methylnaphthalene	91-57-6
Anthracene	120-12-7	Chrysene	218-01-9	Naphthalene	91-20-3
Benz(a)anthracene	56-55-3	Dibenz(a,h)anthracene	53-70-3	Phenanthrene	85-01-8
Benzo(a)pyrene	50-32-8	Fluoranthene	206-44-0	Pyrene	129-00-0
Benzo(b)fluoranthene	205-99-2	Fluorene	86-73-7	1,2,3-Trimethylbenzene	526-73-8
		Concentration	Volume	Part #	
		200 µg/mL	5 mL	NJDEP-EPH-ARMS	

EPH Fractionation Surrogate Spike Mix in Hexane

Components	CAS #	Components	CAS #
2-Bromonaphthalene	580-13-2	2-Fluorobiphenyl	321-60-8
		Concentration	Volume
		4,000 µg/mL	1 mL
		Part #	NJDEP-EPH-FSS

Biodiesel Standards

Biodiesel Standards Designed for ASTM D6584 & EN14105

Biodiesel is fast becoming an environmentally friendly alternative to petroleum sources. This fuel source is obtained by esterification of oils derived from plants or animals. To meet the demands of this industry, SPEX CertiPrep offers Biodiesel Certified Reference Materials, as well as glyceride and FAME (Fatty Acids Methyl Esters) impurity standards; all designed to save time and money by eliminating the need to prepare in-house standards.

Our standards are manufactured from the highest purity starting materials and the highest grade of solvents available to guarantee superior quality. These standards are manufactured in a specially designed laboratory built to eliminate contamination issues that may arise during the manufacturing process. The standards then go through a rigorous QC process where a senior chemist approves each lot. This guarantees the standards are accurate and stable at the stated concentrations for all of the components. In addition, all standards are supplied with a detailed, comprehensive Certificate of Analysis.

For a custom standard quote, please visit spexcertiprep.com/customorganics.

Glyceride Impurity Standards for Biodiesel					
Components	CAS #	Concentration	Volume	Matrix	Part #
Diolein	25637-84-7	50 µg/mL	1 mL	Pyridine	BD-3509
Glycerol	56-81-5	5 µg/mL			
Monolein	111-03-5	100 µg/mL			
Triolein	122-32-7	50 µg/mL			
Diolein	25637-84-7	200 µg/mL	1 mL	Pyridine	BD-3511
Glycerol	56-81-5	25 µg/mL			
Monolein	111-03-5	500 µg/mL			
Triolein	122-32-7	200 µg/mL			
Diolein	25637-84-7	350 µg/mL	1 mL	Pyridine	BD-3512
Glycerol	56-81-5	35 µg/mL			
Monolein	110-03-5	750 µg/mL			
Triolein	122-32-7	350 µg/mL			
Diolein	25637-84-7	500 µg/mL	1 mL	Pyridine	BD-3513
Glycerol	56-81-5	50 µg/mL			
Monolein	110-03-5	1,000 µg/mL			
Triolein	122-32-7	500 µg/mL			
(S)-1,2,4-Butanetriol	42890-76-6	1,000 µg/mL	5 mL	Pyridine	BD-3514
Tricaprin	621-71-6	8,000 µg/mL	5 mL	Pyridine	BD-3515
n-Trimethylsilyl-n-methyl trifluoroacetamide (MSTFA)	24589-78-4	5.2 mL	5 mL	N/A	NEAT-4419

Fatty Acids Methyl Esters (FAME), 1 mL				
Components	CAS #	Concentration	Matrix	Part #
Methyl heptanoate	106-73-0	1,000 µg/mL	Methanol	S-4648
Methyl caprylate	111-11-5	1,000 µg/mL	Methanol	S-4649
Methyl nonanoate	1731-84-6	1,000 µg/mL	Methanol	S-4650
Methyl decanoate	110-42-9	1,000 µg/mL	Methanol-P&T	S-4217
Methyl myristate	124-10-7	1,000 µg/mL	Methanol	S-4654
Methyl pentadecanoate	7162-64-1	1,000 µg/mL	Methanol	S-4655
Methyl palmitate	112-39-0	1,000 µg/mL	Methanol	S-4656
Methyl tricosanoate	2433-97-8	1,000 µg/mL	Methanol	S-4663

ASTM Standards

ASTM (American Society for Testing and Materials) is an international organization that is a recognized leader in the development of testing, material and method standards and specifications. ASTM methods are used worldwide to standardize industrial processes, materials and methods to enhance product quality and safety. There are a wide range of methods applicable to many fields of analytical chemistry; from the composition of an inorganic metal alloy test method and specification; to analytical methods for measuring hazardous organic compounds in children's toys.

SPEX CertiPrep's ASTM products are designed to work within the specifications and methods of their corresponding test methods allowing for ease of use and ensuring accuracy within the testing process.

ASTM Method D2887 Standard in Carbon Disulfide

Components	CAS #	Components	CAS #	Components	CAS #
n-Decane	124-18-5	n-Hexane	110-54-3	n-Pentane	109-66-0
n-Dodecane	112-40-3	n-Hexatriacontane	630-06-8	n-Tetracontane	4181-95-7
n-Dotriacontane	544-85-4	n-Nonane	111-84-2	n-Tetracosane	646-31-1
n-Eicosane	112-95-8	n-Octacosane	630-02-4	n-Tetradecane	629-59-4
n-Heptadecane	629-78-7	n-Octadecane	593-45-3	n-Tetratetracontane	7098-22-8
n-Heptane	142-82-5	n-Octane	111-65-9	n-Undecane	1120-21-4
n-Hexadecane	544-76-3	n-Pentadecane	629-62-9		
		Concentration	Volume	Part #	
		0.5% w/w	1 mL	ASTM-D2887	

ASTM Method D3710 Standard in Neat

Components	CAS #	Concentration	Components	CAS #	Concentration
n-Butylbenzene	104-51-8	3.5% w/w	n-Octane	111-65-9	5.8% w/w
n-Decane	124-18-5	3.5% w/w	n-Pentadecane	629-62-9	2.3% w/w
2,4-Dimethylpentane	108-08-7	5.8% w/w	n-Pentane	109-66-0	8.1% w/w
n-Dodecane	112-40-3	3.5% w/w	n-Propylbenzene	103-65-1	4.7% w/w
n-Heptane	142-82-5	10.5% w/w	n-Tetradecane	629-59-4	2.3% w/w
n-Hexane	110-54-3	5.8% w/w	Toluene	108-88-3	11.6% w/w
2-Methylbutane	78-78-4	10.5% w/w	n-Tridecane	629-50-5	2.3% w/w
2-Methylpentane	107-83-5	5.8% w/w	p-Xylene	106-42-3	14% w/w
		Volume	Part #		
		1 mL	ASTM-D3710		

Did You Know?

w/w stands for weight to weight. This is used where the weight of each chemical is used and not the volume (e.g. If one dissolves 10 g of fat in 90 g of ethanol so the total mass of the whole solution is 100 g, then one has made a 10% w/w solution of fat).

ASTM Standards

ASTM Standards (cont'd)

ASTM Method D6160 Aroclor Singles, 1 mL				
Components	CAS #	Concentration	Matrix	Part #
Aroclor 1016	12674-11-2	200 µg/mL	Hexane	PCB-1016
		1,000 µg/mL	Hexane	PCB-1016H
		1,000 µg/mL	Methanol	S-310
Aroclor 1221	11104-28-2	200 µg/mL	Hexane	PCB-1221
		1,000 µg/mL	Hexane	PCB-1221H
		1,000 µg/mL	Methanol	S-315
Aroclor 1232	11141-16-5	200 µg/mL	Hexane	PCB-1232
		1,000 µg/mL	Hexane	PCB-1232H
		1,000 µg/mL	Methanol	S-317
Aroclor 1242	53469-21-9	200 µg/mL	Hexane	PCB-1242
		1,000 µg/mL	Hexane	PCB-1242H
		1,000 µg/mL	Methanol	S-325
Aroclor 1248	12672-29-6	200 µg/mL	Hexane	PCB-1248
		1,000 µg/mL	Hexane	PCB-1248H
		1,000 µg/mL	Methanol-P&T	S-330
Aroclor 1254	11097-69-1	200 µg/mL	Hexane	PCB-1254
		1,000 µg/mL	Hexane	PCB-1254H
		1,000 µg/mL	Isooctane	S-335-ISOOCT
Aroclor 1260	11096-82-5	200 µg/mL	Hexane	PCB-1260
		1,000 µg/mL	Hexane	PCB-1260H
		1,000 µg/mL	Isooctane	S-340-ISOOCT
Aroclor 1262	37324-23-5	200 µg/mL	Hexane	PCB-1262
		1,000 µg/mL	Hexane	PCB-1262H
		1,000 µg/mL	Hexane	S-345
Aroclor 1268	11100-14-4	200 µg/mL	Hexane	PCB-1268
		1,000 µg/mL	Hexane	PCB-1268H

International Standards

International Standards

International Standards

SPEX CertiPrep has responded to your request and now offers more catalog parts for global applications. Analytical labs around the world are required to meet their countries requirements for environmental and safety testing.

CHECK OUT THESE HELPFUL AND INFORMATIONAL INDUSTRY RESOURCES

American Association for Laboratory Accreditation (A2LA)
American Chemical Society (ACS)
ACS North Jersey Section Mass Spectrometry Discussion Group (NJ-ACS)
American Society for Testing and Materials (ASTM)
AOAC International
British Mass Spectrometry Society (BMSS)
Centers for Disease Control and Prevention (CDC)
CDC Laboratory Response Network (LRN)
European Law Monitor
Harmonized Global Tariff System
International Organization for Standardization (ISO)
International Union of Pure and Applied Chemistry (IUPAC)
National Institute of Standards and Technology (NIST)
National Science Foundation (NSF)
New Jersey Department of Environmental Protection (NJDEP)
Royal Society of Chemistry
Spectroscopy Now
Underwriters Laboratories (UL)
The United Kingdom Accreditation Services (UKAS)

Did You Know?

SPEX CertiPrep has a worldwide network of distributors. Visit our website at spexcertiprep.com/distributors to find a dealer near you.

If you cannot find a dealer in your country, or if you are interested in distributing SPEX CertiPrep products, contact us at CRMSales@spex.com.

Volume for International Standards is 1 mL

22-Component Organic Standard in Acetone:Methanol

Components	CAS #	Components	CAS #	Components	CAS #
Aldicarb	116-06-3	Chlorpyrifos oxon	5598-15-2	Permethrin (mix of cis & trans)	52645-53-1
Aldicarb sulfone	1646-88-4	Diuron	330-54-1	Profenofos	41198-08-7
Aldicarb sulfoxide	1646-87-3	Folicur	107534-96-3	Prowl (Pendimethalin)	40487-42-1
Atrazine	1912-24-9	Mancozeb	8018-01-7	Simazine	122-34-9
Benomyl	17804-35-2	Methamidophos	10265-92-6	Terbufos	13071-79-9
Carbendazim	10605-21-7	Methyl parathion	298-00-0	Trifluralin	1582-09-8
Carbofuran	1563-66-2	Metolachlor	51218-45-2		
Chlorpyrifos	2921-88-2	Molinate	2212-67-1		
		Concentration	Part #		
		100 µg/mL	POR-2914-C		

9-Component Organic Standard in Methyl Tertiary-Butyl Ether

Components	CAS #	Components	CAS #
Bromoacetic acid	79-08-3	Dibromoacetic acid	631-64-1
Bromochloroacetic acid	5589-96-8	Dichloroacetic acid	79-43-6
Bromodichloroacetic acid	71133-14-7	Tribromoacetic acid	75-96-7
Chloroacetic acid	79-11-8	Trichloroacetic acid	76-03-9
Dalapon	75-99-0		
		Concentration	Part #
		1,000 µg/mL	POR-2914-D

18-Component Organic Standard in Methanol-P&T

Components	CAS #	Components	CAS #	Components	CAS #
Acrylamide	79-06-1	cis-1,2-Dichloroethene	156-59-2	Tetrachloroethene	127-18-4
Benzene	71-43-2	trans-1,2-Dichloroethene	156-60-5	1,2,3-Trichlorobenzene	87-61-6
Benzo(a)pyrene	50-32-8	bis(2-Ethylhexyl)phthalate	117-81-7	1,2,4-Trichlorobenzene	120-82-1
Carbon tetrachloride	56-23-5	Methylene chloride	75-09-2	1,3,5-Trichlorobenzene	108-70-3
1,2-Dichloroethane	107-06-2	Pentachlorophenol	87-86-5	Trichloroethene	79-01-6
1,1-Dichloroethene	75-35-4	Styrene	100-42-5	Vinyl chloride	75-01-4
		Concentration	Part #		
		1,000 µg/mL	POR-2914-E		

2-Component Organic Standard in DI Water

Components	CAS #	Components	CAS #
Aminomethyl phosphonic acid	1066-51-9	Glyphosate	1071-83-6
		Concentration	Part #
		1,000 µg/mL	POR-2914-F

International Standards

Volume for International Standards is 1 mL

19-Component Organic Standard in Benzene

Components	CAS #	Components	CAS #	Components	CAS #
Alachlor	15972-60-8	p,p'-DDT	50-29-3	Heptachlor epoxide (Isomer B)	1024-57-3
Aldrin	309-00-2	Dieldrin	60-57-1	Methoxychlor	72-43-5
gamma-BHC	58-89-9	Endosulfan I	959-98-8	Metolachlor	51218-45-2
alpha-Chlordane	5103-71-9	Endosulfan II	33213-65-9	Toxaphene	8001-35-2
gamma-Chlordane	5103-74-2	Endosulfan sulfate	1031-07-8	Trifluralin	1582-09-8
p,p'-DDD	72-54-8	Endrin	72-20-8		
p,p'-DDE	72-55-9	Heptachlor	76-44-8		
		Concentration	Part #		
		2,000 µg/mL	CON-430-A		

3-Component Organic Standard in Methylene Chloride

Components	CAS #	Components	CAS #
Carbaryl	63-25-2	Malathion	121-75-5
Demeton (O+S)	8065-48-3		
		Concentration	Part #
		2,000 µg/mL	CON-430-B

Trihalomethanes in Methanol-P&T

Components	CAS #	Components	CAS #
Bromodichloromethane	75-27-4	Chloroform	67-66-3
Bromoform	75-25-2	Dibromochloromethane	124-48-1
		Concentration	Part #
		200 µg/mL	THM-X

BTEX Standard in Methanol-P&T

Components	CAS #	Components	CAS #
Benzene	71-43-2	m-Xylene	108-38-3
Ethylbenzene	100-41-4	o-Xylene	95-47-6
Toluene	108-88-3	p-Xylene	106-42-3
		Concentration	Part #
		200 µg/mL	BTEX

Volume for International Standards is 1 mL

PAH Analyte Mix in Acetonitrile					
Components	CAS #	Concentration	Components	CAS #	Concentration
Acenaphthene	83-32-9	1,000 µg/mL	Dibenz(a,h)anthracene	53-70-3	10 µg/mL
Acenaphthylene	208-96-8	1,000 µg/mL	Fluoranthene	206-44-0	5 µg/mL
Anthracene	120-12-7	50 µg/mL	Fluorene	86-73-7	100 µg/mL
Benz(a)anthracene	56-55-3	1 µg/mL	Indeno(1,2,3-cd)pyrene	193-39-5	10 µg/mL
Benzo(a)pyrene	50-32-8	5 µg/mL	Naphthalene	91-20-3	1,000 µg/mL
Benzo(b)fluoranthene	205-99-2	1 µg/mL	Phenanthrene	85-01-8	50 µg/mL
Benzo(g,h,i)perylene	191-24-2	5 µg/mL	Pyrene	129-00-0	50 µg/mL
Benzo(k)fluoranthene	207-08-9	1 µg/mL			
Chrysene	218-01-9	50 µg/mL			
			Part #		
			550-A		

Aroclor Mix 1 in Hexane			
Components	CAS #	Components	CAS #
Aroclor 1016	12674-11-2	Aroclor 1248	12672-29-6
Aroclor 1232	11141-16-5	Aroclor 1260	11096-82-5
		Concentration	Part #
		200 µg/mL	PCB-M1

Aroclor Mix 2 in Hexane			
Components	CAS #	Components	CAS #
Aroclor 1221	11104-28-2	Aroclor 1254	11097-69-1
Aroclor 1242	53469-21-9		
		Concentration	Part #
		200 µg/mL	PCB-M2

Organics Part Number Index

5022-B	170	548-IS	235	8041-I	197	CAN-CAN-1	257
5022-BH	170	5481-A	236	8060-I	197	CAN-CAN-2	257
5022-I	170	5481-IS	236	8060-S	197	CAN-CAN-3	257
504-AH	170	5481-MEO	236	8082-C	240	CAN-CAN-4	258
5041-AH	170	5491-A	236	8082-I	240	CAN-CAN-5	258
505-A2	229	550-A	193, 284	8082-IC	239	CAN-CAN-6	258
506-AH	190	550-I	194	8100-S	198	CAN-CAN-KIT	259
507-A	231	5511-A	174	8121-B	198	CAN-TERP-KIT	256
507-B	231	5511-I	174	8140-A	241	CAN-TERP-KIT-H	256
507-I	232	5511-PC	174	8141-AB	242	CAN-TERP-MIX1	256
508-A	232	552-A	194	8141-D	233	CAN-TERP-MIX1H	256
508-DC	232	552-MEO	194	8240-25	180	CAN-TERP-MIX2	256
508-I	232	5521-A	194	8260-BIG-MIX	187	CAN-TERP-MIX2H	256
5081-A	233	5522-A	195	8260-E	181	CDANE-X	201, 229
5081-PC	233	5522-AS	195	8260-EH	181	CDANE-XH	201
5242-CH	171	5522-MEO	195	8260-I	180	CLP90-75SA	209
5242-F	171	5522-MEOS	195	8260-S	181	CLP90-75SA5	209
5242-I	171	60-BIG-MIX	186	8260A-I	180	CLP90-SA	209
5242-R4	173	60-BIG-MIX-200	186	8260A-S	180	CLP90-SA5	209
5242-R4200	173	60-BIG-MIX-2000	186	8270-AF-B	198	CLP90-SB	209
5242-S	173	601-A	175	8270-AF-C	199	CLP90-SB5	209
5242-VCX	172	603-XM	176	8270-AF-I	199	CLP90-SBH5	210
5242-VCX-200	172	605-X	195	8270-AF-L	199	CLP90-SURR	210
5242-VCX-200G	172	606-XH	195	8270-AF-M	200	CLPP-A90	244
5252-A	190	608-A	237	8270-IXB	200	CLPP-MS91	245
5252-E	254	612-X	196	8270-IXJ	200	CLPP-MS91H	245
5252-FS	190	614-SK	237	8270-N	201	CLPP-S90	239, 244
5252-I	190	624-A	176	8310-A	201	CLPP-S91	244
5252-PA	191, 253	624-B	177	8310-I	200	CLPS-A	210
5252-PB	191, 253	624-BH	177	ANILINE-LC-A	209	CLPS-B	210
5252-PC	191, 254	624-C	177	ASTM-D2887	278	CLPS-C	211
5252-PCS	192	624-CH	177	ASTM-D3710	278	CLPS-D	211
5252-PD	254	624-D	177	BD-3509	277	CLPS-G	211
5252-S	192	624-DH	177	BD-3511	277	CLPS-I	212
5253-PCB	192	624-I	177	BD-3512	277	CLPS-I2	212
5253-S	192	624-S	178	BD-3513	277	CLPS-I5	212
531-I	234	625-E	196	BD-3514	277	CLPS-I90	212
531-PCS	235	625-F	196	BD-3515	277	CLPS-LC-ALCS	212
5311-A10	234	625-PH	196, 238	BIG-BN-2	204	CLPS-MSA	213
5312-A	234	625-T2	197	BIG-BN-2-5	204	CLPS-MSA15-TI	213
535-A	193	76-BIG-MIX	217	BTEX	175, 270, 283	CLPS-MSB	213
535-I	193	8015-OX	178	BTEX-100H	270	CLPS-MSB-TI	213
535-S	193	8015B-A	178	BTEX-2-1H	175	CLPS-SA	214
547-A	235	8015B-I	178	BTEX-H	175, 270	CLPS-SA5	214
548-A	235	8020-A	179	C1001-09	266	CLPS-SAH	214
548-APFPH	235	8040-B	197	C11-18	273	CLPS-SAH5	214

Organics Part Number Index

CLPS-SB	214	LCS-1560	220	LCS-6036	221	PCB-1268H	203, 230, 279
CLPS-SB5	214	LCS-1669	220	LCS-6057	220	PCB-BZ-114	246
CLPS-SBH	214	LCS-1816	220	LCS-6083-ACN	220	PCB-BZ-12	246
CLPS-SBH-TI	214	LCS-190	220	LCS-6104	220	PCB-BZ-153	246
CLPS-SBH5	214	LCS-2385	221	LCS-6127	220	PCB-BZ-198	246
CLPS-SBH5-TI	214	LCS-2645	221	LCS-6178	221	PCB-BZ-20	246
CLPS-SOM-ISB	215	LCS-2895	221	LCS-6181	220	PCB-BZ-209	246
CLPS-SOM2A	215	LCS-3117-ACN	221	LCS-6184	220	PCB-BZ-28	246
CLPS-SURR	216	LCS-3185	221	LCS-6189	221	PCB-BZ-35	246
CLPS-T	216, 236	LCS-3200-ACN	220	LCS-6210	220	PCB-BZ-47	246
CLPS-T4	216	LCS-3306	221	LCS-6231	220	PCB-BZ-51	246
CLPV-041X	184	LCS-3308-HPLCW	221	LCS-6278	220	PCB-BZ-52	246
CLPV-32CH	185	LCS-376	220	LCS-6279	220	PCB-BZ-68	246
CLPV-43CH	184	LCS-3927	220	LCS-6372	220	PCB-BZ-8	246
CLPV-A	182	LCS-3970-ACN	220	LCS-6376	220	PCB-BZ-80	246
CLPV-AH	182	LCS-4004-ACN	220	LCS-6387	220	PCB-KH	231
CLPV-D90H	183	LCS-4017	220	LCS-6401	220	PCB-M1	202, 230, 284
CLPV-DH	182	LCS-4189-HPLCW	220	LCS-733	220	PCB-M2	202, 230, 284
CLPV-M	183	LCS-4345-ACN	221	NEAT-4419	277	PLAG2-2Y	259
CLPV-MH	183	LCS-4382	221	NJDEP-EPH-ALCS	275	PLAS2-2Y	259
CLPV-SH	183	LCS-4677-ACN	220	NJDEP-EPH-ALFC	275	PLCD2-2Y	259
CLPV-TH	183	LCS-4838	220	NJDEP-EPH-ALMS	275	PLCR2-2Y	259
CNVA	184	LCS-4904	221	NJDEP-EPH-ARCS	276	PLHG4-2Y	259
CON-430-A	283	LCS-4904-ACN	221	NJDEP-EPH-ARFS	276	PLNI2-2Y	259
CON-430-B	283	LCS-4951	221	NJDEP-EPH-ARMS	276	PLPB2-2Y	259
CRM-PE001	265	LCS-5044	220	NJDEP-EPH-FSS	276	PLTL2-2Y	259
CRM-PE002	266	LCS-5295	221	NJDEP-EPH-SS	275	POR-2914-C	282
CRM-PEBLK	266	LCS-5462	220	P-GAS	176, 271	POR-2914-D	282
CRM-PVC001	266	LCS-5705	220	PA-BTEX-H	270	POR-2914-E	282
CRM-PVCBLK	266	LCS-575-ACN	220	PCB-1016	203, 230, 279	POR-2914-F	282
DBC-X	244	LCS-5772	220	PCB-1016H	203, 230, 279	S-030W-20K	274
DCBP-XH	201, 229	LCS-5783	221	PCB-1221	203, 230, 279	S-1015	43
DIESEL-I	274	LCS-6007	220	PCB-1221H	203, 230, 279	S-102	9
DRO-1000	179, 271	LCS-6008	220	PCB-1232	203, 230, 279	S-1020	43
ENC-EVEN-1K	273	LCS-6010	221	PCB-1232H	203, 230, 279	S-10241	259
ENC-ODD-1K	273	LCS-6012	221	PCB-1242	203, 230, 279	S-10242	259
EU-2017-170	251	LCS-6013	221	PCB-1242H	203, 230, 279	S-10245	259
GRO-1000	179, 271	LCS-6014	220	PCB-1248	203, 230, 279	S-10246	259
GRO-EPA-2	271	LCS-6021	220	PCB-1248H	203, 230, 279	S-10247	259
HICAL-ACIDS	202	LCS-6024-ACN	221	PCB-1254	203, 230, 279	S-10248	259
HICAL-VOC	172	LCS-6025	221	PCB-1254H	203, 230, 279	S-10249	259
LC-DC-1	221	LCS-6026	221	PCB-1260	203, 230, 279	S-1025	43
LC-DC-2	221	LCS-6027	220	PCB-1260H	203, 230, 279	S-10260	259
LCS-102	220	LCS-6029	220	PCB-1262	203, 230, 279	S-10261	259
LCS-11056	259	LCS-6033	221	PCB-1262H	203, 230, 279	S-1027	44
LCS-1150-ACN	220	LCS-6035	221	PCB-1268	203, 230, 279	S-103	9

Organics Part Number Index

S-1030	43	S-1156	49	S-1370	55	S-1528	59
S-1041	44	S-1158	49	S-1375	55	S-1529	61
S-1041-ACN	44	S-116	9	S-138	11	S-1530	61, 208
S-1042	44	S-1160	49, 208	S-1380	55	S-1537	61
S-1044	44	S-1162	49	S-1385	56	S-1541	61
S-1044-AC	44	S-1175	50, 238	S-1390	56	S-1542	206
S-1045	57	S-1180	51	S-1394	56	S-1545	61
S-10469	27	S-1185	51	S-140	255	S-155	11
S-1047	98	S-1195	50	S-1400	56	S-1553	62, 267
S-105	9	S-1196	51	S-1405	56, 185	S-1553-H	62
S-105-ACN	9	S-1197	51	S-1406	56, 207	S-1554	62
S-1050	45	S-120	10	S-1410	56	S-1556	63
S-1055	45	S-120-ACN	10	S-1412	57, 207	S-1557	62
S-1060	45	S-1200	50, 208	S-1415	57	S-1559	62, 267
S-1065	107, 241	S-1205	50	S-1417	57	S-1560	63, 238
S-1067	150, 243	S-1207	50	S-1420	57, 243	S-1561	62
S-1068	118	S-1215	50	S-1421	57	S-1565	63, 208
S-1070	45	S-1220	51	S-1425	59	S-157	11
S-1075	46	S-1221	107	S-1429	57	S-1572	63
S-1075-AC	46	S-1228	51, 206	S-1430	57	S-1575	64, 267
S-1080	46	S-1230	52	S-1435	58	S-158	11
S-1085	46	S-1235	52	S-1440	58	S-1590	64, 267
S-1090	46	S-125	10	S-145	11	S-1592	64
S-1095	46	S-125-W1.8	10, 267	S-1455	58	S-1597	64
S-110	9	S-1250	52, 206, 234, 244	S-1458	54	S-1599	65
S-1100	46, 240	S-1251	52, 206	S-1460	58	S-161	11
S-1100-TOL	46	S-1255	51, 208, 241	S-1465	58	S-1610	65
S-1103	46, 174, 206	S-1265	52	S-1469	58	S-1614	65
S-11055	259	S-1270	52	S-1470	58, 185	S-1615	65
S-11056	259	S-1271	53	S-1475	59, 208, 238	S-1616	66
S-11057	259	S-1277	53	S-1477	53	S-1617	66
S-11058	259	S-1280	53	S-1479	59, 185	S-1620	66
S-11059	259	S-1284	54	S-1480	53	S-1627	66
S-1112	47, 272	S-1285	54	S-1485	53	S-1630	66
S-1112-MEOH	47	S-1288	54	S-1490	54	S-1631	67
S-1115	47	S-1290	54	S-1495	59	S-1636	67
S-1122	47	S-1295	54	S-1497	53	S-1639	67
S-1127	60	S-1300	55	S-1505	59	S-1640	67
S-1130-AC	47	S-1310	55	S-1510	59	S-1650	67
S-1135	18	S-1315	55	S-1513	60	S-1659	67, 207
S-1140	47, 238	S-132	10	S-1515	60, 267	S-1660	67
S-1141	47	S-133	10, 262	S-1521	78	S-1661	68, 207, 208
S-1145	17	S-134	10	S-1522	60	S-1662	68, 207
S-1146	47	S-135	10	S-1523	60	S-1664	68, 207
S-115	9	S-1355	55	S-1524	60	S-1665	68
S-1155	48, 241	S-1359	55	S-1525	60	S-1668	68

Organics Part Number Index

S-1670	68	S-1842	73	S-1975	77	S-2085	18, 238
S-1675	69	S-1845	73	S-1976	77	S-2088	89
S-1680	69	S-185	12, 241	S-1983	80, 262	S-2090	89, 272
S-1689	69	S-1850	74	S-1984	80	S-2095	89, 272
S-1690	69	S-1855	74	S-1985	80, 262	S-210	13
S-1696	69	S-1860	74	S-1989	81	S-2100	89
S-170	11	S-1865	74, 238	S-1990	80	S-2100-AC	89
S-1700	68	S-1867	74	S-1995	81, 242	S-2105	89
S-1710	69	S-1870	74, 242	S-1997	81	S-2105-AC	89
S-1715	69	S-1871	74	S-2000	81, 238	S-2110	90
S-1715-ETOH	69	S-1875	75	S-2001	82	S-2115	90, 272
S-1716	70	S-1880	75, 255, 272	S-2002	82	S-2120	90, 272
S-1720	70	S-1885	255, 262	S-2003	83	S-2121	90
S-1725	70	S-1885-W2K	262	S-2004	83	S-2125	90, 272
S-1730	70	S-1890	75	S-2005	83, 238	S-2131	90
S-1735	70	S-1895	75	S-2010	83, 238	S-2140	91, 241
S-1740	70	S-190	12	S-2011	83	S-2140-A	91
S-175	12	S-190-METH	12	S-2015	84	S-2145	91
S-175-W	12	S-1900	75	S-2020	84	S-2147	91
S-1750	70	S-1905	75	S-2021	84	S-215	13, 237
S-1751	71	S-1905-AC	75	S-2025	85	S-2150	91, 241
S-1752	71	S-1910	76	S-2026	85	S-2155	91
S-1755	71, 238	S-1912	76	S-2030	85	S-2160	91, 208
S-1757	71	S-1913	76	S-2035	85	S-2166	91, 272
S-1760	71	S-1920	76	S-2036	85	S-2170	92, 272
S-1765	71	S-1921	76	S-2040-ISO	86	S-2175	92, 272
S-177	12	S-1926	164	S-2047	86, 206	S-2181	92
S-1770	48, 267	S-1927	79	S-205	13	S-2182	92
S-1775	48, 267	S-1928	76	S-2050	86, 206, 208, 262	S-2187	92
S-1785	48	S-1930	77	S-2056	146	S-2190	255, 272
S-1790	72, 272	S-1935	77	S-2057	87	S-2191	93
S-1795	72, 272	S-1938	78	S-2058	87	S-2197	93
S-1795-MEOH	72	S-194	12	S-2059	87	S-2200	93
S-180	12	S-1940	78	S-2060	87	S-2207	92
S-1807	72	S-1945	78	S-2061	85	S-221	13
S-1809	72, 272	S-195	12	S-2062	87	S-2210	93, 272
S-1810	72, 272	S-1952	78	S-2067	87	S-2215	93
S-1815	72	S-1954	79	S-207	13	S-2220	93
S-1816	72	S-1955	79	S-2070	87	S-2225	93
S-1820	72, 272	S-1960	79, 181	S-2074	87	S-2227	95
S-1824	73	S-1960-IPA	79	S-2075	88	S-2229	94
S-1825	73	S-1962	79	S-2075-ACNDI	88	S-2230	94
S-1825-AC	73	S-1965	79	S-2079	88	S-2231	94
S-1830	73	S-1970	79, 267	S-2080	88	S-2235	94, 208
S-1835	73	S-1972	80	S-2081	88	S-2240	95
S-1840	73	S-1973	77	S-2083	88	S-2241	95

Organics Part Number Index

S-2243	95	S-2369A	103	S-2481	112	S-2621	116
S-2244	95	S-2370	103	S-2484	112	S-2625	117, 238
S-2245	134	S-2372	103	S-2485	112	S-2627	117
S-2246	95	S-2375	103	S-2486	112	S-2630	117
S-225	14	S-2377	103	S-2487-MC	112	S-2635	117, 208, 241
S-2255	96	S-2378	104	S-2490	112	S-2635-ACN	117
S-226	13	S-2379	104, 255, 272	S-2495	113	S-2640	117, 242
S-2260	96	S-2380	104	S-2500	113	S-2642	117
S-2265	96	S-2384	104	S-2501	113	S-2645	117, 238
S-2270	96	S-2385	104, 242	S-2505	113	S-2647	118
S-2272	96	S-2395	105	S-2515	113	S-2648	118
S-2272-ACN	96	S-2396	105	S-2516	114	S-265	15
S-2274	97	S-2397	105	S-2520	114	S-2650	51, 208, 238, 242
S-2280	97	S-240	14, 208	S-2525	114	S-2654	23
S-2282	97	S-2405	105	S-2526	114	S-2655	118
S-2284	116	S-2407	106	S-2527	114	S-2660	118, 206
S-2285	97, 241	S-2412	105	S-2530	114	S-2665	119
S-2290	97	S-2415	105, 208	S-2535	115	S-2666	119
S-2292	97	S-2420	105, 208	S-2540	115	S-2671	119
S-230	14	S-2422	111	S-2545	115	S-2680	119, 208
S-2300	98	S-2425	111	S-255	15	S-2690	119
S-2305	98	S-2426	111	S-2550	115	S-2695	119
S-2310	98	S-2428	107	S-2555	255	S-2700	120
S-2315	99	S-2431	107	S-2556	115	S-2705	120
S-2317	99	S-2433	104	S-2560	115	S-2710	120, 206
S-2320	99	S-2433-W	104	S-2563	118	S-2717	120
S-2325	99	S-2435	107	S-2567	115	S-2722	120
S-2331	99	S-2445	108, 238	S-2574	116	S-2725	120
S-2332	99	S-2445-AC	108	S-2579	109	S-2730	120
S-2335	100, 241	S-2445-ACN	108	S-2580	109	S-2732	120
S-2340	34, 208	S-245	15	S-2585	110	S-2733	121
S-2342	100	S-2450	104	S-2585B	98	S-2734	121
S-2346	95	S-2453	108	S-2586	109	S-2737	121
S-2346-ACN	95	S-2454	108	S-2587	109	S-2740	121
S-2347	100	S-2455	110	S-2590	110	S-2745	122
S-235	14	S-2455C	30	S-2595	109	S-2749	122
S-2350	100	S-2457	110	S-2596	109	S-2750	122
S-2354	101	S-2457A	110	S-2598	108, 205	S-2752	122
S-2355	101, 238	S-2458	108	S-2599	107	S-2755	123
S-2355-AC	101	S-246	15	S-260	15, 179	S-2756	123
S-2356	101	S-2460	110	S-2600	109	S-2757	123
S-2361	101	S-2461	110	S-2602	110	S-2758	123
S-2364	101	S-2462	255	S-2607	113	S-2760	119
S-2365	102	S-2465	111	S-2615	116	S-2765	123
S-2366	102	S-2470	111	S-2620	116	S-2770	123, 241
S-2368	102	S-2480	112	S-2620-AC	116	S-2785	123, 272

Organics Part Number Index

S-2795	124	S-2952	129	S-3125	152	S-3245-MC	142
S-2795A	124	S-2953	130, 272	S-3126	136	S-3246	142
S-280	15	S-2960	130, 272	S-3127	136	S-3247	142
S-2800	124	S-2965	130	S-3128	136	S-3248	143
S-2805	65	S-2974	130	S-313	136	S-3249	142
S-2806	65	S-2975	255, 272	S-3130	137, 237	S-325	16, 279
S-2807	66	S-2980	130	S-3133	137	S-3250	143, 208
S-2810	121	S-2985	130	S-3134	137	S-3251	142
S-2811	121	S-2986	130	S-3135	137	S-3252	143
S-2815	122	S-2990	131, 272	S-3140	137, 241	S-3260	143
S-2820	122	S-2995	131	S-3142	255	S-3261	84
S-2825	121	S-2997	131	S-3145	255, 272	S-3265	125
S-2830	122	S-3000	241	S-315	16, 279	S-3266	143
S-2835	121	S-3001	131	S-3155	138	S-3266-ACN	143
S-2840	124	S-3003	131	S-3155-AC	138	S-3270	144
S-2845	125, 272	S-3005	132	S-3160	138	S-3275	155
S-285	15, 208	S-3010	132	S-3165	255	S-3280	144, 237
S-2850	125, 272	S-3014	132	S-3167	138	S-3290	144
S-2855	125	S-3015	132	S-317	16, 279	S-3291	144
S-2861	125	S-3020	132, 206	S-3170	138, 237	S-3295	145, 208
S-2870	125, 272	S-3030	132	S-3175	138	S-330	17, 279
S-2871	126	S-3030-W	132	S-3185	138, 238	S-3300	145
S-2875	126	S-3035	132, 262	S-3186	138	S-3302	145
S-288	16	S-3040	133	S-3190	138	S-3306	118
S-2880	126	S-3041	128	S-3192	139	S-3308	145
S-2885	126	S-3055	133	S-3195	139	S-3310	146
S-2886	126, 272	S-3062	133	S-3200	18	S-3315	146, 208, 238
S-2892	126	S-3065	133, 208	S-3200-ACN	18	S-3320	146
S-290	16	S-3070	134, 208	S-3202	139	S-3325	146
S-2900	127	S-3072	134	S-3204	139	S-3330	147, 237
S-2905	127	S-3075	134	S-3205	139	S-3335	147, 237
S-291	16, 206	S-3076	133	S-3210	139	S-3345	147
S-291-ACN	16	S-3080	134, 238	S-3212	139	S-335-ISOOct	17, 279
S-2910	127	S-3080-AC	134	S-3213	139	S-3350	147
S-2911	127	S-3085	134	S-3214	140	S-3355	147
S-2912	127	S-3090	135	S-3220	140	S-3356-AC	147
S-2914	128	S-3092	89	S-3223	140, 242	S-3359	145
S-2915	128	S-3095	135	S-3225	154, 238	S-3360	148, 241
S-2920	128, 238	S-310	16, 279	S-3230	140	S-3365	29
S-2925	128, 242	S-3100	135, 208	S-3234	140	S-3366	30
S-2930	129, 262	S-3105	135	S-3235	141	S-3370	149
S-2935	129	S-3110	135	S-3236	141	S-3375	149
S-2935-AC	129	S-3117	136	S-3240	141	S-3380	149
S-2940	129	S-3118	136	S-3240-TOL	141	S-3386	151
S-2945	129, 233, 239, 241	S-3119	136	S-3242	141	S-3390	149
S-2950	129, 262	S-3120	136	S-3245	142	S-3395	149

Organics Part Number Index

S-340-ISOOCT	17, 279	S-3578	157	S-376-AC	19	S-3879-MTBE	156
S-3400	149	S-3580	157	S-3760	163,208	S-3880	160
S-3405B	148	S-3584	157	S-3761	29	S-3881	161
S-3410	149	S-3585	158	S-3764	164	S-3886	66
S-3415	148	S-3586	157, 262	S-3765	163, 243	S-3888	167
S-3420	148, 240	S-3590	158	S-3766	164	S-3891	64
S-3425	145, 208, 238	S-360	17, 237	S-377	19	S-3892	38
S-3430	150, 272	S-3605	158	S-3773	164, 208	S-3893	106
S-3435	150, 272	S-3610	158	S-3780	164, 272	S-3895	52, 206
S-3440	150, 272	S-3615	158	S-3785	164, 208	S-3901	96
S-3445	150	S-3620	158, 185	S-3787	165	S-3902	108
S-345	17, 279	S-3625	159, 207	S-3788	165	S-3908	106
S-3450-AC	150	S-3630	159, 207	S-379	19, 242	S-3919	42
S-3455	151, 208, 238	S-3635	159, 207	S-3790	165	S-3920	20
S-3460	151	S-3640	159	S-3795	165	S-3921	20
S-3461	151	S-3645	159, 262	S-3796	165	S-3922	50
S-3464	151	S-3647	159	S-3796-AC	165	S-3924	65
S-3470	151	S-365	17, 237	S-380	19	S-3925	31
S-3471	152	S-3650	159	S-3800	165, 181	S-3926	44
S-3472	152	S-3655	159	S-3805	166	S-3927	35
S-3476	151	S-3660	82	S-3810	166	S-3929-ACN	161
S-3480	152, 272	S-3665	160, 205	S-3813	166	S-3932	131
S-3485	152, 272	S-3665-MTBE	160	S-3815	166	S-3933	133
S-3490	152	S-3675	160, 185	S-3820	166	S-3937	206
S-3492	153	S-3680	160	S-3825	166	S-3943	150
S-3494	153	S-3695	160	S-3830	167	S-3944	63
S-3496	153	S-370	18, 32	S-3835	167	S-3945	99
S-3500	154	S-3700	160	S-3840	167	S-3948	103
S-3501	153	S-3702	160, 179	S-3845	166	S-395	19
S-3505	154	S-3703	161	S-3847	43	S-3950	142
S-3510	154	S-3704	161	S-3848	61	S-3954	86
S-3515	154	S-3705	161	S-3849	48	S-3955	86
S-3520	154	S-3710	161	S-3850	167	S-3958	111
S-3525	155	S-3715	161, 208, 241	S-3851	54	S-3959	76
S-3530	154, 208	S-3716	162	S-3854	89	S-3965	158
S-3531	155	S-3717	162	S-3857	108	S-3970	63
S-3535	155, 204, 229	S-3718	162, 208	S-3858	115	S-3977	47
S-3540	155, 272	S-372	18	S-3860	40	S-3978	153
S-3545	156	S-3720	162	S-3862	119	S-3984	18
S-3550	155	S-3725	162	S-3863	125	S-3985	81
S-3555	156, 262	S-3728	162	S-3864	127	S-3987	94
S-3556	156	S-3730	163	S-3871	137	S-3995	61
S-3564	156	S-3733	163	S-3872A	141	S-3996	18
S-3565	156, 238	S-3735	163	S-3875	145	S-3997	116
S-3570	158, 238	S-3740	162, 208	S-3877	152	S-400	19
S-3575	157	S-376	19	S-3879	156	S-4002	67

Organics Part Number Index

S-4003	143	S-4202	129, 205	S-4333	56	S-460	22
S-4004	84	S-4204	50	S-4334	92	S-4603	102
S-4004-AC	84	S-4207	61	S-4335	262	S-4610-AC	82
S-4006	14	S-421	22	S-4335-100	262	S-462	22
S-4010	153	S-4210	123	S-4336	157	S-462-CYC	22
S-402	20	S-4212	130	S-4336-100	262	S-4622	45
S-4020	47	S-4215	106	S-4336-20	262	S-4631	10
S-4021	255	S-4217	106, 277	S-4336-46	262	S-4634	116
S-4032	33	S-422	22	S-4343	107	S-4638	157
S-4036	97	S-4233	90	S-4345	128	S-4642	164
S-4048	206	S-4234	126	S-4346	32	S-4648	277
S-4049	166	S-4235	64	S-435	20	S-4649	277
S-405	20	S-4236	93	S-4352	255	S-465	22
S-4052	68	S-4238	109	S-437	21	S-4650	277
S-410	20	S-4240	13	S-4371	64	S-4654	277
S-4107	163	S-4246	83	S-4376	148	S-4655	277
S-411	21	S-425	19	S-4379	127	S-4656	108, 277
S-4111	85	S-4250	133	S-4382	160	S-4663	277
S-4121	22	S-4251	151	S-4385	45	S-4669	102
S-4144	148, 206	S-4251-AC	151	S-439	21	S-4677	10
S-4145	147	S-4253	98	S-4418	157	S-4679	24
S-4149	124	S-4254	27	S-4427	43	S-4681-ACN	63
S-415	21	S-4255	45	S-4434	15	S-4682	75
S-4150	62, 207, 267	S-4256	134	S-4436	143	S-4682-ACN	75
S-4151	59, 207, 267	S-4261	90	S-445	21	S-4695	165
S-4153	69, 207, 267	S-4262	19	S-4456	92	S-4695-ACN	165
S-4155	48, 207, 267	S-4268	137	S-4460-MEOH	131	S-4699	84
S-4156-H	106	S-4272	27	S-4464	62, 267	S-470	22
S-4157	49, 207, 267	S-4275	33	S-4465	149	S-4702	42
S-4160	156	S-4279	77	S-4472	35	S-4739	16
S-4160-ACN	156	S-4281-AC	146	S-4473	105	S-475	23
S-4161	84	S-4282	63	S-4474	112	S-4759	206
S-4168	262	S-4288	49	S-4475	153	S-4764	163
S-4171	33	S-4293	99	S-4476	13	S-4765	94
S-4172	255	S-430	20	S-4491	71, 267	S-4783	128
S-4173	102	S-4300	80	S-450	21	S-4791	104
S-4174	71	S-4301	140	S-4510	65	S-480	23
S-4177	126	S-4302	34	S-4516	100	S-4806	102
S-418	21	S-4305-MTBE	58	S-4541	76	S-4811	111
S-4182	135	S-4308	206	S-455	21	S-4815	24
S-4183	78, 262	S-4309	156, 262	S-4550	207	S-4828	127
S-4192	89	S-431	20	S-4553	64	S-4830	60
S-4193	28	S-4310	142	S-4565	101	S-4833	100
S-4199	107	S-4311	148	S-4570	24, 255	S-4835	154
S-4200	124, 241	S-4316-ACN	83	S-4575	45	S-4836	161
S-4201	17	S-4332	86	S-4594	162	S-4838	35

Organics Part Number Index

S-4840	41	S-5147	52	S-5591	147	S-608	28
S-4847	102	S-5148	206	S-560	26	S-6084	84
S-485	23	S-515	25	S-560-DMF	26	S-609	28, 262
S-4863	44	S-5154	11	S-5620	53	S-610	28
S-4871	150	S-5171	128	S-565	26	S-6103-ACN	86
S-4875	44	S-5173	153	S-5656	46	S-6104	81
S-490	23	S-5193	85	S-5670	81	S-6109	98, 267
S-4910	96	S-520	25	S-5672	144	S-6109-H	98
S-4923	74	S-5203-AC	116	S-5682	49	S-6124	18
S-4924	148	S-5217	94	S-572	26	S-6144	14
S-4928	79, 267	S-5218	113	S-5723	152	S-6145	14
S-4931	267	S-5219	114	S-5726	122	S-6146	14
S-495	23	S-5220	114	S-5732	132	S-6147	135
S-4952	77	S-5221	101	S-5738	48, 267	S-6148	62
S-4960	88	S-5222	22	S-575	27, 208	S-615	28
S-4961	34	S-5223	118	S-577	27	S-6156	80
S-4962-ACN	82	S-5226	146	S-5772	42	S-6162	124
S-4963	96	S-525	25	S-5777-ACN	134	S-6179	83
S-4966-ACN	81	S-5270	94	S-5779-AC	141	S-620	28
S-4968	140	S-5296	144	S-5781	82	S-621	28
S-4969	141	S-530	25	S-5785	78	S-622	28
S-4979	70	S-535	25	S-5789	78	S-630	29
S-4997	145	S-536	26	S-5870	155	S-635	29
S-500	23	S-542	26	S-5871	24	S-6375	155
S-5004	113	S-5457	100	S-5873	144	S-640	29
S-5005	262	S-5458-ACN	146	S-590	25, 239, 243	S-6409	100
S-502	23	S-5459	80, 267	S-5908	44	S-645	29
S-5027	103	S-5463	82	S-591	25	S-646	29
S-5037	142	S-5464	88	S-593	25	S-650	30
S-5040	33	S-5465	91	S-5930	164	S-655	29
S-5040-AC	33	S-5467	135	S-5931	165	S-660	30, 242
S-5050	49	S-5469	144	S-5932	12	S-662	30
S-5059	131	S-5480	77	S-5942	125	S-6645	143
S-507	24	S-550	26, 183	S-5946-H	133	S-665	30
S-5074	124	S-5505	129	S-595	27	S-675	30
S-509	24	S-5506	141	S-600	27	S-677	30
S-509-MC	24	S-5506-AC	141	S-6020	86	S-680-MECL	31, 267
S-5091	82	S-5507-ACN	73	S-6033-MEOH	106	S-700	31
S-510	24	S-5511	103	S-6040	164	S-701	31
S-511	24	S-5517-ETOH	117	S-6048	26	S-702	31
S-512	95	S-5518-ETOH	48	S-605	255, 272	S-705	31
S-5133	255	S-5521	101	S-6050	98	S-712	31
S-5136	140	S-5522	88	S-6051	97	S-715	31, 241
S-5143	37	S-5541	75	S-6052	111	S-720	32
S-5144	37	S-5543	137	S-6055	66	S-720-ACN	32
S-5145	37	S-555	26	S-607	27	S-740	32

Organics Part Number Index

S-742	32	S-911	40	SPXPR-2	222, 248
S-745	32	S-912	40	SPXPR-3	222, 248
S-750	32	S-913	40	SPXPR-4	223, 249
S-7515	124	S-915	41, 241	SPXPR-5	223, 249
S-755	32, 208, 241	S-920	41	SPXPR-6	223, 249
S-755-AC	32	S-925	41	SPXPR-7	223, 249
S-760	33	S-930	35, 182	SPXPR-8	224, 250
S-761	33	S-930-2K	182	SPXPR-9	224, 250
S-762	42	S-930A	40	SPXPR-KIT	222, 248
S-765	33	S-944	35	SV-041	203
S-767	33	S-945	35	SV-X	203
S-770	34, 241	S-947	35, 239, 243	SV-X5	203
S-775	34, 241	S-955	36	TCLP-BNA	216
S-780	34, 201, 229	S-958	36	TCLP-PNC	245
S-783	34	S-960	41	TCLP-V	185
S-785	34, 208	S-963	40	TCLP-VX	186
S-792	36	S-965	41, 238	THM-X	170, 283
S-794	36	S-965-A	41	THM-XH	170
S-795	36	S-966	41	TOX-X	204, 229
S-797	36	S-966-ACN	41	TOX-XH	204
S-802	36	S-967	41	TX-HC-18	274
S-805	36	S-970	42	UCMR-3	173
S-810	37	S-975	42	USP-RS-C1	263
S-815	37	S-980	42, 238	USP-RS-C2A	263
S-830	37	S-986	106	USP-RS-C2B	263
S-835	37	S-987	42	USP-RS-C2B-R1	263
S-838	38	S-990	43	USP-RS-C2C	264
S-840	39	S-992	43	USP-RS-C3A	255, 264
S-841	37	S-DF2-1000	274	USP-RS-C3A-R1	264
S-845	38	S-DF2-20K	274	USP-RS-C3B	264
S-847	38	S-K-20K	274	USP-S1015-DMSO	265
S-849	38	S-MS-20K	274	USP-S1715-DMSO	265
S-850	38	S-NEAT-4419	163	USP-S1952-DMSO	265
S-855	38, 182	S-PG-20K	274	USP-S2380-DMSO	265
S-860	38	S-RG-1000	274	USP-S2722-DMSO	265
S-865	39	S-RG-20K	274	USP-S3460-DMSO	265
S-866	39	S-WDF-25	274	USP-S3605-DMSO	265
S-869	39	S-WDF-50	274	USP-S810-DMSO	265
S-875	39	S-WG-25	274	USP-SOL-A	265
S-877	39	S-WG-50	274	USP-TXM2	259
S-880	39	S-WK-25	274	WINE-1	261
S-885	39	S-WK-75	274	WINE-2	261
S-890	40	SKINNER-AE	205	WINE-3	261
S-905	262	SKINNER-SV	205		
S-906	40, 207	SPXPR-1	222, 248		
S-908	35	SPXPR-10	224, 250		